
Remington







MODEL 700™ CDL™ SF LIMITED EDITION (pages 30-31)

PREMIER SIDE-BY-SIDES

The classic quick-handling double you've

always dreamed of. And it's a Remington.

Ready to hunt. Right out of the box.

The newest rifle and scope combo from Remington.

(pages 4-5)

MODEL 770™

(pages 32-33)

NEW FIREARMS

Model 700™ CDL™ SF Limited Edition. It shoots as wicked as it looks. This series started last year with our commemorative 30-06 and heats up for 2007 with our new 17 Remington Fireball – hyper-velocity wonder is tuned to ultimate tack-driving efficiency by our Model 700 action and the stainless, fluted barrel. We've advanced the tradition of the Model 700 Classic. (pages 28-29)

Remington. X-Mark Pro™ Trigger. The best bolt actions on the planet get better this year with an improved trigger system, featuring up to a 40% reduced pull weight, zero creep and a breaks-like-glass feel unrivaled by any factory trigger on the market today. (pages 22-23)

TRIGGER Look for it on products where you see this icon.

NEW AMMUNITION

Wingmaster HD.™ Denser than lead with near perfect roundness, it's the most devastatingly lethal payload to ever hit fur or feather. Super-tuned shape. Superior softness. Bonecrushing energy. It's Drop-Dead Better[™] than any shotshell in the world. (pages 48-49)



Premier® AccuTip™ 17 Remington® Fireball. At 4,000 fps, this tiny new cartridge will look plenty big in the eyes of any varmint and predator within 400 yards. Its diminutive powder charge produces very little fouling, almost zero recoil, and just so happens to be the perfect fuse for our explosive 20-grain AccuTip-V. (page 63)



MANAGED-RECOIL™ COPPER SOLID™ **SABOT SLUGS** (page 55)

300 REMINGTON ULTRA MAG POWER LEVEL (page 59)

CORE-LOKT™ ULTRA **BONDED BULLETS** (page 70)

MORE NEW FIREARMS

PREMIER® OVER/UNDERS (pages 4-5) PREMIER® SIDE-BY-SIDES (pages 4-5)

MODEL 11-87™ SPS™ SUPER MAG

WATERFOWL (pages 8-9)

MODEL SP-10® WATERFOWL (pages 10-11)

MODEL 870™ EXPRESS® SUPER MAG WATERFOWL (pages 12-13)

MODEL 870™ XCS MARINE MAGNUM (pages 14-15)

MODEL 870™ SPS™ SUPER MAG MAX GOBBLER (pages 14-15)

TACTICAL SHOTGUNS & RIFLES (pages 20-21)

MODEL 700™ CDL™ SF (pages 24-25)

MODEL 700™ SPS™ BUCKMASTERS EDITION (pages 24-25)

MODEL 700™ ALASKAN Ti (pages 26-27)

MODEL 700™ SPS™ VARMINT (pages 28-29)

MODEL 700™ VL SS™ THUMBHOLE (pages 28-29)

MODEL 770™ (pages 32-33)

MODEL SEVEN™ XCR CAMO (pages 32-33)

MODEL 750™ SYNTHETIC (pages 34-35)

MODEL 7615™ CAMO HUNTER (pages 34-35)

MODEL 7615™ RANCH CARBINE (pages 34-35)

MODEL 798™ STAINLESS (pages 36-37)

GENESIS™ MUZZLELOADERS

(pages 40-41)

2007 25[™] ANNIVERSARY BULLET® KNIFE (page 74)

NEW CUTLERY

From hunter to collector, Remington's 2007 family of cutlery has something for everyone. Make sure you check out our three new collectible knives, new Premier knives and new Big Game Skinner Set. (pages 72-77)



TANGO SERIES I FIXED BLADE (page 72)



ELITE HUNTER SERIES II FOLDING KNIFE (page 73)



It transforms the shot to a fluid, effortless motion. With 48% less recoil and weighing a mere 7 lbs., the Model 105 CTi™ is the softest-shooting, lightest 12-gauge semi-auto shotgun we've ever built. It's truly the world's most advanced autoloader, inside and out. The first-ever skeletonized titanium shotgun receiver accommodates both 2 ³/₄" and 3" shells and is wrapped with a stout carbon-fiber covering to create the ultimate fusion of toughness and reduced weight. It's also home to the only bottom feed and eject mechanism on a semi. This "Double-Down" system is truly ambidextrous, and produces no peripheral distraction from ejecting shells.

Recoil is reduced to a gentle push by the four-part dampening process, including an optimized gas system, overbored barrel with lengthened forcing cones, in-stock hydraulic recoil suppressor and convex R3® recoil pad. The simplified gas system has very few moving parts, requires less cleaning and there's virtually nothing to wear out or replace. Along with reducing felt recoil, the overbored barrel enhances pattern consistency.

Available with a 26" or 28" barrel, this revolutionary 12 gauge also features a tournament-grade trigger and our TriNyte® coating that forms a near impenetrable barrier to corrosion and scratching. Our ProBore™ choke tubes are optimized for the overbored barrel and measure 0.735", as opposed to the standard 0.727" found on most 12-gauge bores.



THE MOST
TRUSTED IN HISTORY,

ENGINEERED FOR THE FUTURE.

Soft recoil, dependability, balanced pointing characteristics — the Model 1100^{TM} G3 is all that made the original Model 1100 America's most trusted semi-auto shotgun, only better.

 $R_{\!\scriptscriptstyle 6}$

Available in 12 and 20 gauge, its improved, technologically advanced gas system cycles 2 ³/₄" and 3" magnum loads with equal efficiency. By coating key internal parts with Teflon,® we've created an action that's easier to clean, smoother and more reliable. The plated receiver adds durability and a great new look. Felt recoil is reduced and pattern consistency is improved by the overbored barrel.

Then there's Realwood™ our exclusive high-grade walnut construction that meshes genuine American Walnut with carbon reinforcements for striking looks that will withstand extreme abuse.

No autoloader has folded more birds or crushed more targets than the venerable Model 1100. We're proud to announce the legacy has advanced — welcome the next generation, the Model 1100 G3.



Remington

FAA-APPROVED



MODEL 105 CTi™





MODEL 105 CTi™

Available in 12 gauge (2 3/4" and 3")

For complete model listings and specifications, see page 88.





CUSTOM-CHECKERED FORE-END AND STOCK

"DOUBLE-DOWN" BOTTOM FEED AND EJECT SYSTEM

AIRCRAFT-GRADE TITANIUM RECEIVER WITH CARBON-FIBER SHELL

FEATURES

- Three ProBore™ chokes Improved Cylinder, Modified, and Full (flush mount)
- · Aircraft-grade titanium receiver body, resulting in lighter weight
- · Skeletonized receiver with carbon-fiber shell adds strength while reducing the overall weight of the gun
- Target-grade trigger newly designed trigger group for a crisp, consistent trigger pull
- Features a convex R3® recoil pad that reduces felt recoil nearly 50%

PATENTABLE

FEATURES

- ROTATING BOLT LOCK-UP for efficient and reliable operation
- RATE REDUCER regulates bolt velocity and absorbs recoil
- ROLLER SEAR crisp 3 1/2- to 4-lb. trigger pulls
- BOTTOM FEED AND EJECT SYSTEM efficient ambidextrous design with no peripheral distractions



MODEL 1100™ G3



MODEL 1100™ G3 Available in 12 and 20 gauge (2 3/4" and 3")

Remington® Realwood™ Construction. This Remington-exclusive process bonds two pieces of solid, semi-fancy American walnut with a carbon reinforcement to produce an amazing blend of strength, durability and stunning good looks. No film or coating, just real wood.





- · America's most popular autoloading shotgun now with 2 3/4" and 3" capability
- Internal parts plated with nickel-Teflon® finish for ultra-smooth reliability: receiver, action bars, action-bar sleeve, magazine tube, hammer and sear
- Plated receiver
- New Realwood[™] carbon-reinforced. high-grade American walnut laminate stock and matching fore-end
- Stylish new checkering pattern
- 12-gauge models feature overbored barrels (0.735") and lengthened forcing cones
- All models equipped with 5 choke tubes (ProBore™ on 12 ga., Rem® Choke on 20 ga.)
- · Insignia "R" on grip cap
- Features Remington R3® recoil pad with LimbSaver® technology





PERFORMANCE-DRIVEN DESIGN FROM AMERICA'S OLDEST GUNMAKER.

Last year, our Premier® Over and Unders debuted and took the hunting and shooting community by storm. The combination of meticulous craftsmanship, incredible balance, superior pointing characteristics, and rock-solid reliability has earned these shotguns high marks with America's most serious shotgunners. This year, we've broadened the line with a new addition to the Premier Over & Under family — the Conservation Gun of the Year.

For 2007, this special edition will showcase the Ruffed Grouse Society logo in 14k gold on both sides of the black onyx frame. It also features a gold-script Remington insignia "R" on the underbelly, which has become the premier symbol of our status as America's Oldest Gunmaker. This remarkable new 20 gauge has 26" barrels and features a straight-grip, English-style stock that handles like lightning. The stock's oil finish is a thing of beauty.

The Field Grade and Upland Grade Over and Unders have sleek, low-profile receivers that get you on target with fluid grace and speed. They're engraved with game scenes and available in 12, 20 and 28 gauge. Barrels are 26" or 28". Upland Grade has oil-finished woodwork and a case-colored receiver. The Field Grade is equipped with a nickel receiver and deep satin-finished stock and fore-end.

PREMIER®

SIDE-BY-SIDES



A SIDE-BY-SIDE THAT STANDS TOE TO TOE WITH ANY OTHER GUN IN ITS CLASS.

We're proud to expand the Premier® line this year with two new side-by-sides. A perfect compliment to our Premier Over & Under shotguns, they're every bit as flawless in fit, finish and performance. Premier Side-by-Sides meld traditional, fast-handling low-profile designs with Remington® strength and dependability. They're everything you've ever wanted in a double — look, feel and rugged field performance. Each gun features a case-colored game scene artfully engraved on the receiver and a gold script Remington insignia "R" on the underbelly. All that skillful metalwork is framed by a richly grained stock and fore-end with a classic oil finish.

Their Anson & Deeley-style boxlock actions have selective automatic ejectors and single selective triggers, and all barrels feature Rem™ Choke tubes to suit any shooting application. We're offering 12-, 20- and 28-gauge, and .410 bore models with a pistol-grip stock and semi-beavertail fore-end. The 12 and 20 have 28" barrels. Three distinct frame sizes – 12, 20, 28/410 – give each a uniquely streamlined feel. Both 28-gauge and .410 versions have 27" barrels — they're also available in our Upland Special Edition featuring a straight grip English-style stock.



For complete model listings and specifications, see page 88.



ALL PREMIER® SERIES SHOTGUNS FEATURE GOLD SCRIPT REMINGTON INSIGNIA "R"




FEATURES

- Satin-finished premium walnut stock and fore-end (Field)
- Oil-finished walnut stock and fore-end (Upland)
- Nickel-finished receiver with game scene engraving (Field)
- Case-colored receiver with detailed, goldaccented game scene engraving (Upland)
- 12-gauge models come with ProBore extended choke tubes; 20- and 28-gauge models come with Rem™ chokes
- Hunting Schnabeled fore-end
- · Solid barrel filets
- 7mm rib
- · Ivory front bead and steel midpost
- FAA-approved lockable hard case





- 28" barrels on 12 and 20 gauge, 27" barrels on 28 gauge and .410 bore
- Traditional, fast-handling low-profile design
- Anson & Deeley-style boxlock action provides strength and reliability
- Single selective trigger for easy transition from pump, auto, or O/U
- Attractive and durable case-colored receiver with game-scene engraving and a gold script Remington insignia "R" on the underbelly
- Deeply polished Rem[™] Choke barrels
- 12, 20, 28 gauge and .410 bore with pistol-grip stock and semi-beavertail fore-end
- Upland Special Edition available in 28 gauge and .410 bore with a straight-grip English-style stock
- FAA-approved lockable hard case



Developed using input from professional shooters worldwide, our 12-gauge Premier® STS® Series Competition Over and Unders are quickly grinding their way to the top of the competitive scene. Superbly balanced with a sleek, low-profile receiver and built rock-solid, they're a serious competitor's dream. For 2007, the series will be even more formidable. We've added an adjustable-comb model available with 30" or 32" barrels, and a 32" barrel option to our non-adjustable-stock line.

Every facet is optimized to excel in high-speed, high-volume shooting sports arenas. The barrels are overbored (0.735") with lengthened forcing cones to enhance pattern consistency and lessen felt recoil. For ultra-smooth operation and long-term protection from heat and wear, we added a coin-nickel-plated receiver. A 10mm target-style rib with ivory front bead and steel midpost aid in target acquisition. We even fine-tuned the point of impact using input from professional target shooters. A set of five ProBore™ choke tubes with knurled extensions helps you quickly adapt to changing conditions and courses.

For added comfort, there's a right-hand palm swell, and the lustrous satin wood finish is complemented by a gold trigger and engraved receiver. Other features include a target-Schnabeled fore-end and premium hard case. Barrels are offered in both 28", 30" and 32" lengths. The STS series is perhaps our most crushing development to date. A round or two will be all the proof you need.



There's no firearm better equipped for the high-volume regimen of today's elite shooters than the Model 1100^{TM} Competition. Whether you're a seasoned pro or a weekend enthusiast, this shotgun will truly put you at the top of your game.

By overboring the 30" barrel and lengthening the forcing cones, we improved shot-to-shot pattern consistency and made what was one of the softest-recoiling actions in the world even easier on your shoulder. The receiver and all internal parts feature a nickel-Teflon® finish for the smoothest, most reliable cycling ever. It's optimized for 2 3/4" target loads and light field loads. And with an optional adjustable comb, you can fine-tune the stock to your mount. The barrel has 10mm target-style rib. All these, plus a host of other upgrades transform an already legendary design into a super-tuned machine for the competitive scene.

The Model 1100^{TM} Tournament Skeet is still setting records. This quick, smooth-swinging semi has a 26" barrel, and is available in both 12- and 20-gauge versions. Our Model 1100 Sporting Series offers discriminating shooters 12, 20, 28 and 410 options. The guns that started it all, the Model 1100 Classic Trap and famous Model 870^{TM} Classic Trap, continue to crush their way to the top of major events every year.

MODEL 1100™ COMPETITION

Available in 12 gauge (2 3/4")

PREMIER STS COMPETITION Over & Under with adjustable comb

Available in 12 gauge (2 3/4" and 3")



For complete model listings and specifications, see page 88.

BARREL SELECTOR INTEGRAL TO MANUAL SAFETY Our new adjustable-comb models allow you to adjust stock fit in both height and cast.



PROBORE™ EXTENDED CHOKE TUBES



ELECTROLESS-NICKEL-PLATED RECEIVER

FEATURES

- Figured walnut stock and fore-end with satin finish
- Right-hand palm swell
- Target Schnabeled fore-end
- Electroless-nickel-plated receiver
- · Engraved receiver with insignia "R" on underbelly
- · Gold trigger
- 12-gauge overbored barrel (0.735") with lengthened forcing cones
- 5 Extended ProBore™ * choke tubes with knurled extensions: Skeet, Improved Cylinder, Light Mod., Mod., Full
- 10mm target-style rib
- · Ivory front bead and steel midpost
- · Barrel selector integral to manual safety
- · Hard case included

*ProBore chokes are not interchangeable with Rem™ chokes.



MODEL 1100™ COMPETITION

with adjustable comb Available in 12 gauge



Model 1100™ Competition features highly polished nickel-Teflon® coating on internal parts.

- 12 gauge optimized for 2 3/4" target and light field loads
- 30" overbored barrel (0.735" bore diameter)
- 10mm target-style rib with steel midbead and fiber-optic front bead
- Extended ProBore™ choke tubes in Skeet, Improved Cylinder, Light-Modified, Modified and Full
- Internal parts plated with nickel-Teflon® finish for ultra-smooth reliability: receiver, action bars, action-bar sleeve, magazine tube, hammer and sear
- Semi-fancy American walnut stock and fore-end
- Two stock versions available: standard and adjustable comb
- Features Remington R3® recoil pad with LimbSaver® technology







Special situations demand special tools. That's why there's the smooth and dependable, Remington Model $11-87^{\text{TM}}$ SP – the ultimate autoloader for specific situations. Our Special Purpose lineup puts this legendary action to work in a wide range of configurations, from the specialized waterfowl, deer and turkey models to full-camo vent-rib do-alls – each designed to maximize the hunting experience.

This year, there's a new force on the flyway. Our Model 11-87 SPS $^{\text{TM}}$ Super Magnum Waterfowl cancels all incoming flights with everything from 2 3 /4" heavy field loads to big 3 1 /2" hammers. Its SpeedFeed $^{\text{M}}$ I buttstock keeps extra rounds at the ready. Fully clad in new Mossy Oak $^{\text{M}}$ Duck Blind $^{\text{TM}}$ camo with a 30" barrel with Rem $^{\text{M}}$ Choke tubes and featuring a special HiViz $^{\text{M}}$ sight system, this is truly a duck- and goose-hunting machine. Its extended, Quick-Load Carrier makes loading the magazine tube quick and easy, even with gloved hands or cold fingers.

Much to the dismay of every deer in slug country, our Model 11-87 Fully Rifled Cantilever Thumbhole model is still available with a fully rifled cantilever barrel and laminated thumbhole stock and fore-end for awesome accuracy and stability.

Our Model 11-87 Super Magnum SP-T™ Thumbhole is the ultimate turkey and predator shotgun — offering rock-steady aim, quick handling and the concealment of Mossy Oak® Obsession™ camo from butt to bore. It shoots heavy 2 ³/4" to 3 ¹/2" loads with equal efficiency, has adjustable, Truglo® fiberoptic rifle sights and comes with a Super-Full Turkey choke tube. The Model 11-87 Super Magnum SPS-T is fully decked in Mossy Oak Obsession camouflage with a 23" vent-rib barrel. Every member of this family features an R3® recoil pad with patented LimbSaver® technology.





The latest addition to the Remington® Model 11-87™ lineup, our synthetic Sportsman® series is quite possibly the best autoloader value on the market. These shotguns are ultra-reliable, rugged, fast and available in a wide range of popular 11-87 models. It's legendary Remington autoloader performance and dependability, without any compromise in quality.

Touted as the dependable workhorses of Remington autoloaders, Sportsman offerings include 12- and 20-gauge field versions, 12- and 20-gauge fully rifled slug guns with cantilever barrels, and a 20-gauge youth model with 2 ³/₄" to 3" capability. New for 2007, we're offering 12- and 20-gauge models fully decked in Mossy Oak® New Break-Up™ camouflage.

The Model 11-87 Sportsman provides the soft recoil and superior handling that made the Model 11-87 famous. It's constructed with a solid-steel receiver and a super-smooth action for quick follow-up shots. Now "sportsmanship" not only applies to how you hunt, but the dependable, slick-shooting companion you're hunting with as well.



MODEL 11-87™ SPS™ SUPER MAG WATERFOWL

Available in 12 gauge (2 ³/4", 3" and 3 ¹/2")





MODEL 11-87 SUPER MAGNUM

FEATURES

- All the power of a 3 1/2" 12-gauge shotgun coupled with the soft recoil of the Model 11-87 gas system
- Ultra-fast Model 11-87 autoloading action for rapid follow-up shots
- Superior handling and ergonomics
- Solid steel receiver for strength and durability
- 2 3/4", 3" and 3 1/2" capability
- All models feature Remington R3® recoil pads with LimbSaver® technology
- Quick-load carrier (Waterfowl model only)





MODEL 11-87™ SPORTSMAN® CAMO Available in 12 and 20 gauge (2 ³/₄" and 3")

For complete model listings and specifications, see page 89.



MODEL 11-87™ SPORTSMAN° SYNTHETIC Available in 12 and 20 gauge (2 ¹/* and 3°) MODEL 11-87™ SPORTSMAN° Cantilever Available in 12 and 20 gauge (2 ¹/* and 3°) MODEL 11-87™ SPORTSMAN° YOUTH SYNTHETIC Available in 20 gauge (2 ¹/* and 3°)

For complete model listings and specifications, see page 89.

MODEL 11-87 SPORTSMAN FEATURES

- Ergonomically designed for superior handling
- Constructed with solid steel receivers for strength and durability
- Feature smooth-operating actions that reduce wear and provide quick follow-up shots
- Black synthetic or Mossy Oak® New Break-Up™ stock and fore-end
- Available in 12 and 20 gauge
- Sportsman Youth 20 gauge available





For serious extended-range shotgunners, there's only one choice. The Model SP-10.TM Its 10-gauge bore produces significantly superior patterns and less felt recoil than any 12-gauge, $3\frac{1}{2}$ gun out there. And like all Remington shotguns, it excels in the most extreme hunting conditions. It features a corrosion-resistant system, in which the cylinder — not the piston — moves, helping dampen recoil. It's the only shotgun worthy of the ultimate $3\frac{1}{2}$ bird-leveling payload — the 10 gauge.

Waterfowl beware: The big gun is now available with the state-of-the-art wetlands concealment — new Mossy Oak® Duck Blind™ camouflage. It features a 26" Rem® Choke barrel with a high-visibility fiber-optic sight system. Supplied with a full set of three Briley extended specialized waterfowl choke tubes.

Reach out and bust a tom in grand fashion with our new Model SP-10 Thumbhole camo model. Its thumbhole stock, adjustable Williams® fiber-optic Fire Sights $^{\text{TM}}$ and handy 23" barrel make it the ultimate gobbler stopper. It's also fully dressed in Mossy Oak® Obsession $^{\text{TM}}$ camo.

Other models come equipped with 26" or 30" vent-rib Rem $^{\text{TM}}$ Choke barrels with twin beads and interchangeable Full and Modified Rem chokes. Choose Mossy Oak $^{\text{RM}}$ Obsession $^{\text{TM}}$ or Satin finishes. All camo models feature R3 $^{\text{RM}}$ recoil pads with LimbSaver $^{\text{RM}}$ technology for enhanced shooting comfort.



We made it more affordable than ever to own a gas-operated 12 gauge that handles everything from 2 ³/₄" field loads to 3 ¹/₂" magnum rounds. This slick-handling, reliable autoloading shotgun is an incredible value for today's hunter. For a morning's dove shoot with No. 8s, pounding ducks with steel 2s or anchoring a tom with a heavy payload of No. 4, its tunable gas system delivers smooth cycling and softens felt recoil for fast follow-up shots. Dual extractors on the bolt face ensure reliable, ultra-positive ejection.

The vent-rib barrel and receiver have a matte finish for non-glare concealment. Its black synthetic stock is impervious to the elements and stands up to abuse. And it comes from the factory with four choke tubes — improved cyclinder, modified, full and super-full — to cover a season of applications.

We just made your next shotgun purchase an automatic decision — no matter what you're hunting for.





MAGNUM SATIN Available in 10 gauge (3 1/2")



For complete model listings and specifications, see page 89.

- · America's most popular gas-operated 10-gauge shotgun
- Awesome 10-gauge power will handle any waterfowl or turkey hunting situation
- 26" and 30" vent-rib barrels and 23" barrel with rifle sights
- · Model SP-10 Thumbhole comes with Williams® fiber-optic Fire Sights**
- · Camouflage version is fully covered in Mossy Oak® Obsession™ or Duck Blind™
- · All come with sling swivels and padded sling
- · Camo stock versions are equipped with a Remington R3® recoil pad with LimbSaver® technology












- Dependable operation with lighter 2 3/4" loads to heavy 3 1/2" magnums
- · Dual extractors on bolt face
- · Supplied with four extended screw-in SPR choke tubes - Improved Cylinder, Modified, Full and Super-Full Turkey (all tubes are steel approved)
- 24", 26" and 28" vent-rib barrels
- · Tunable gas system delivers smooth cycling and softens felt recoil
- 4+1 capacity





The original design of the Model 870 TM Wingmaster® is so smooth and reliable that today — more than five decades after its introduction — it's still the standard by which all pump shotguns are judged. Maybe that's why we've produced over 9 million Model 870s to date. This all-time favorite is available in standard 12 gauge 2 ³/₄" and 3", 20 and 28 gauge, and .410 bore. The Model 870 Wingmaster combines timeless solid-steel design and rugged dependability with a custom-quality finish. Its American walnut stock is generously adorned with machine-cut checkering. Of course, beneath the attractive exterior is one mean workhorse of an action. This shell-shucker has rigid, non-binding dual action bars for solid, positive chambering and ejection. In the field, its flawless balance and natural pointing qualities get you in front of the quickest and toughest targets. And it has the strength to handle the heaviest magnum payloads for long-range, game-dropping performance. The Model 870 Wingmaster represents pump-gun perfection that stands the test of time. Perhaps that's why there are more of them in use today than any other shotgun.



Its solid, ultra-dependable action makes it America's favorite, and the new laminated wood stock places it among the best looking and most weather resistant as well. If you could throw the lid off every duck blind, stop by every pheasant field and check out every tract of timber where deer and turkey are hunted, you'd probably see more Model 870^{TM} Express® pumps than any other shotgun. It's been the standard for slide-action performance for more than 50 years. And because it's available in a Super Magnum version that handles everything from light $2^{3}/4^{\text{H}}$ loads to heavy $3^{1}/2^{\text{H}}$ magnums, it's the standard for versatility as well.

This extensive lineup continues to grow each year, and covers virtually any application in any neck of the woods or wetlands you're hunting — from the vent-rib do-alls to specialized deer, turkey and waterfowl models. You even have an array of stock choices, including laminated wood, durable black synthetic and popular camo finishes.

Its versatility, reliability and uncompromising quality make the Model 870 Express a shotgun you can't afford to be without. We're proud to make them, but even prouder of the fact you've made them America's Pump Guns.





MODEL 870™ WINGMASTER®



MODEL 870™ WINGMASTER®

Available in 12 and 20 gauge (2 3/4" and 3"), 28 gauge (2 3/4"), and .410 bore (3")

For complete model listings and specifications, see page 89.



FEATURES

- · Remarkable reliability and durability
- The smoothest pump-action shotgun on the market
- Superior balance, handling and looks
- · Points, swings and functions better than anything else in its class
- The highly polished and richly blued receiver is milled from a solid billet of steel for the ultimate in rugged dependability
- · A wide array of barrel and choke options make versatility a Wingmaster® hallmark
- Twin-action bar for non-binding action
- Available in standard 12 gauge 2 3/4" and 3", 20, 28 gauge and .410 bore



MODEL 870™ EXPRESS®

Available in 12 and 20 gauge (2 3/4" and 3")



FEATURES

- · Superior design and inherent strength of America's favorite pump shotgun, the Model 870™
- Super Magnum receiver same size as all 12-gauge Model 870™ shotguns for same balance point
- · Innovative bolt design keeps cycle stroke equal for all 3 lengths of 12-gauge shotshells
- Magazine capacity is three 3 1/2" shells and four 2 3/4" and 3" shells
- Available in wood laminate, synthetic and camouflaged versions as well as combo packages, which feature both a vent-rib and deer barrel for maximum versatility



MODEL 870™ EXPRESS® FULLY RIFLED CANTILEVER

Available in 12 and 20 gauge (2 $^{3}/_{4}^{\text{\tiny II}}$ and 3 $^{\text{\tiny II}}$)

MODEL 870™ **EXPRESS® SYNTHETIC** with 7-round capacity

Available in 12 and 20 gauge (2 3/4" and 3")

For complete model listings and specifications, see pages 89-90.

NEW 20 gauge for 2007.



The original Model 870™ Marine Magnum® set the standard for all-weather reliability, and our latest upgrade to its design launches it beyond the capabilities of any shotgun out there. Featuring the extreme corrosion and abrasion resistance of our proprietary Black TriNyte® Corrosion Control System, the new 12-gauge Model 870™ XCS (Xtreme Conditions Shotgun) Marine Magnum will serve and protect in the most extreme conditions on earth. For even more rugged endurance, all internal metal parts are coated with electroless nickel, and the trigger group is plated to resist fouling and oxidation.

The tactical-style SpeedFeed® I stock and R3® recoil pad with LimbSaver® technology work in conjunction to tame the recoil of even the most potent 2 3/4" or 3" magnum rounds. The stock is equipped with a shell holder to keep up to four extra rounds at your fingertips. Match these features with a 7-round capacity and 18" cylinder bore barrel, and you have the ultimate special-purpose firearm. Anywhere, anytime — count on it.



The new Model 870 Super MagnumTM MAX GobblerTM is a masterpiece of long-range precision and shooting comfort. Its Knoxx[®] SpecOpsTM pistol-grip stock has an adjustable length of pull and incorporates state-of-the-art recoil-dampening technology to tame the $3^{-1}/2^{-1}$ magnum thunder. Other features include a 23" barrel with bright, fully adjustable Williams[®] fiber-optic Fire SightsTM and full coverage in new Realtree[®] APGTM HDTM camo. Included is a Turkey Super-Full RemTM Choke.

For slug precision, the Model 870 ™ SP Fully Rifled Cantilever Thumbhole is fully rifled with a laminated thumbhole stock, widened fore-end, and cantilever scope mount. Our Model 870 SP™ Thumbhole is a steady-aiming standout that blends in with full Mossy Oak® Obsession™ camo. It has a 23" barrel with Truglo® fiber-optic rifle sights. The Model 870 SPS-T™ 12-gauge Super Magnum features a 23" barrel with twin beads, the concealment of Mossy Oak Obsession camo and handles 2 ³/₄" to 3 ¹/₂" loads. Other 870 SPS™ models include our Special Purpose Super Magnum Synthetics, fully camouflaged in Mossy Oak Obsession and available in a 12 gauge with your choice of 26" or 28" barrel.





BEN NOTOK ARKIS CONFANT INC. IL ON NY

For complete model listings and specifications, see page 91.

TriNyte® Corrosion Control System (Patent pending). Consisting of electroless nickel and proprietary PVD, this armor-tough, multi-layer coating is the world's most effective barrier against rust and abrasion for firearms, yet is only a fraction of a human hair in thickness. The only thing you'll notice is the near invincibility. Available in a variety of finish colors.



FEATURES

- TriNyte® Corrosion Control System on barrel and receiver creates an armor-tough barrier against rust and abrasion
- Its Model 870 action is the rugged standard for dependability and smooth operation
- 18" cylinder bore, bead-sighted barrel
- 2-shot magazine extension 7-shot capacity
- SpeedFeed® I stock with shell holder keeps 2-4 extra rounds at your fingertips
- · Corrosion-resistant trigger group with plated components
- Durable synthetic stock and fore-end

MODEL 870™ SPS™

FEATURES

• New Realtree® APG™ HD™ camo

· Drilled and tapped for Weaver-style rail

SUPER MAG MAX GOBBLER M

Knoxx® SpecOps™ stock provides adjustable LOP

• Williams® Fire Sights™ fiber-optic sight system for fast target acquisition and accuracy • Fitted with Remington's high-performance R3® recoil pad with LimbSaver® technology

and state-of-the-art recoil dampening

- · Sling swivel studs
- R3® recoil pad with LimbSaver® technology





MODEL 870™ SPS™ SUPER MAG MAX GOBBLER™

Available in 12 gauge (2 3/4", 3" and 3 1/2")



The new MAX Gobbler™ comes fully decked in the photo realism of new Realtree® APG™ HD.™





Available in 12 gauge (2 3/4" and 3")

THUMBHOLE CANTILEVER

Recoil-dampenin LOP adjustment

The Knoxx® SpecOps™ stock features a recoilcompensation system that dramatically reduces felt recoil and muzzle jump.



SINGLE SELECTIVE TRIGGER

budget of virtually any hunter. SPR side-by-side shotguns. Start your collection today.

MODEL SPR310™



MODEL SPR310™

Available in 12 and 20 gauge (3")

FEATURES

- · Single selective trigger
- · Auto selective ejectors
- · Checkered walnut stock and fore-end
- · Chrome-lined hammer-forged barrels
- · Blued or nickel-plated steel receiver/mono block
- · Deep blued barrel finish
- · Auto tang safety
- · Ventilated rib
- Screw-in SPR chokes** Cyl-IC-Mod-Full on 12- and 20-gauge (Cyl and IC are approved for steel)
- · Rubber recoil pad

For complete model listings and specifications, see page 91.








CHROME BORE



- Single selective trigger*/Auto selective ejectors* or Double trigger/extractors
- · Checkered walnut stock and fore-end
- Chrome-lined hammer-forged barrels
- · Steel receiver/mono block
- · Deep blued barrel finish
- · Auto tang safety
- · Ventilated rib
- Screw-in SPR chokes** Cyl-IC-Mod-Full on 12- and 20-gauge (Cyl and IC are approved for steel)
- · Rubber recoil pad
- *Single trigger models only
- **Screw-in SPR choke tubes are not interchangeable with Rem® Chokes.





MODEL SPR100™ SPORTING

MODEL SPR100 ™ SPORTING

Available in 12 gauge (2 $^{\rm 3}/4^{\rm n}$ and 3 $^{\rm n})$

MODEL SPR100™

Available in 12, 20 gauge and 410 (3")

For complete model listings and specifications, see page 91.

FEATURES

- Chrome-lined hammer-forged barrels
- Nickel-plated or blued steel receivers
- · Cross-bolt safety
- Cocking indicator
- Titanium coated trigger
- Walnut stock and fore-end
- · Youth model
- Selectable ejector or extractor
- · Deep blued barrel finish
- · Sporting models feature SPR screw chokes

MODEL SPR94 ™ 12 gauge/Centerfire Available in 12 gauge (3°)/ 223 Remington MODEL SPR94 ™ Auilable in 12 gauge (3°)/ 223 Remington MODEL SPR94 ™ Auilable in .410/22 LR and .410/22 WWR For complete model listings and specifications, see page 91.

SPR SPECIALTY FEATURES

Shotgun/Centerfire:

- 12-gauge barrel over rifle barrel
- Adjustable sights front for elevation, back for windage (SPR94)
- · Automatic tang mounted safety
- Double triggers

Rimfire/Shotgun:

- · Rifle barrel over shotgun barrel
- · Adjustable sights with 11mm scope rail
- Single selective trigger with cross-bolt safety

SPR RIFLE FEATURES

- Chrome-lined hammer-forged barrels
- All-steel receivers
- Adjustable sights with 11mm scope rail
- · Walnut stock and fore-end
- 1" sling swivel studs
- Appealing spiral-forged barrels







When it comes to tactical firearms, there's no more trusted name in the game than Remington.® This year, we unveil our new line of tactical rifles, including the popular Model 700^{TM} XCR and the Model 7615^{TM} pump rifle. Remington tactical rifles offer the perfect solution for long-range precision shooters or for those looking for the reliability and tactical flexibility of a pump carbine.

A long-time favorite of both the military and tactical police units, the Model 700 offers the legendary accuracy and unfailing performance you've come to expect. New for 2007, our Model 700 XCR Long Range Tactical Rifle, features a 416 stainless steel barreled action with Black TriNyte® PVD coating, providing a diamond-hard layer of defense against the elements. Its new tactical Bell & Carlson stock comes in OD green with black webbing and features a full-length aluminum bedding block, tactical beaver-tail fore-end and a recessed thumb-hook feature for optimum "off the bench" shooting performance. The barrel features wide tactical-style barrel fluting for rapid cooling.

In tactical situations that call for a carbine flexibility with pump-action speed and dependability, there's the Model 7615. This unique carbine-style rifle is ideally suited for the tactical target shooter and is considered a great alternative to the AR-15. It's $Knoxx^{\otimes}$ Spec Ops^{TM} NRS (Non Recoil Suppressing) adjustable stock allows the shooter to set the rifle to its most effective length for superior handling no matter the situation. The Model 7615 Tactical Rifle comes in a parkerized finish and includes a 10-round detachable magazine box and sling swivel studs.



FEATURES

- Model 870s are 12 gauge, 2 3/4" and 3" chambered, and are available in 18" or 20" barrels with 2- or 3-shot magazine tube extensions
- Model 1100s are 12 gauge, 2 3/+" chambered, and are available in 18" or 22" barrels with 2- or 4-shot magazine tube extensions
- Blasted black oxide finish with black synthetic tactical-style fore-ends
- All stocks include sling swivel studs and a Remington® R3® recoil pad with LimbSaver® technology (folding stocks excluded)

Knoxx® SpecOps™ folding stock with recoil reduction.



FEATURES

MODEL 700 TACTICAL

- Includes tactical precision shooting features for long-range target shooting and hunting
- New Tactical Bell & Carlson stock in OD Green w/black webbing
- Full-length aluminum bedding block, tactical beavertail fore-end and recessed "thumbhook" behind pistol grip for off-thebench shooting performance
- Black TriNyte® Corrosion Control System over 416 stainless steel for uncompromised strength and corrosion/abrasion resistance
- 26" varmint-contour 416 stainless steel barreled action with dish-style target crown, drilled and tapped for scope mounts
- · Hinged floorplate magazine
- · Dual front swivel studs and rear stud
- Barrel is free-floating with LTR-style fluting

- 10-round detachable magazine box
- Parkerized finish
- Knoxx[®] SpecOps[™] NRS[™] (Non Recoil Suppressing) stock
- Standard 7600 synthetic fore-end with sling swivel studs

For complete model listings and specifications, see pages 94 & 96.

THE LEGENDARY MODEL 700™ ADVANCING THE MOST ACCURATE & MOST T



When the Model 700[™] was introduced in 1962, it was ahead of its time. And it's even more so 45 years later. With enhancements such as our new X-Mark Pro[™] Trigger, the TriNyte® Corrosion Control System and the continual addition of hot new calibers, barrel contours and stock designs; the strongest and most accurate line of factory-built rifles in the world, is now the most technologically advanced and versatile as well. We're proud of the Model 700's heritage — the generations linked, the superior out-of-the-box accuracy, the rock-solid dependability. But we're even more excited about where it's headed.

LEADING THE WAY ANYWHERE, ANYTIME.

The Model 700™ family has evolved into the most diverse rifle line available to today's hunter and shooter. There are stainless, rich blued and matte finishes to choose from with a variety of stock options, including camo and colored synthetic, American walnut and wood laminate in standard and thumbhole configurations. And the range of calibers available is unrivaled in the industry.

For those who take the hunt to extremes, we offer the world's most advanced protection against corrosion and scratching — our TriNyte® Corrosion Control System featured on the Model 700^{TM} XCR $^{\text{TM}}$ (Xtreme Conditions Rifle). This proprietary coating creates a virtually impenetrable barrier from the elements and abuse. New for 2007, is the RMEF Limited Edition XCR $^{\text{TM}}$ rifle chambered in 300 Remington Ultra Magnum with a stock camouflaged in new Realtree® AP $^{\text{TM}}$ camo. The 25-06 Remington and 7mm-08 Remington have also become standard chamberings for the standard XCR (Page 24).

Our hot new 17 Remington Fireball debuts this year in the Model 700^{TM} CDLTM SF Ltd. (*Pages 30-31*). With 4,000-fps + performance and the stellar aesthetics of our Limited Edition CDL, this tiny cartridge is sure to be a big hit with varmint hunters everywhere.

Read on, and you'll find an awesome selection of new and improved Model 700^{TM} rifles, including the Model 700 Alaskan Ti ($Page\ 26$), which replaces our famous Model 700 Titanium as the ultimate lightweight, high-country rifle; the Model 700 SPS TM Buckmasters Edition ($Page\ 24$) and a complementary "Young Bucks" youth model ($Page\ 42-43$). The Varmint selection expands with our Model 700 VL SS TH (Varmint Laminated Stock Stainless Thumbhole), ($Page\ 28$) and the Model 700 SPS Varmint ($Page\ 28$).

RUSTED IN HISTORY.



Remington.

X-MARK
PRO
TRIGGER

tightest possible production tolerances. A mirror-like finish on its components enhances corrosion resistance and adds to its ultra-crisp feel. The X-Mark $\text{Pro}^{\,\,\text{\tiny TM}}$ is standard equipment on select Model 700 and Model Seven rifles, but one shot and you'll know — it's extraordinary by anyone's standards. It's also 100% adjustable for pull weight by a qualified gunsmith. But we seriously doubt you'll need it.

With up to a 40% lower out-of-the-box pull weight, virtually zero creep, one of the most crisp breaks you'll ever feel and 100% adjustability, the new X-Mark Pro is the finest production trigger you'll ever squeeze. **STRENGTH IN NUMBERS.** The Model 700 is undoubtedly the strongest action ever conceived. The cylindrical receiver is dramatically more rigid than the traditional flat-bottom types it replaced. However, it's our famous **Three-Rings-of-Steel** that make it an unshakable vault of strength.

1. Recessed bolt face completely encloses cartridge head for maximum protection against case rupture



2. Barrel surrounds bolt shroud for additional strength

receiver machined from hardened steel

XCR: THE WORLD'S MOST RESILIENT RIFLE.



As prosing saltway independent our armulti-

As proved in a rigorous saltwater test by an independent laboratory, our armor-tough,

layer TriNyte® coating forms a virtually impenetrable barrier to corrosion. It's the most effective on the planet, in fact. (More on page 24.)

2007's HOTTEST COMBINATION.



NEW

Additional firearms chambered for 17 Remington Fireball Model 700 SPS, Model 700 VSF and Model Seven CDL.



The Remington Model 700,™ a rifle with no equal and a superior performer in every way. Its accuracy and dependability have become the standard from which all other centerfire rifles are measured. Still, the most accurate out-of-the-box rifle made, the Model 700 brings its famous action and renowned consistency to three new additions to the prestigious family of guns.

It's one of the toughest guns ever made, the Model 700 XCR. And, this year's special Limited Edition Rocky Mountain Elk Foundation Model features the new Realtree® AP^{TM} Camo Pattern — the recently adopted official pattern of RMEF. The 2007 offering will be chambered for the venerable 300 Remington Ultra Magnum cartridge and will feature a stainless steel barreled action with our famous armor-tough TriNyte® Corrosion Control System.

Also new this year is the Model 700 SPS™ "Buckmasters" Edition. You'll find all the standard features of our popular Model 700 SPS with the addition of a specially engraved floorplate featuring the Buckmasters logo and a Realtree Hardwoods SPS camo stock. Chambered in six popular calibers along with a "Young Bucks" youth model, there is a Model 700 SPS Buckmaster to fit any style of hunting.

Last year we introduced the Limited Edition Model 700 CDL™ SF LTD with great success. In fact it was so successful, customers were demanding a full line be produced. So here it is, new for 2007, the full line of Model 700 CDL SF rifles. Each rifle is made the same as last year's Limited Edition, but without the engraved floorplate and the "Limited" markings on the receiver — now we make it in your favorite caliber.

MODEL 700™ SPS™ BUCKMASTERS EDITION FLOORPLATE

TriNyte® Corrosion Control System (Patent pending). Consisting of electroless nickel and proprietary PVD, this armor-tough, multi-layer coating is the world's most



effective barrier against rust and abrasion for firearms, yet is only a fraction of a human hair in thickness. The only thing you'll notice is the near invincibility.

Available in a variety of finish colors.






BUCKMASTERS EDITION

Available in 243 Win (Standard & Youth) 7mm-08 Remington, 270 Win, 7mm Remington Mag, 30-06 Sprg, 300 Win Mag



The Model 700™ SPS™ Buckmasters Edition. Endorsed by Buckmasters. Created by masters of the field.





- · Receiver machined from solid-steel bar stock resulting in uniformity and strength
- Cylindrical receiver design provides a solid bedding area in the stock for consistent shot placement
- · Recessed bolt face locks up inside the counter-bored breech of the barrel which is surrounded by the receiver, forming "threerings-of-steel" enclosing the cartridge case head for unparalleled strength
- Integral extractor is set in a groove inside the rim of the bolt face, uniformly supporting the cartridge head
- New X-Mark Pro[™] Trigger on select models featuring super-tight tolerances and mirror-like surface finishes, it breaks like glass and is adjustable for trigger pull weight



IT JUST SEEMS THAT WAY.

We know the high country demands high standards, that's why we've built the all-new, amazingly light Model 700^{TM} Alaskan Ti. Weighing only $6\frac{1}{4}$ pounds long action and 6 pounds short action — it's the ultimate rifle for high-altitude spot-and-stalk hunting. The key to its lightweight feel starts with a titanium receiver that's impervious to weather (drilled and tapped for mounts) incredibly strong, and half the weight of steel. Complementing the super-light receiver is a bolt featuring spiral-cut flutes and a 24^{H} magnum contour barrel with light-varmint-style fluting. The action is pillar bedded for outstanding shot-to-shot consistency. Its premium Bell & Carlson stock features their MaxxGuard finish for enhanced durability and 83^{H} recoil pad.

Another favorite for those high-country pack-in hunts, is the aptly named Model 700 Mountain Rifle. Extremely lightweight, they feature compact stocks and tapered barrels to deliver fast, carbine-like handling with full-bore range and accuracy. Its sleek lines, classic shape and superb feel have made it one of our most popular rifles.



Although it has all the great features of a varmint-style gun, the Model 700^{TM} Sendero is designed for something much bigger than a prairie dog. That's because the Sendero is chambered for long-action magnum cartridges for long-range, big-game performance. Hone your skills to match, and you can reach out to the most extreme ranges, thanks to its varmint-influenced target-grade accuracy.

Like our VSSF II, the Sendero is equipped with an H.S. Precision composite stock reinforced with aramid fibers and featuring a contoured beavertail fore-end with ambidextrous finger grooves and palm swell. Full-length aluminum bedding blocks create accuracy-enhancing platforms for its barreled action and its 26" heavy contour barrel features six longitudinal flutes for rapid cooling. Long-range accuracy meets big-game performance in the Remington® Model 700 Sendero.







MODEL 700™ ALASKAN Ti Available in 270 Win, 270 WSM, 280 Remington,

7mm-08 Remington, 7mm Rem Mag, 30-06 Sprg, 300 WSM, 300 Win Mag, 308 Win



Available in 260 Remington, 270 Win, 280 Remington, 7mm-08 Remington, 30-06 Sprg

For complete model listings and specifications, see pages 92-93.



MODEL 700 M ALASKAN Ti FEATURES

All features of the Model 700 plus:

- 24" magnum contour barrel with Light Varmint style fluting
- Bell & Carson stock with new black and gray webbing paint scheme
- Spiral fluted bolt body with skeletonized bolt handle to reduce weight
- New X-Mark Pro™ Trigger
- Front and rear sling swivel studs and R3® recoil pad



SENDERO SF II



MODEL 700™ SENDERO SF II

Available in 264 Win Mag, 7mm Remington Mag, 7mm Rem Ultra Mag, 300 Win Mag, 300 Rem Ultra Mag

For complete model listings and specifications, see page 94.

FEATURES

All features of the legendary Model 700 plus:

- 26" heavy contour barrel (0.820" Muzzle 0.D.) for the ultimate in long-range accuracy
- Concave target-style barrel crown
- · Composite stock with beavertail fore-end
- · Chambered for popular Magnum and Remington Ultra Magnum cartridges
- Black stock with grey webbing rifle to match the harshest conditions





"Why yes, that's really five shots." Tell your friends it's genetics. Fact is, when it comes to precision, there's no finer pedigree in the industry than Remington® varmint rifles. And with the introduction of our new Model 700™ SPS™ Varmint, staking claim to our legendary accuracy is a more attainable feat than ever.

The Model 700 SPS Varmint is capable of punching tiny groups straight out of the box because it's built on the Model 700 action, the most solid, dependable and trusted in existence.

Its 26" heavy contour barrel is perfectly matched to its high-velocity caliber offerings, including the hot new 17 Remington Fireball. Plus, the ergonomically designed black synthetic stock has a vented beavertail fore-end for enhanced grip, reduced weight and better heat dissipation. And sharp predator eyes won't spot the tough, non-reflective matte blued finish on the barrel and receiver. Other standard features include a hinged floorplate magazine, sling swivel studs, and a drilled and tapped receiver. The Model 700 SPS Varmint is destined to leave a lasting impression on any varmint that crosses its line of sight.



Built on the famous Model 700^{TM} cylindrical action, Remington® Varmint rifles are the most accurate production rifles we produce. You'll be stunned by the degree of precision you get straight out of the box. The varmints won't be so lucky.

As industry-leading varmint-rifle innovators, we're proud to expand this lineup each year with an outstanding symbol of our dedication. 2007's rock-steady addition is the Model 700^{TM} VL SS TH, featuring a thumbhole stock design for enhanced stability and comfort. For good looks and exceptional durability, the stock is crafted of laminated wood. Vents in its widened fore-end facilitate rapid cooling of the heavy-contour stainless barrel, so you can keep driving tacks with one of three hot varmint chamberings, including 204 Ruger.

There's also the Model 700 VS SF^{TM} II, a finely tuned machine with full-length aluminum bedding blocks and a 26" fluted heavy contour barrel. At a mere 6.75 lbs., the Model 700 LV $SF_{,,}^{TM}$ is redefining the predator hunt. Its 22-inch fluted stainless steel barrel has a medium contour (0.657" muzzle 0.D.). And, adding to the weight reduction is a custom-designed, black Bell & Carlson composite stock featuring a semi-beavertail fore-end. For those who prefer the more traditional varmint rifle, there's the time-tested Model 700 VLS, with its classic laminated stock and satin-blued barrel. Last but not least is the Model 700 VSF with its distinctive desert tan stock with black webbing. All offer the highest level of out-of-the-box precision.







MODEL 700™ SPS™ VARMINT

Available in 17 Remington Fireball, 204 Ruger, 22-250 Remington, 223 Remington, 243 Win, 308 Win

For complete model listings and specifications, see page 93.

FEATURES

- · Newly designed SPS Varmint stock with vented beavertail fore-end
- · Sling swivel studs included
- 26" heavy-contour barrel (0.820" muzzle 0.D.)
- Legendary Model 700[™] action
- · Drilled and tapped for scope mounts







MODEL 700 TM LV SF TM FEATURES

- Weighs in at a mere 6 3/4 lbs
- · Features a stainless steel, short-action receiver, a blind box magazine and jeweled bolt
- 22" stainless steel barrel has a medium contour (0.657" muzzle 0.D.) and a satin stainless finish
- · Six longitudinal flutes reduce barrel weight and increase heat dissipation
- · Black Bell & Carlson composite stock featuring a semi-beavertail fore-end
- Offered in five, very popular varmint calibers
- Model 700[™] LV SF[™] comes equipped with Remington's high-performance R3® recoil pad with Limbsaver® patented technology

22-250 Remington

NEW



It's only fitting our hot new caliber be showcased in our premier rifle of the year, the Model 700 CDL $^{\text{TM}}$ SF Limited Edition. Chambered in the new 17 Remington Fireball, its looks and features are as remarkable as the blistering velocities we stretched from the little Fireball case. The floorplate is engraved to commemorate the introduction of the caliber, and the receiver is heavily roll marked with "Model 700 Limited." But those are just artful accents on a masterpiece of accuracy and rock-solid performance.

To achieve optimum velocity, the magnum contour barrel is a full 24." It features Light Varmint-style fluting for rapid heat dissipation, and the stainless action and barrel are bedded in our great-looking CDL walnut stock.

You'll be amazed by the shot control and breaks-like-glass feel of its new X-Mark Pro™ trigger. It lets the Model 700's unrivaled out-of-the-box accuracy shine brightly through tiny groups, time after time.

Last year, the Model 700 CDL SF Limited Edition celebrated the 30-06's hundred years of dependable service. For 2007, it honors the caliber of the next century.



The Model XR-100™ Single Shot Target Rifle puts competition-grade accuracy within the reach of any benchrest aficionado. Simply put, nothing in its class can compete. It's built on the legendary XP-100 single-shot target pistol action with a solid-bottom receiver. This design creates the extremely rigid, stable platform necessary for one-ragged-hole accuracy.

The Model XR- 100^{TM} is fitted with a Model 40-XB^{TM} Target trigger. It is externally adjustable for pull weights from $1^{1/2}$ - $3^{1/2}$ lbs. The heavy, varmint-contour barrel is 26", and the action is fitted to a black laminated stock with a thumbhole design for comfort and stability at the bench. Oversized vent cuts in the beavertail fore-end aid barrel cooling and make it the ultimate in shot-to-shot consistency.









MODEL 700™ CDL™ SF Stainless Fluted Available in 17 Remington Fireball

For complete model listings and specifications, see page 92.

FEATURES

All features of the legendary Model 700 plus:

- Engraved hinged floorplate commemorating the introduction of the new
 Remington Fireball cartridge
- 24" magnum-contour 416 stainless barreled action with Light Varmint-style fluting
- Special receiver heavy roll marked Model 700 Limited
- CDL walnut stock with black fore-end tip and grip cap
- R3® Recoil pad
- New X-Mark Pro™ Trigger



Our new 17 Remington Fireball is the exclusive chambering for the Model 700™ CDL™ SF LTD. Varmints beware: this tiny cartridge burns at 4,000+.







MODEL XR-100™ RANGEMASTER®



MODEL XR-100™ RANGEMASTER®

Available in 204 Ruger, 223 Remington, 22-250 Remington

For complete model listings and specifications, see page 94.



BASED ON XP-100 SINGLE-SHOT ACTION

THUMBHOLE GRIP FOR ADDED STABILITY

40-XB™ EXTERNALLY ADJUSTABLE TRIGGER

FEATURES

- Solid-bottom single-shot receiver for a consistently rock-solid action bedding
- Equipped with Model 40-XB[™] target trigger with external pull weight adjustment
- Black laminated thumbhole stock for stability and comfort, and vented fore-end for fast barrel cooling
- 26" varmint heavy-contour barrel with concave target crown (0.820" muzzle 0.D.)
- Utilizes the legendary XP-100 single-shot target pistol action

Vented Fore-End



It's the latest, greatest edition of out-of-the-box accuracy and hunting performance from Remington. An upgrade of our famous Model 710^{TM} the new Model 770^{TM} is the perfect choice for any hunter looking to fast-forward through the process of selecting a scope and components. It comes with a pre-mounted and boresighted 3-9x40mm riflescope. But most importantly, it's built to our rigorous standards for accuracy and reliability. Simply choose your ammo and you're ready to shoot.

It features the same great action and barrel as our Model 710 (based on the Model 700) with super-accurate button rifling, but now has an easier-to-cam bolt and a more durable magazine latch. Other advancements include a new, ergonomically contoured stock with a raised cheekpiece for rapid scope-to-eye alignment, and grip texture in all the right places.

Offered in a selection of long- and short-action calibers, the Model 770 is the quickest route to legendary status, and a full freezer.







MODEL SEVEN™ XCR CAMO Available in 243 Remington, 7mm-08 Remington, 308 Win, 270 WSM, 300 WSM

TriNyte® Corrosion Control System (Patent pending). Consisting of electroless nickel and proprietary PVD, this armor-tough, multi-layer coating is the world's most effective barrier against rust and abrasion for firearms, yet is only a fraction of a human hair in thickness. The only thing you'll notice is the near invincibility. Available in corrosion a variety of finish colors.



FEATURES

- 2 3/8" shorter overall length than Model 700 counterparts make the Model Seven perfectly sized for small-statured shooters and densecover hunting situations
- · Compact design for fast handling in dense-cover situations
- Features the same legendary strength as the Model 700 action: "Three-rings-of-steel" with the bolt face, barrel and receiver encasing the cartridge head
- · Cylindrical receiver design provides a consistent bedding area in the stock
- · Available in Remington Short-Action Ultra Mag and Winchester Short Magnum calibers for the ultimate in compact magnum performance







RAISED CHEEKPIECE







NEW ERGONOMIC STOCK DESIGN

- · New black synthetic stock design with molded sling swivel studs
- · Factory mounted and bore-sighted 3-9x40mm scope
- Smoother-camming 60 degree bolt
- · Updated magazine latch
- Detachable magazine holds 4 standard cartridges and three magnum cartridges
- Ultra accurate 6-groove, button-rifled, ordnance-grade steel barrel (22" standard calibers and 24" magnum calibers.





 R_3



In the field, patience is a virtue but when it's time to take action, sometimes you need the speed of a Model 750.™ Its improved gas system provides faster, smoother cycling. And its balanced low-profile design handles like lightning. Rapid follow-ups are its specialty, but famed Remington one-shot accuracy comes standard.

The Model 750^{TM} WoodsmasterTM features a restyled American walnut stock and fore-end with machine-cut checkering. Felt recoil is diminished by its ultra-efficient gas operated action and the addition of our revolutionary R3® recoil pad.

This year, we're offering a synthetic version of the Model 750 for added durability in all conditions. The Model 750 Synthetic features all the new Model 750 improvements only with a synthetic stock and fore-end. Go ahead, throw that narrow window wide open with the quickest gun in the woods, the Model 750.

MODEL **7615[™]/7600[™]**



BECAUSE SOMETIMES

YOU NEED A QUICK ONE-TWO

THREE-FOUR-FIVE ...

Maybe you flinched? Or the the animal turned at the last split-second? Either way, our Model 7615^{TM} and Model 7600^{TM} centerfire rifles get you back on target. Instantly. Because not only are they built to deliver legendary Remington® first-shot accuracy, they're also designed for ultra-fast follow-up shots — without ever having to unshoulder your rifle.

Our line of popular centerfire pumps expands this year with the addition of two new guns chambered for 223 Remington,® the Model 7615 Ranch Carbine and the Model 7615 Camo Hunter. The Model 7615 Ranch Carbine is similar in function to our Model 7615 Tactical, but features a more traditional styling. Its satin-finish American walnut stock houses a 7615 action with a 10-round AR-15 magazine and an 18 ½ high-polished blue clean barrel. It's drilled and tapped for standard Model 7600 scope mounts. The Model 7615 Camo Hunter is essentially a synthetic version of the Ranch Carbine. Fully covered in Mossy Oak® Brush® Camo, it features a velocity-boosting 22" barrel with rifle sights. It's also drilled and tapped for scope mounts.

Our ever-popular Model 7600 is one of the most proven deerslayers in the woods. It has a 22" barrel, a four-round magazine and is available in wood and durable synthetic models. All of our centerfire pumps feature quick-release magazines and Remington's rotary bolt lock-up design for exceptional strength, safety and reliability.



MODEL 750™ WOODSMASTER™

MODEL 750™ SYNTHETIC Available in 243 Win, 270 Win, 30-06 Sprg Carbine, 30-06 Sprg., 308 Win MODEL 750™ WOODSMASTER™ Available in 243 Win, 308 Win Carbine, 270 Win, 30-06 Sprg. Carbine, 30-06 Sprg., 35 Whelen, 35 Whelen Carbine For complete model listings and specifications, see page 95.

FEATURES

- Improved gas-operated action for slick, super-fast cycling
- Stylish American walnut or black synthetic stock and fore-end
- Stellar balance and a streamlined design for fast target acquisition
- 22" barrel with iron sights (18 ½" on the Carbine)
- Receiver drilled and tapped for Model 7400 scope mounts
- Exceptional action strength rotary-bolt lock-up
- R3® Recoil pad
- Now with sling swivel studs



New fore-end design



MODEL 7615™ CAMO HUNTER Only available in 223 Remington






FEATURES

- Action, slide release and safety based on the design of the Model 870, America's most popular pump shotgun for instantaneous user familiarity
- Weight distribution and slim-line design result in shotgun-like balance and pointability
- 22" barrel with iron sights (18 1/2" clean barrel on the Ranch Carbine) and receiver drilled and tapped for scope mounts allow for multiple sighting options
- Model 7615[™] only chambered for 223 Remington

Don't worry about taking that extra shot, every Model 7615 comes standard with a ten-round magazine and accepts aftermarket AR-15 magazine boxes.





American soldiers brought it back from both world wars, and America's oldest gunmaker is proud to bring one of the most trusted bolt actions of all time — the Model 98 Mauser — back into mainstream production. Long revered for its superior strength, smooth, reliable cartridge feed and inherent accuracy, the Mauser is a highly sought-after collectible. Now, Remington® is making it available in a wide range of modern calibers, both short and long action, and, this year, we're offering it in a stainless steel model. We have carefully reworked every aspect of these rifles to meet the aesthetic and performance demands of today's hunter and shooter.

New for 2007, were offering a Model 798^{TM} in weather-resistant stainless steel. These new Model 798 offerings are available in chamberings ranging from 243 Win through 375 H&H to cover all your hunting needs. Our original long-action Model 798 (square-bridge Mauser 98) and short-action Model 799^{TM} feature richly blued barrels and receivers. All feature laminated stocks with receivers drilled and tapped for standard Mauser 98 (long- and short-action) scope mounts.

Expect reliable, ultra-positive feeding and ejection, rock-solid durability and exceptionally fast lock time. Influencing the design of virtually every bolt action made today, the Model 98 Mauser never died. It just needed a revival. We're sure you'll agree our version was worth the wait.



Remington® rimfire rifles are among the finest available today for a simple reason: We build them with the same standards for accuracy and flawless function as our high-end centerfires. The new value-priced member of our rimfire family — the bolt-action Model Five $^{\text{TM}}$ — is no exception. We focused on delivering value without sacrificing our performance criteria.

The Model Five is a solid choice for the seasoned small game hunters and target shooters, and beginners alike. It's available in standard 22 Long Rifle and 22 WMR. Our American-made brown laminated stock combines good looks with extreme weather resistance. Mount a scope to its grooved receiver or use the fully adjustable open sights. Its ultra-reliable bolt action has a five-shot detachable magazine box.





MODEL 798™ STAINLESS LAMINATE

Available in 243 Win, 25-06 Remington, 270 Win, 30-06 Sprg, 7mm Rem Mag, 300 Win Mag, 375 H&H

MODEL 798™

Available in 243 Win, 308 Win, 30-06 Sprg, 270 Win, 7mm Rem Mag, 300 Win Mag



Available in 22 Hornet, 222 Remington, 22-250 Remington, 223 Remington, 7.62x39mm

For complete model listings and specifications, see page 95.



MODEL 798™ NON-ROTATING CLAW EXTRACTOR



MODEL 799™ SAKO-STYLE EXTRACTOR

MODEL 798™

FEATURES

- Mauser 98-style square bridge platform
- · Non-rotating claw extractor
- · Controlled round feeding
- · Fixed-blade ejector
- · Solid steel hinged floorplate magazine
- Available in popular long- and short-action calibers and magnums
- Laminated stock
- 22" clean barrel standard calibers, 24" clean barrel long-action magnums (rifle sights on 375 H&H and 458 Win Mag), 26" blued barrel (375 H&H and 458 Win Mag)
- Drilled and tapped for scope mounts

MODEL 799™

FEATURES

- Short-action "Mini-Mauser" design
- Scaled-down action and Sako-style extractor
- · Solid steel trigger guard and floorplate
- 22 Hornet features 5-round detachable magazine box
- · Brown laminated stock
- 20" clean barrel
- · Drilled and tapped for scope mounts






MODEL FIVE™



MODEL FIVE™ Available in 22 LR, 22 WMR





MODEL FIVE™ FIVE-SHOT DETACHABLE MAGAZINE BOX



MODEL FIVE™ FLIP-UP SIGHT



FEATURES

- · Smooth bolt action
- 22" blued barrel
- · Five-shot detachable steel magazine
- · Adjustable rifle sights
- · Receiver grooved for scope mounts



MODEL 552TM/572TM



For those sportsmen who still love the look and feel of classic rimfire rifles, our Model 572™ BDL™ Fieldmaster® and Model 552™ BDL Speedmaster® are the finest available.

The versatile Model 572 BDL Fieldmaster is one of the most popular pump-action 22 rimfires made in America today. It handles 22 short, 22 long and 22 long rifle cartridges interchangeably. Other features include big-game sights, a positive cross-bolt safety and a grooved receiver for scope mounts. Also, new for 2007, we're introducing the Model 572 Smoothbore BDL Fieldmaster. It has all the features of our standard Model 572 22 LR pump action rifle, only we've added a 21" smoothbore 22 caliber, bead-sighted barrel capable of handling 22 shot cartridges.

Speaking of versatility, now in its 50th year of production, the lightning-quick Model 552 BDL Speedmaster is the only American-made 22 autoloader that handles 22 short, long and long rifle cartridges interchangeably. It's also equipped with iron sights, a positive cross-bolt safety and a receiver grooved for scope mounts.









Model 597™ 22 LR Metal Magazine. Redesigned to provide flawless feeding of each round, the new Model 597 magazine offers unprecedented reliability. Constructed from a lightweight, magnesium-based alloy and cast as one piece via a non-conventional die-cast process, our metal magazine holds ultra-precise dimensional tolerances and yields an exceptional surface finish. Its extreme rigidity is ideal for demanding, high-volume use. For those who already own an older Model 597, you can own the improved magazine as a Remington® accessory.

FEATURES

- Bolt-guidance system features twin, tool-steel guide rails
- Offered in both textured finish synthetic or laminated wood stocks
- Non-glare matte finish
- Patented, 10-shot metal detachable magazine, 8-shot for magnum
- Last-shot hold-open bolt for added safety



MODEL 572™ BDL™ SMOOTHBORE Available in 22 LR shot cartridge





For complete model listings and specifications, see page 96.

FEATURES

- Handles 22 Short, 22 Long and 22 Long-Rifle cartridges
- High-gloss American walnut stock and fore-end with cut checkering
- · Tubular magazine fed
- · Richly blued carbon-steel barrel
- Adjustable iron sights for open sight plinking
- Receiver grooved for scope mounts for precision shooting with optics
- Model 572™ Fieldmaster, features a smooth classic slide action
- Model 552™ Speedmaster, features an autoloading action for serious plinking
- New Model 572[™] Smoothbore chambered for 22 LR shot cartirdges



THE PIVOTAL FACE OF MUZZLELOADING SPEED & EFFICIENCY.

Reminglon. Genesis

Magnum power, easy cleaning and legendary Remington® accuracy in a hot new design that defines reliable. Our innovative TorchCam™ action rotates from the fixed breech for fast priming and locks your 209 primer in a vault of weather resistance. It delivers rapid, super-hot ignition in the most extreme conditions. And to clean, simply unscrew the breech plug, swab the barrel and you're finished.

We've stretched the limits of muzzleloader performance. With a full 28" of powder-burning steel, the Genesis™ generates maximum velocity from magnum 150-grain charges. And you get the swift-handling characteristics of a much shorter gun — the ultra-compact design of the TorchCam action keeps overall length and weight to a minimum. The barrel's 1-in-28" twist provides optimum stability for sabots and other modern muzzleloading projectiles.

Our TorchCam action was designed with safety in mind. The over-travel hammer never comes in contact with the firing pin unless the gun is fully cocked and the trigger is pulled. A crossbolt safety adds extra assurance. An ambidextrous HammerSpur offers right- and left-handed shooters a rigid grip through cocking and hammer letdown without scope interference.

From the base model equipped with a standard synthetic stock and blued barrel to our super-stable thumbhole models with stainless, fluted barrels, this lineup includes a muzzleloader to suit the preferences and budget of every hunter.

The success of the Genesis Muzzleloaders has been so great it has inspired the creation of two new configurations for 2007. The first offering combines a blued barrel with Mossy Oak® New Break-Up $^{\text{TM}}$ stock creating an attractive gun that provides greater concealment and shows less glare in the field. For our second offering, we've partnered with Buckmasters® and put together a muzzleloader with a stainless fluted barrel, a Realtree® Hardwoods® HD $^{\text{TM}}$ camo stock, and a laser-engraved Buckmasters Logo on the left-hand receiver panel — destined to be a hot item.

The Genesis Muzzleloader. Revolutionary camming action — built on our rock-solid foundation of accuracy and dependability.







GENESIS™ ML SF **BUCKMASTERS EDITION** Realtree® Hardwoods® HD™























Mossy Oak® New Break-Up™ **Camouflaged Barrel**

For complete model listings and specifications, see page 96.

50-CALIBER GENESIS™ MUZZLELOADER

FEATURES

- Revolutionary new camming TorchCam™ action - superfast priming, weather-resistant and easy to clean
- The action channels maximum fire from the 209 primer for rapid ignition in the most extreme conditions
- · Velocity-boosting 28" barrel ensures full burn of magnum 150-grain charges
- · Ambidextrous HammerSpur
- Williams[™] fiber-optic sights
- · Drilled and tapped for scope mounts
- · Aluminum anodized ramrod with jag
- · Front and rear swivel studs
- · Crossbolt safety
- Removable 7/16" breech plug
- · Bullet-guiding muzzle
- · Optimized for use with Remington Kleanbore® 209 Muzzleloading Primers

KLEANBORE * 209 PRIMER FEATURES

- From 2 to 15 times more shots between cleanings
- · Dramatically reduced chamber buildup for easier bullet seating
- · Specifically designed for black powder substitutes
- · Accuracy and velocity equal to standard shotshell primers





Bore scope photo of muzzleloader breech using a competitor's 209 primers after 2 shots.

Bore scope photo of muzzleloader breech using Remington® Kleanbore® primers after 15 shots.



FOR EVERY TRADITION, THERE IS A BEGINNING.

Young shooters are more likely to become stewards of the shooting sports if they're initiated with a gun that fits properly. This is what drove us to redesign our standard, premium-grade stocks with a shorter length of pull, then fit them to some of our finest, most proven rifles and shotguns. Adult shooters who require a shorter length of pull will also benefit from this downsized lineup. All Youth firearms have shortened barrels that counter-balance the lighter stock while retaining ballistic effectiveness. Rifles feature 20" barrels and Youth shotguns have 21" barrels (20" for deer gun).

We're excited this year to offer the ultimate first centerfire, the all-new Model 770^{TM} Youth. The next generation of the Model 710, the Model 770 exemplifies quality, reliability and convenience. It's chambered for the mild-recoiling 243 Win. and comes out of the box with a pre-mounted, bore sighted 3-9x40mm scope. Range- and woods-ready, the new Model 770 Youth is truly the ideal starter rifle.

Other Youth centerfire rifle choices include the Model 700 SPS $^{\text{TM}}$ Youth Synthetic. It's available in short action, chambered for 243 Win. and 308 Win. We're also offering a new caliber this year — the ever-popular 7mm-08

Remington. This new rifle will include all the features young shooters love about our standard Model 700 SPS and comes with a 20" standard barrel and an overall 1" shorter LOP (Length Of Pull).

New for this year is the Model 700 SPS $^{\text{TM}}$ Buckmasters "Young Bucks" model. It's chambered for 243 Win., features a specially engraved floorplate and the stock is Realtree $^{\text{®}}$ Hardwoods $^{\text{©}}$ Grey HD. $^{\text{TM}}$

The compact Model Seven™ synthetic is chambered for 223 Remington, 243 Win., 260 Remington, and 7mm-08 Remington. All synthetic-stocked Youth rifles feature the R3® recoil pad with Limbsaver® technology.

Some recent additions to our Youth shotguns include a 20-gauge Model 870™ Express® Jr. and a Model 870 Express Youth Turkey Gun — both with Mossy Oak® Break-Up® stocks and fore-ends. We still offer the Model 870 Express Youth line, Model 870 Express Jr., and a Model 870 Express Synthetic Youth Combo featuring a 21" vent-rib barrel and a 20" fully rifled barrel. All Jr. offerings have a 1" shorter length of pull than standard Youth models.

The 20-gauge Model $11\text{--}87^{\text{TM}}$ Sportsman Youth shotgun handles 2 3 /4" and 3" loads and has the same stock dimensions as its pump-action counterparts.



YOUTH CENTERFIRE RIFLE F E A T U R E S

- Legendary Remington® bolt-action accuracy
- 1-inch shorter stock for smaller-stature shooters
- Ordinance-grade steel receivers
- Three-rings-of-steel (bolt, barrel and receiver) surround the cartridge head for strongest lock-up
- R3® recoil pad on synthetic stock rifles (Model Seven™ and Model 700™ only)
- Hammer-forged barrel with blued finish (Model Seven™ and Model 700™ only)
- Button-rifled barrel (Model 770™)
- Hinged floorplate or detachable magazines
- Iron sights on Model Seven™ only

YOUTH SHOTGUN FEATURES

Model 870™ Express® Jr.:

- Shorter 12" length of pull (1" shorter than youth model)
- Stock and fore-end camouflaged in Mossy Oak® Break-Up®
- All feature Rem[™] Choke barrels
- Perfect length, weight and balance for smaller-statured shooters
- Model 870 action is the reliability standard for pump shotguns around the world

Model 870™ Express® Youth:

- 13" length of pull
- Offered in 20-gauge version
- 20" barrel youth deer gun with fully rifled barrel and rifle sights, camo stock and fore-end. Also available in youth turkey gun with Mossy Oak® Break-Up® camo
- Features Rem™ Choke barrels
- Perfect length, weight and balance for smaller-statured shooters
- Model 870 action is the reliability standard for pump shotguns around the world



CUSTOM SHOP

FIREARMS

Accuracy is a hallmark of every Remington® firearm, but there is a level of precision attainable only through personal attention. That becomes strikingly clear the first time you print a group with a rifle from our Custom Shop, thanks in part to a small group of highly skilled technicians and gunsmiths with vested interest in every gun produced here. They employ the most advanced gunmaking equipment available today, vice-tight tolerances and stringent quality standards to Engineer Performance. That is, unrivaled accuracy from the bench and rugged dependability for a lifetime and more. If you strive for the next level of accuracy and performance, you're home. Remington Custom Shop. Engineered Performance.








REMINGTON CUSTOM SHOP PERFORMANCE

Engineered Accurate. Custom-turned and chambered barrels, trued actions and bolt lugs lapped to ensure full contact deliver pinpoint accuracy.

Engineered Reliable. The extreme precision with which a Custom Shop rifle is built creates a flawless meshing of components and a piece of machinery that will go the distance. Everlasting? You be the judge.

Engineered to Fit. Your firearm is designed and crafted by serious shooters. From our hands to yours, a Custom Shop rifle is a finely tuned instrument.

Engineered Tough. A Remington Custom rifle is a true hunter's tool, designed and built to weather the harshest conditions.



MODEL 700 TO CUSTOM RIFLE

FEATURES

- Hammer-forged barrels custom-turned, chambered and gauged in the Remington Custom Shop
- Receivers are trued to ensure precise cartridge alignment
- · Custom-tuned triggers
- Custom assembly to ensure ultra-precise fit and finish
- Each rifle undergoes a rigorous evaluation and inspection process, including targeting
- Packed and shipped in a rugged FAA-approved hard case

MODEL 40-X CUSTOM RIFLE

FEATURES

- Custom button-rifled barrels produced from stainless steel bar stock in the Remington Custom Shop
- · All barrels are air-gauged and hand lapped
- · Receivers are trued for precise cartridge alignment
- Custom-tuned externally adjustable target triggers
- All actions are glass bedded and hand fit to the stock
- Each rifle undergoes a rigorous evaluation and inspection process including targeting
- All rifles .30 caliber and smaller must deliver 1/2-MOA accuracy or better prior to shipment
- Packed and shipped in a rugged FAA-approved hard case

For a complete listing of Custom Shop offerings, visit www.remington.com



PACKAGED FACTORY PARTS

METAL MAGAZINES

- · Constructed from a lightweight, magnesium-based alloy
- · Cast as one piece
- Ideal for demanding, high-volume use
- Six-round magazine (Model 504™)
- 8-shot magnum, and 10-shot long-rifle capability (Model 597™)





MODEL 504™

SCOPE MOUNTS

· Easy to install and lightweight · Perfect for adding

magnification and the precision of scope sighting



MODEL 504™

• 2-piece matte finish

· Steel scope bases fit

Remington Model 504

SCOPE MOUNTS

MODEL FIVE™ MAGAZINE

- 22 LR 5-round capacity
- 22 WMR 5-round capacity
- · Constructed from stamp steel





CENTERFIRE MAGAZINE BOXES



EXPRESS UPGRADE KIT

- Available in 12-gauge version
- Includes Improved Cylinder and Full Rem™ Chokes, a Choke Tube Speed Wrench and a 1-oz. bottle of Rem™ Oil
- Comes in a rugged plastic box




UNIVERSAL MAGAZINE CAP

- Fits all 12, 16 and 20 gauge Model 870's, Model 1100's and Model 11-87's
- Allows you to add a sling to your Remington shotgun



R3® RECOIL PAD

- · The ultimate in shooter protection
- · Designed and manufactured using Remington R3, 3-step technology from LimbSaver™
- Relieves recoil over 30% better than conventional recoil pads
- Fits most Remington synthetic rifle and shotgun stocks



MODEL 1100 TM / 11-87 TM GAS SYSTEM KIT

- · Genuine factory replacement parts
- Nickel-plated piston/piston seal
- Teflon®-coated barrel seals



SHOTGUN PLUG

• Fits most Remington 12-gauge shotguns

CHOKE TUBE WRENCH



PROBORE™ CHOKE TUBES

- 12 gauge extended and flush
- Fits Remington Models 1100™ G3 12 ga., Model 1100™ Competition, Model 105 CTi,™ Premier® Over & Unders 12 gauge that are equipped with interchangeable chokes



REMINGTON® CHOKE TUBES

- Performance tuned for all Remington shotguns
- Field and target constrictions for optimal pattern performance
- · Fully rifled tubes for today's high performance sabot slugs
- Turkey tubes for maximum pattern density



SPR™ CHOKE TUBES

- Fits Remington® Model SPR™ shotguns with screw-in chokes
- Compatible with Baikal/EAA products that are equipped with interchangeable chokes in the same gauge







መ

REMINGTON ORIGINAL FACTORY BARRELS



If you own a Remington shotgun you know quality and, that when it comes to replacement parts, there's only one brand good enough — Remington. We offer a wide variety of original factory

> barrels ranging in styles from vent rib, to cantilever to rifle-sighted, so you never have to compromise the superb craftsmanship and dependability that make Remington ownership a matter

> > of pride. Whether you want your Remington shotgun to perform like two, or you're looking to restore "an old friend," there's no substitute for Remington replacement barrels.

To make sure you're getting only Remington® original factory barrels, look for this display at your nearest Remington dealer.



For complete model listings and specifications, see page 97.

MODEL 870™ WINGMASTER - 26"

Vent Rih

STOCKS AND FORE-ENDS

MODEL 870, ™ 1100 ™ & 11-87 ™

Available in Mossy Oak® Break-Up®

Remington SHOTGUN BARRELS

SHOTGUN BARRELS



MODEL 870, ™ 1100 ™ & 11-87 ™

- Available in black synthetic
- 16-ga. and 12-ga. youth and adult



MODEL 700™ & MODEL SEVEN™

· Available in black synthetic



MONTE CARLO SHOTGUN KITS

- Kits for Remington Model 870 shotgun and 1100/11-87 12-ga. shotguns
- Comes with R3® recoil pad reducing felt recoil by up to 30% over standard pads
- · High cheek plate for steady shots at turkey or deer
- · Constructed of incredibly strong all-weather fiberglass reinforced synthetic
- Complete with all hardware required for conversion



MODEL 7400 ™ AND 7600 ™ KITS

- Kits designed to specifically fit on Remington Models 7400 and 7600 rifles
- Constructed of incredibly strong all-weather fiberglass reinforced synthetic
- Complete with all hardware required for conversion



WINGMASTER HD™

DROP-DEAD BETTER. TM

The company that redefined lethal shotgun range with Premier® Hevi-Shot® is proud to unveil the next generation of heavy-density devastation. New Wingmaster HD.™

This hard-hitter stretches the kill zone with an ultra-tuned combination of density, shape and energy. At 12.0 grams/cc, it's 10% denser than lead and the scientifically proven optimum density for pellet count and pattern density. Plus, its smooth, round shape delivers awesome aerodynamics and sustained payload energy. It all adds up to the most devastating patterns possible.

Wingmaster HD is also 16% softer than Premier Hevi-Shot, which makes it easier on your barrel. And it's more responsive to chokes, allowing you to open up the pattern for close-range hunting or stretch shotgun range to its farthest reaches.

Absolutely no shotshell on the market can touch Wingmaster HD at long range. All of its revolutionary characteristics — optimized density, ultra-round shape and consistent size — come together on game with an unmatched level of deadly force. Fact is, it penetrates 40% deeper than Premier Hevi-Shot at long range and will put 60% of its pellets in a 30" circle at 60 yards. Waterfowl, turkey and varmints

another thing coming. New Wingmaster HD.



Remington.

WINGMASTER HD**

10 PLASTIC SHOTSHELLS



FEATURES

who think they know harm's reach have

- HD = Heavy Density (12.0 g/cc)
- Proprietary composite of Tungsten-Bronze-Iron
- · Round, consistent pellets:
 - Travel straighter and longer
 - Improve long-range lethality
 - Tighter patterns
 - More even pellet distribution
- · Uniform pellet density
- 12.0 g/cc density for optimal combination of density and pellet count
- Softer pellets are easier on your barrel and more responsive to chokes
- · Better patterns at long and short ranges
- Approved for waterfowl hunting by the USF&W and Canada
- Responds to chokes; more lethal than lead

Non-toxic and 10% denser than lead, it's the most lethal choice whatever you're shotgunning for:

WATERFOWL • TURKEY • PREDATORS

THE ULTIMATE EXTENDED-RANGE PAYLOAD

• Denser patterns







Wingmaster HD™ Turkey Payloads



	Index/		Length	Velocity	Ounces	Shot
	EDI No.	Gauge	(in.)	(ft./sec. @ 3 ft.)	of Shot	Sizes
	WII	NGMASTER H	ID™ WATERFO	OWL PAYLOADS -	10 ROUNDS PE	ER BOX
	RW10B	10	3 1/2	1300	13/4	BB
	RW102	10	3 7/2	1300	1 74	2
	RW12S4	12	23/4	1325	11/4	4
	RW12S6	12	Z 7/4	1323	1 74	6
	RW122					2
	RW124	12	3	1450	1 1/4	4
	RW126					6
	RW12M2					2
	RW12M4	12	3	1450	1 3/8	4
	RW12M6					6
	RW12HMB					BB
	RW12HM2	12	3	1300	1 1/2	2
	RW12HM4					4
	RW1235MB					BB
	RW1235M2	12	3 1/2	1300	1 3/4	2
	RW1235M4	12	3 /2	1300	1 /-	4
NEW	RW1235M6					6
	RW20M4	20	3	1300	11/4	4
	RW20M6				,,	6
	WING	MASTER HD	™ MAGNUM 1	URKEY PAYLOAD	S – 5 ROUNDS	PER BOX
NEW	RW12HMH4	12	3	1225	1 5/8	4
NEW	RW12HMH6			1225	- , ,	6
NEW	RW1235HM4	12	3 1/2	1225	1 1/8	4
NEW	RW1235HM6		- /-			6
NEW	RW20HM4	20	3	1185	1 1/4	4
NEW	RW20HM6		-		,	6
	W	INGMASTER	HD™ PREDAT	OR PAYLOADS – 1	O ROUNDS PE	R BOX
NEW	RW12VT	12	3	1300	1 1/2	T
NEW	RW1235VT	12	3 1/2	1350	1 5/8	T

MORE UNIFORM WEIGHT




Wingmaster HD's (Heavy Density) smooth, round pellets are extremely aerodynamic. They are uniform in weight and true to listed shot size.

Other non-toxic shot pellets are inconsistent in shape, size and weight, and simply can't match up to Wingmaster HD.



12.0 G/CC - BEST PELLET MATERIAL DENSITY

Testing proves Wingmaster HD[™] delivers the best combination of pellet energy and pattern density.




16% SOFTER THAN PREMIER® HEVI•SHOT®

Its softer properties make Wingmaster HD easier on your barrel, and ultimately deliver improved choke responsiveness and more lethal, consistent patterns.



MORE BONE-CRUSHING FORCE

Wingmaster HD[™] generates nearly 200-ft-lb more pattern energy than Hevi• Shot at 40 yards.



NITRO-STEEL™

WATERFOWL

THE MIGRATION'S STEEL WALL.

Short or long, Nitro-Steel $^{\text{TM}}$ stops 'em dead with tight, consistent patterns and premium zinc-plated steel pellets - it's premium performance at a very reasonable price. And we make it in a wide range of loads to suit any hunt - 10 to 20 gauge, maximum payloads and high velocities. Trust your dollar to a legend. Remington.





Remington

SHOTSHELLS

- · Loaded with top-quality, premium steel shot
- Zinc-plated shot to prevent corrosion
- Wetproof[™] sealed at primer and mouth
- · High-velocity and magnum loadings
- Complete line for all waterfowl hunting situations

Index/		Length	Velocity	Ounces	Shot
EDI No.	Gauge		(ft./sec. @ 3 ft.)	of Shot	Sizes
	NITRO	-STEEL™ HIG	H VELOCITY MAG	NUM LOADS	
NS10M	10	3 1/2	1260	1 3/4	T, BBB, BB, 2
NS12HVS	12	2 3/4	1390	1 1/8	2, 4
NS12S	12	2 3/4	1275	1 1/4	BB, 2, 4
NS12HV	12	3	1550	1 1/8	BB, 2, 4
NS12M	12	3	1450	1 1/4	T, BBB, BB, 1, 2, 3, 4
NS12HM	12	3	1300	1 3/8	T, BBB, BB, 2, 3, 4
NS1235HV	12	3 1/2	1550	1 3/8	T, BBB, BB, 2
NS1235	12	3 1/2	1300	1 º/16	T, BBB, BB, 2
NS16HV	16	2 3/4	1300	15/16	2, 4
NS20HVS	20	2 3/4	1425	3/4	2, 4
NS20M	20	3	1330	1	2, 4

SPORTSMAN™ HI-SPEED™ STEEL LOADS



HIGH VELOCITY, HIGH VALUE.

- Economical, Hi-Speed™ steel loads
- · Waterfowl loads for every hunting situation
- Upland loads for use in non-toxic zones and for practice shooting
- Shot size selection to match your game

Index/ EDI No.	Gauge	Length (in.)	Velocity (ft./sec. @ 3 ft.)	Ounces of Shot	Shot Sizes
	SI	PORTSMAN™	HI-SPEED™ STEE	L LOADS	
SSTHV10	10	3 1/2	1500	1 3/8	BB, 2
SST12	12	2 3/4	1365	1	6, 7
SST12S	12	2 3/4	1375	1 1/8	2, 4
SSTHV12H	12	3	1550	1 1/8	BB, 2, 4
SSTHV12HM	12	3	1400	1 1/4	BB, 1, 2, 3, 4
SST12HM	12	3	1300	1 3/8	BB, 2
SSTHV1235	12	3 1/2	1550	1 3/8	BB, 2
SST20	20	2 3/4	1425	3/4	7

LEAD MAGNUMS

PREMIER® HIGH VELOCITY MAGNUM COPPER-PLATED BUFFERED TURKEY LOADS.

The high-performance lead load for avid turkey hunters. 3" and 3 ½" 12-gauge payload leaves the muzzle at 1,300 fps. Delivers hard-hitting knockdown power. Loaded with our Power Piston® one-piece wad and

Magnum-grade Copper-Lokt[®] lead shot for dense patterns and deep penetration.

PREMIER® MAGNUM COPPER-PLATED BUFFERED TURKEY LOADS.

Our original Magnum turkey loads. As fine a lead shotshell as you can carry in the woods. Magnum-grade Copper-Lokt® shot is cushioned with special polymer buffering and further protected by our Power Piston® one-piece wad for dense, even patterns. Delivers superb performance and devastating knockdown power out of tightly constricted turkey chokes.



PREMIER® DUPLEX® MAGNUM COPPER-PLATED BUFFERED LOADS.

A specialized layering of Magnum-grade Copper-Lokt® No. 4 shot over No. 6

shot. Larger pellets deliver excellent retained energy and penetration, while smaller pellets enhance pattern density. Awesome versatility for uncertain shooting distances on

turkeys and late-season pheasants.





NITRO TURKEY



NITRO TURKEY TM EXTENDED RANGE BUFFERED MAGNUMS.

- Nitro Mag[®] extra hard lead shot
- Patterns over 80% with Super Full choke
- · Patterns like copper, value price



Index/ EDI No.	Gauge	Length (in.)	Velocity (ft./sec. @ 3 ft.)	Ounces of Shot	Shot Sizes
PREMIER®	HIGH VELOC	ITY MAGNUM	COPPER-PLATED TU	RKEY LOADS	– BUFFERED
PHV12M	12	3	1300	1 3/4	4, 5, 6
PHV1235M	12	3 1/2	1300	2	4, 5
PREM	IIER® MAGNU	M COPPER-PL	ATED LEAD TURKEY	LOADS – BUI	FFERED
P10HM	10	3 1/2	1210	2 1/4	4
P12SM	12	2 3/4	1260	1 1/2	4, 5, 6
P12XHM	12	3	1175	2	4, 5, 6
P1235M	12	3 1/2	1150	2 1/4	4, 6
P20XHM	20	3	1185	1 1/4	6
PR	EMIER® DUPL	EX® MAGNUM	I COPPER-PLATED LO	DADS – BUFFI	ERED
MP12S	12	2 3/4	1260	1 1/2	4x6
MP12H	12	3	1210	1 7/8	4x6
		NITRO MAG	LOADS – BUFFEREI)	
NM12S	12	2 3/4	1260	1 1/2	2, 4, 6
NM12	12	3	1280	1 5/8	4, 6
NM12H	12	3	1210	1 7/8	2, 4, 6
NM20S	20	2 3/4	1175	1 1/8	4, 6
NM20H	20	3	1185	1 1/4	4, 6
	NITRO	TURKEY™ M	AGNUM LOADS – BU	IFFERED	
NT12H	12	3	1210	1 7/8	4, 5, 6
NT1235	12	3 1/2	1300	2	4, 5, 6
NT20M	20	3	1185	1 1/4	5



UPLAND

NITRO PHEASANT™ LOADS.

For pattern, energy and performance, nobody beats Nitro Pheasant. The best of our Pheasant load offerings, Nitro Pheasant uses Remington's own Copper-Lokt® copper-plated lead shot with high antimony content, the hardest lead we make for hunting. Hard shot stays rounder for truer flight, tighter patterns and greater penetration. So when it comes to bringing down tough birds like pheasant, you need a load that delivers maximum pattern density and lethal energy — you need Nitro Pheasant. Available in both high velocity and magnum loadings in both 12 and 20 gauge.



PHEASANT LOADS.

For the broadest selection in game-specific Upland lead shot-shells, Remington® Pheasant Loads are the perfect choice. Their high velocity and long-range performance are just right for any pheasant hunting situation. Standard high-base payloads include 12, 16, and 20 gauge.

EXPRESS® EXTRA LONG RANGE LOADS.

Time-proven performance for all upland game. The choice of experienced small game hunters across the country because our Express line offers the best balance of payload and performance. Available in a broad selection of loadings — from 12 gauge to 410 bore — with shot sizes ranging from BB all the way down to 9.





SHURSHOT® HIGH BASE PHEASANT LOADS.

The renowned ShurShot brand is available in a new high-base offering. ShurShot High Base Pheasant offers an ideal balance of velocity and payload to create near-perfect patterns, while its lower recoil helps to minimize fatigue over a long day in the field.




Budget-stretching shotshells for a wide variety of hunting. Available in 410 bore, 20-, 16- and 12-gauge loadings.



SPORT LOADS.

Economical, multi-purpose loads. Built with our premium Power Piston® wad and plastic Unibody hulls. Loaded with No. 8 shot. Ideal for skeet, trap and sporting clays, as well as quail, doves and woodcock.



Index/ EDI No.	Gauge/ Bore	Length (in.)	Velocity (ft./sec. @ 3 ft.)	Ounces of Shot	Shot Sizes
			™ LOADS – COPP		
NP12	12	2 3/4	1400	1 1/4	4, 5, 6
NP12M	12	2 3/4	1300	1 3/8	4, 5, 6
NP20	20	2 3/4	1300	1	5, 6
NP20M	20	3	1185	1 1/4	5, 6
		PHE	ASANT LOADS		
PL12	12	2 3/4	1330	1 1/4	4, 5, 6, 7 1/2
PL16	16	2 3/4	1295	1 1/8	6
PL20	20	2 3/4	1220	1	4, 5, 6, 7 1/2
	E	XPRESS® EXT	RA LONG RANGE	LOADS	
SP12	12	2 3/4	1330	1 1/4	BB, 2, 4, 5, 6, 7 ½, 9
SP16	16	2 3/4	1295	1 1/8	4, 6, 7 1/2
SP20	20	2 3/4	1220	1	4, 5, 6, 7 1/2, 9
SP28	28	2 3/4	1295	3/4	6, 7 1/2
SP410	.410	2 1/2	1250	1/2	4, 6, 7 1/2
SP413	.410	3	1135	11/16	4, 6, 7 1/2
	SH	URSHOT® HIG	H BASE PHEASAN	NT LOADS	
R12P	12	2 3/4	1220	1 1/4	4, 5
	SHURSI	HOT® HEAVY F	IELD AND HEAVY	DOVE LOADS	3
RP12H	12	2 3/4	1220	1 1/4	6, 7 1/2, 8
R12HD	12	2 3/4	1255	1 1/8	6, 7 1/2, 8
R20HD	20	2 3/4	1165	1	6, 7 1/2, 8
		PROMOTI	ONAL GAME LOA	DS	
GL12	12	2 3/4	1290	1	6, 7 1/2, 8
GL16	16	2 3/4	1200	1	6, 7 1/2, 8
GL20	20	2 3/4	1225	7/8	6, 7 ½, 8
GL410*	.410	2 1/2	1200	1/2	6
		SF	PORT LOADS		
R12SL	12	2 3/4	1290	1	8
R20SL	20	2 3/4	1200	7/8	8

TARGET LOADS

PREMIER® NITRO 27® HANDICAP TRAP LOADS.

Designed for long-yardage trapshooting and long-range sporting clays, our custom powder blend, Power Piston® wad and Premier® STS® primer mix have improved the Nitro 27's performance, allowing more consistent velocities, 15% better pattern performance and softer

recoil. So if you're looking for tremendous target-



GUN CLUB™ TARGET LOAD LINE.

An excellent choice for economical shooting. These high-quality shells are loaded with the same care as our top-of-the-line STS® loads and feature a Power Piston® wad and the reliable STS® Primer mix. Many shooters are discovering that they can get acceptable reloading life while stretching their shooting dollar.

PREMIER® STS® TARGET.

The standard in target shooting reliability. Absolutely consistent from shot to shot. Bar none, the most reliable. most reloadable shells you can shoot. Available in 12, 20, 28 and 410.





MANAGED-RECOIL™ STS® TARGET. Dramatically reduced recoil -40% less in the 12-ga. load — with target-grinding STS® consistency and pattern

density. Ideal for new shooters and recoil-sensitive individuals.



COMPETITORS AT THE GRAND CHOOSE REMINGTON® AS THEIR WINNING AMMUNITION.

Great champions think alike. For the fourth year in a row, shooters who used Remington shells won more trophies than competitors using other brands at the 2006 ATA Grand American World Trapshooting

Championship. And for good reason! Remington STS® and Nitro 27® target loads provide softer recoil, better pattern performance, and more consistent velocities (not to mention the most reloadable hull on the market). Isn't it time you

switch to Remington and step into the winner's circle?

Index/ EDI No.	Gauge/ Bore	Load Type	Length (in.)	Powder Dr. Eq.	Velocity (ft./sec. @ 3 ft.)	Ounces of Shot	Shot Sizes
	Р	REMIER® STS® TARGET LOA	DS – EX	TRA HARD	STS® TARGET	SHOT	
STS121	12	Premier STS Target	2 3/4	2 3/4	1185	1	7 1/2, 8, 8 1/2, 9
STS12LR	12	Premier STS Low Recoil	2 3/4	2 1/2	1100	1 1/8	7 1/2, 8, 9
STS12L	12	Premier STS Light Target	2 3/4	2 3/4	1145	1 1/8	7 1/2, 8, 8 1/2, 9
STS12LH	12	Premier STS Light Handicap	2 3/4	3	1200	1 1/8	7 1/2, 8
STS12H	12	Premier STS Heavy Target	2 3/4	3	1200	1 1/8	9
STS12NH1	12	Premier Nitro 27 Handicap	2 3/4	HNDCP	1290	1	7 1/2, 8
STS12NH	12	Premier Nitro 27 Handicap	2 3/4	HNDCP	1235	1 1/8	7 1/2, 8
STS12NSC	12	Premier STS Nitro Sporting Clays	2 3/4	Max	1300	1 1/8	7 1/2, 8
STS12P	12	Premier STS Pigeon	2 3/4	3 1/4	1235	1 1/4	7 1/2, 8
STS12IT	12	Premier STS International	2 3/4	3 1/4	1325	24 gm.	7 1/2, Cu-P,* 8 1/2
STS20LR	20	Premier STS Low Recoil	2 3/4	2 1/2	1135	7/8	9
STS20SC	20	Premier STS Target	2 3/4	2 1/2	1200	7/8	8
STS20	20	Premier STS Target	2 3/4	2 1/2	1200	7/8	9
STS28SC	28	Premier STS Target	2 3/4	2	1200	3/4	8
STS28	28	Premier STS Target	2 3/4	2	1200	3/4	9
STS410SC	.410	Premier STS Target	2 1/2	Max	1200	1/2	8 1/2
STS410	.410	Premier STS Target	2 1/2	Max	1200	1/2	9
		MANAGED-RECO	OIL™ ST	S® TARGET	LOADS		
RLSTS1285	12	Managed-Recoil STS Target	2 3/4	_	1100	7/8	8 1/2
RLSTS2085	20	Managed-Recoil STS Target	2 3/4	_	1100	7/8	8 1/2
		GUN CLU	B™ TAR	GET LOAD	S		
GC121	12	Gun Club	2 3/4	2 3/4	1185	1	7 1/2, 8
GC12L	12	Gun Club	2 3/4	2 3/4	1145	1 1/8	7 1/2, 8, 9
GC12	12	Gun Club	2 3/4	3	1200	1 1/8	7 1/2, 8
GC20	20	Gun Club	2 3/4	2 1/2	1200	7/8	7 1/2, 8, 9

^{*} Copper-plated shot

HIGH-PERFORMANCE SLUGS



PREMIER® CORE-LOKT® ULTRA BONDED SABOT SLUGS

Core-Lokt® Ultra Bonded. Sophisticated design, flawless performance.

This is one slug that's anything but sluggish when it comes to performance. The Remington® Core-Lokt Ultra Bonded is a sleek, ultra-fast, flat-shooting shotgun sabot slug that's virtually in a class of its own. With incredible accuracy, it delivers

a 385-grain, 50 caliber, jacketed, bonded bullet that yields near 100% weight retention and expands to 2x in diameter. Designed for use in fully rifled barrels only, the Core-Lokt® Ultra Bonded offers a high-tech blend of sabot power and surgical precision that could be just what the doctor ordered.



SHOTSHELLS BUCKHAMMER

The unique design of the slug causes it to literally bond with the stabilizer as it travels down the barrel, resulting in unprecedented true flight

The BuckHammer® Lead Slug

exhibits impressive accuracy

by putting 100 shots inside an amazing 3 1/2" group at 100 yards. (2 3/4", 1 oz. 20 gauge)

BUCKHAMMER® LEAD SLUGS

When it's time to put the hammer down, this lead slug delivers a devastating one-two of precision and explosive power. Specifically designed for rifled barrels and choke tubes, it has an attached stabilizer that optimizes flight to produce 3-inch, 100-yard groups. And weight retention at impact is consistently 100 percent. Choices include 12- and 20-gauge full-power and Managed-Recoil™ versions. This season, put that big

> buck down for the count with the hardest-hitting, most accurate lead slug in the woods. BuckHammer.

> > The BuckHammer's 1 3/8 oz. (600 gr.) lead slug offers near





Visit www.buckhammerchallenge.com and see how BuckHammer stacks up against the competition.

THE BUCKHAMMER® LEAD SLUG FEATURES AN IMPRESSIVE MUSHROOM PROGRESSION. THIS EXPANSION CREATES DEVASTATING ON-GAME PERFORMANCE.











The innovative design of the stabilizer allows the BuckHammer® to deliver 3"

groups at 100 yards with 13% more energy than any other lead slug on the market. (3", 1 3/8 oz. 12 gauge)

25 Yards

50 Yards

75 Yards

100 Yards

125 Yards





SABOT SLUGS. The best-selling terminal performance and accuracy of our Copper Solid Slug is now available in a reduced recoil load. With 40% less recoil,



they're perfect for anyone who wants outstanding on-game results



without the rearward punch. Or, use them to

sight-in, then step up to full loads. There's no finer slug load for young or recoil-sensitive hunters.

Index/EDI No.	Gauge	Length (in.)	Slug Wt. (oz.)	Vel Muz.	ocity (ft./s 50 vd.	ec.) 100 vd.	Ei Muz.	nergy (ftl	b.) 100 vd.	Tr 50 vd.	ajectory (i	n.) 150 yd.
IIIuca/LDI No.	dauge	(111.)				LTRA BON				JU yu.	100 yu.	130 yu.
PR12CLU	12	2 3/4	385-gr.	1900	1770	1648	3086	2682	2325	1.8	2.4	0.0
PR20CLU	20	2 3/4	260-gr.	1900	1750	1615	2084	1774	1506	2.0	2.7	0.0
THEODEO	2.0	- /-				SOLID™ S			1000	2.0	2.7	0.0
PR12CS	12	2 3/4	1	1450	1320	1208	2040	1689	1417	0.0 [†]	-3.5	_
PR12MCS	12	3	1	1550	1408	1283	2331	1923	1597	0.0 [†]	-2.9	_
PR20CS	20	2 3/4	5/8	1500	1360	1240	1444	1187	986	0.0 [†]	-3.1	_
			MANAG	ED REC	OIL™ CO	PPER SOL	ID™ SAB	OT SLUG	i			
RL12CS	12	2 3/4	1	1200	1113	1046	1400	1204	1063	0.0	-5.5	_
				BUCI	KHAMME	ER® LEAD :	SLUGS					
SP12LSS	12	2 3/4	1 1/4	1550	1320	1145	2935	2177	1600	0.0	-3.6	_
SP12MLSS	12	3	1 3/8	1500	1234	1059	3232	2281	1710	0.0	-4.0	
SP20LSS	20	2 3/4	1	1500	1159	995	2236	1461	1074	0.0	-4.6	_
SP20MLSS	20	3	1	1550	1245	1051	2470	1592	1135	0.0	-4.1	_
			MANA	GED-REC	OIL™ BU	ICKHAMM	ER® LEAD	SLUGS				
RL12LSS	12	2 3/4	1 1/8	1350	1107	972	1991	1340	1032	0.0	-5.5	_
RL20LSS	20	2 3/4	7/8	1275	1057	938	1379	948	746	0.0	-6.2	_

† 0.0 indicates yardage at which shotgun was sighted in.

NEW



PREMIER® COPPER SOLID™ SABOT SLUGS

The unique, all-copper shotgun deer load. Designed specifically for use in fully rifled barrels. Outstanding on-game performance with 2x caliber expansion and virtually 100% weight retention. Consistently delivers $2\sqrt{2}$, 5-shot groups at 100 yards.



SLUGGER® & SLUGGER® HV

SLUGGER® HIGH VELOCITY RIFLED SLUGS. Remington® manufactures the only high velocity 12- and 20-gauge Foster-style lead slug. This higher velocity slug exits the barrel at 1,800 fps, 13% faster than standard 1 oz. slugs. The $^{7}/_{8}$ oz. Slugger High Velocity delivers more energy at 50 yards with flatter trajectory on deer than standard 1 oz. slugs. Produced in most popular slug loadings -2 $^{3}/_{4}$ " and 3" 12 gauge and 2 $^{3}/_{4}$ " 20 gauge with a $^{1}/_{2}$ oz. lead slug. Designed for the avid deer

hunter using smooth bore guns.



SLUGGER® RIFLED SLUGS.

Remington's most popular, accurate, hard-hitting slug. Slightly oversized for great smooth-bore shotgun performance, resulting in better sealing against the barrel wall for greater accuracy.



1\emungion.		Gaug dex/EDI No. Bor		Slug Wt. (oz.)	Vel Muz.	locity (ft./se	c.) 100 yd.	Muz.	nergy (ftIb 50 yd.	b.) 100 yd.	Trajecto	ory (in.) 100 yd.
		IdeA/LDI No. Bui	6 (III. <i>)</i>				ITY RIFLE		Ju yu.	100 yu.	Ju yu.	100 yu.
	SP SP	PHV12RS 12	2 3/4	7/8	1800	1252	978	2751	1517	813	0.0 [†]	-4.1
	SP	PHV12MRS 12	3	7/8	1875	1302	998	2989	1442	847	0.0†	-3.7
	SP	PHV20RS 20	2 3/4	1/2	1800	1321	1037	1575	848	523	0.0†	-3.6
					SLUG	GER® RIFI	LED SLUGS	3				
	SP SP	P12RS 12	2 3/4	1	1560	1175	977	2361	1340	926	0.0†	-4.8
	SI	12SRS 12	2 3/4	1	1680	1285	1045	2738	1605	1059	0.0 [†]	-3.8
	S1	12MRS 12	3	1	1760	1345	1075	3005	1753	1121	0.0 [†]	-3.4
对是是一个基础外	251 PM (TIME)	P16RS 16		4/5	1600	1175	965	1989	1072	724	0.0 [†]	-4.8
	The second secon	220RS 20		5/8	1580	1240	1034	1513	931	648	0.0†	-4.2
	SP SP	P41RS .41	2 1/2	1/5	1830	1335	1040	654	348	211	0.0 [†]	-3.5
				MANA			GGER® RIF					
A COMPANY OF THE PARTY OF THE P	STATE OF THE PERSON	_12RS 12		1	1200	988	873	1397	948	739	0.0 [†]	-7.4
	† 0	0.0 indicates yardage at w	hich shotgun was	sighted in.								
		2000年		1	156			THE REAL PROPERTY.			THE REAL PROPERTY.	
	ション 日間間間	1 9.4°	CEN AV		2 20			开公司				
	为一个人		THE A	NX	150	ALL SAV	V				COMPANY OF	1
	3411			130	SALE.		1		T	1		5

BUCKSHOT

Remington

PREMIER® NICKEL-PLATED

BUCKSHOT. Magnum-grade, nickel-plated lead pellets provide deeper penetration than unplated

lead. Dense, evenly balanced patterns are 25% tighter than those

of normal lead buckshot.



Remington

One of the great values in shotgun deer loads. A combination of heavy cushioning behind the shot column and a granulated polymer buffering helps maintain pellet roundness for tight, even patterns.

Index/ EDI No.	Gauge	Shell Length	Velocity (ft./sec. @ 3 ft.)	Buckshot Size	Pellet Count
	PREMIER®	NICKEL-PLATI	ED BUCKSHOT LO	ADS – BUFFE	RED
12SN00	12	2 3/4"	1290	00	12
	EXPRES	S® MAGNUM	BUCKSHOT LOADS	S – BUFFEREI)
12SB00	12	2 3/4"	1290	00	12
12HB000	12	3"	1225	000	10
12HB00	12	3"	1225	00	15
12HB4	12	3"	1225	4	41
1235B00 ¹	12	3 1/2"	1125	00	18
	EX	PRESS® BUCK	SHOT LOADS - B	UFFERED	
12B000	12	2 3/4"	1325	000	8
12B00 ¹	12	2 3/4"	1325	00	9
12B0	12	2 3/4"	1275	0	12
12B1	12	2 3/4"	1250	1	16
12B4	12	2 3/4"	1325	4	27
20B3	20	2 3/4"	1220	3	20
		MANAGED-	RECOIL™ BUCKS	НОТ	
RL12BK00	12	2 ³ /4 ¹¹	1200	00	8

¹ Utilizes Remington® Power-Piston one-piece wad.

RIMFIRE

Match EPS

CLUB

ELEY


TARGET RIFLE


PREMIER ® **GOLD BOX** TM **RIMFIRE**. Premium rimfire cartridges super-tuned for accuracy and terminal performance. Available in 17 Mach 2, 17 HMR and 22 Win Mag, Premier Gold Box Rimfire Ammunition is loaded with AccuTip-VTM polymer-tipped bullets for incredible shot-to-shot consistency, flat trajectory and explosive expansion. Upgrading your rimfire rifle or handgun is as easy as shooting the right ammo. Think Premier Gold Box.



Caliber	Index/ EDI No.	Wt. (grs.)	Bullet Style	Muz.	Velocity (ft./sec 50 yds.	.) 100 yds.	Muz.	Energy (ft-lbs. 50 yds.) 100 yds.	50 yds.	Trajectory** 100 yds.	150 yds.
Premier® 17 HMR	PR17HM1	17	AccuTip-V	2550	2212	1901	245	185	136	0.1	0.0	-2.6
Premier® 22 Win Mag	PR22M1	33	AccuTip-V	2000	1730	1495	293	219	164	0.6	0.0	-4.5
Premier® 17 Mach 2	PR17LR	17	AccuTip-V	2100	1801	1532	166	122	88	0.7	0.0	-4.4

COMPETITION/TARGET RIMFIRE. When it comes to competition-grade rimfire ammunition, there's only one name good enough to share the Remington® brand — Eley. A company with a









RIMFIRE. Prairie dogs. Tin cans. Or a bulls-eye. No matter what you put in your sights, Remington® offers

the perfect 22 rimfire ammunition for any occasion. Remington rimfire ammunition delivers the quality you expect. That's because we put the same level of care into making our rimfire ammunition as we do our centerfire ammunition, so you'll get the maximum performance from every shot.

	Index/	Wt.		1	elocity (ft./se	-)		Fuerou /ft lbe	\		Trainatamatt	
Caliber	EDI No.	wt. (grs.)	Bullet Style	Muz.	elocity (π./se 50 yds.	c.) 100 yds.	Muz.	Energy (ft-lbs. 50 yds.	100 yds.	50 yds.	Trajectory** 100 yds.	150 yds.
Magnum												
22 Win Mag	R22M1	40	Jacketed Hollow Point	1910	1610	1350	324	230	162	0.9	0.0	-5.7
	R22M2	40	Pointed Soft Point	1910	1600	1340	324	227	159	1.0	0.0	-5.8
Caliber	Index/ EDI No.	Wt. (grs.)	Bullet Style	Muz.	elocity (ft./se 50 yds.	c.) 100 yds.	Muz.	Energy (ft-Ibs. 50 yds.) 100 yds.	25 yds.	Trajectory** 50 yds.	100 yds.
Short												
22 Short	1022	29	Plated Lead Round Nose	1095	982	903	77	62	52	0.3	0.0	-7.4
High Velocity												
22 Long Rifle	1522/1500+	40	Plated Lead Round Nose	1255	1113	1017	140	110	92	0.0	0.0	-5.6
	1622/1600+	36	Plated Hollow Point	1280	1117	1010	131	100	82	0.0	0.0	-5.6
Hyper Velocity												
22 Yellow Jacket® Long Rifle	1722/1700+	33	Truncated Cone Hollow Point	1500	1247	1075	165	114	85	-0.2	0.0	-4.1
22 Viper® Long Rifle	1922/1900+	36	Truncated Cone Solid	1410	1198	1056	159	115	89	-0.1	0.0	-4.7
Subsonic ™												
22 Subsonic Long Rifle	SUB22HP	38	Hollow Point	1050	965	901	93	79	69	0.3	0.0	-7.7
Promotional												
22 Thunderbolt® Long Rifle	TB 22A	40	Round Nose	1255	1113	1017	140	110	92	0.0	0.0	-5.6
22 Cyclone® Long Rifle	CY 22HP	36	Hollow Point	1280	1117	1010	131	100	82	0.0	0.0	-5.6
22 Long Rifle (High Velocity)	GL 22HP	36	Hollow Point	1280	1117	1010	131	100	82	0.0	0.0	-5.6

REMINGTON® ULTRA MAG.

BIG GAME'S HIGHER POWER.

REMINGTON® ULTRA MAG.

A revolution in high-performance big-game ammunition. In each of its calibers, the Remington Ultra Mag cartridges produce the highest velocities, the flattest trajectories and the highest energy levels available to big-game hunters today. This is due to their large case capacities and innovative non-belted magnum case designs. These cases hold dramatically more powder and align with unmatched precision within the bore, making the world's most lethal family of cartridges the most accurate, as well. Available only in the most trusted bolt-action rifle of all time – the Model 700^{TM} – the Ultra Mag family is a truly superior gun and ammunition system geared for today's most discriminating hunters.

> INNOVATIVE CASE DESIGN RESULTS IN A "NON-BELTED MAGNUM" WITH A LARGER CASE DIAMETER WHICH ALLOWS FOR DRAMATICALLY INCREASED POWDER CAPACITY.





muzzle velocity over 3,450 fps, it's one of the flattest-shooting biggame rounds on the planet flatter than 7mm STW. flatter than a 22-250 varmint load. It's the perfect choice for longrange shots on any North American big game.

375 Remington® Ultra Mag.

The ultimate in stopping power. With over 5,000 ft-lbs of energy at the muzzle, it delivers more energy at 200 yards than 375 H&H at 100 yards - and with the same flat-shooting trajectory as a 150-grain 270 Win load.

300 Remington® Ultra Mag. The extreme standard for big game. With a 180-grain bullet, it delivers a muzzle velocity of 3,250 fps with 2,160 ft-lbs of retained energy at 500 yards. That's right, a trained marksman could knock an elk off its feet at nearly a half a mile.

338 Remington® Ultra Mag.

An excellent cartridge for bear, elk and moose, Loaded with a 250-grain bullet, it delivers over 600 ft-lbs greater muzzle energy than 338 Win Mag and retains a flatter trajectory all the way out to 500 yards.

SHORT-ACTION ULTRA MAG.

belt, promoting more precise bore alignment. It's

big-time performance in a little package.

Magnum performance in a lightweight, short-action firearm and ammunition package. Premier® Short-Action Ultra Mag cartridges offer ballistic performance equivalent to the two most popular belted magnums -300 Win Mag and 7mm Remington Mag - from a fast handling short-action rifle. They feature a highly efficient case design that duplicates or exceeds belted magnum ballistics with less powder, in turn, generating less felt recoil. Plus, they're inherently more accurate. The cartridge headspaces off the shoulder of the case, rather than a

Caliber	Index/EDI No.	Bullet Wt. (gr)	Bullet Type								
REMINGTON® ULTRA MAG											
7mm Rem. Ultra Mag	PR7UM1	140	Core-Lokt® Ultra Bonded								
7mm Rem. Ultra Mag	PR7UM5	175	A-Frame™ PSP								
300 Rem. Ultra Mag	PR300UM5	150	Scirocco™ Bonded								
300 Rem. Ultra Mag	PR300UM3	180	Scirocco™ Bonded								
300 Rem. Ultra Mag	PR300UM4	180	Core-Lokt® Ultra Bonded								
300 Rem. Ultra Mag	RS300UM2	200	A-Frame™ PSP								
338 Rem. Ultra Mag	PR338UM1	250	A-Frame™ PSP								
338 Rem. Ultra Mag	PR338UM2	250	Core-Lokt® PSP								
375 Rem. Ultra Mag	PR375UM2	270	Soft Point Hornady®								
375 Rem. Ultra Mag	PR375UM3	300	A-Frame™ PSP								
REMINGTON® SHORT-ACTION ULTRA MAG											
7mm Rem SA IIM	PR7SM1	140	Core-Lokt® Ultra Bonded								

NEW 300 REMINGTON® ULTRA MAG POWER LEVEL AMMUNITION.

One gun. One chambering. The ballistic characteristics of three cartridges.

NEW

The flattest-shooting, hardest-hitting .30 caliber in history is now the world's most versatile cartridge. New Power Level Ammunition allows you to incrementally tailor the performance of your rifle and ammunition to match your intended game species and hunting range,

similar to the way shotgunners use 2 3/4", 3" and 3 1/2" loads. The point of impact between Power Level loads stays within 2" out to 200 yards, so you'll have little to no scope adjustment when changing Power Levels. Now when you choose the 300 Remington Ultra Mag you're getting 3 guns in one. Simply put, never before has one cartridge offered this kind of versatility.

POINT OF IMPACT ACROSS ALL POWER LEVELS WITHIN 2", OUT TO 200 YARDS.



THE CONCEPT - SHOTGUN/SHOTSHELL





THE IDEA APPLIED TO THE CENTERFIRE RIFLE



300 REMINGTON® ULTRA MAG POWER LEVEL AMMUNITION™ 300 Ultra Mag Power Level III RS300UM2 200 A-Frame™ 300 Ultra Mag Power Level III PR300UM3 180 Scirocco™ Bonded 300 Ultra Mag Power Level III PR300UM4 Core-Lokt™ Ultra Bonded™ 180 300 Ultra Mag Power Level III PR300UM5 150 $Scirocco^{\scriptscriptstyle\mathsf{TM}}\ Bonded$ RS300UM2-P2 180 300 Ultra Mag Power Level II Core-Lokt™ Ultra Bonded™ 300 Ultra Mag Power Level II RS300UM3-P2 Scirocco™ Bonded 300 Ultra Mag Power Level I PRA300UM1-P1 AccuTip™ Boat Tail 150 300 Ultra Mag Power Level I R300UM1-P1 Core-Lokt™ PSP

POWER LEVEL III **EXTREME**

- 300 Remington Ultra Mag performance
- The biggest, toughest game at extreme ranges



Simply the biggest, baddest, flattest-shooting 30 caliber in production today. At 200 yards, it delivers 485 ft.-lbs. more energy than the 300 Wby Mag and 28% more energy than the 300 Win Mag or 300 WSM.

POWER LEVEL II **EXTENDED**

- 300 Win Mag. 300 WSM performance
- · Medium and large big game at extended ranges



With velocity and down range ballistics that mirror the 300 Win Mag and 300 WSM, Level II is ideal for elk, muleys or whitetails at extended range.

POWER LEVEL I TERMINAL

- 30-06 performance
- · Whitetail-sized game out to long range





Performs identically to the 30-06, the caliber that's dropped more big game than any other. The optimum deer hunting Power Level - coast to coast.



THE GOLD STANDARD:

GAME DROPPING ACCURACY.
JAW DROPPING PERFORMANCE.



The standard in premium ammunition has a name — Premier Gold Box.™ A culmination of extensive research and development, state-of-the-art loading facilities, and, of course, the highest-quality components, Premier Gold Box ammunition is just what you expect from the market leader in centerfire rifle ammunition.




PREMIER® CORE-LOKT®
ULTRA BONDED

PREMIER ACCUTIP™

PREMIER SCIROCCO™

PREMIER A-FRAME™

PREMIER MATCH



PREMIER CORE-LOKT ULTRA BONDED



STANDARD OF ACCURACY

IN BONDED HUNTING BULLETS.

Premier® Core-Lokt® Ultra Bonded is a bullet in a class of its own. It is the first and only bullet to successfully maximize the best features of two great types of hunting bullet construction. It delivers the extreme accuracy and retained energy you would expect from a tipped bullet, in combination with the outstanding penetration and weight retention that only a bonded non-tipped bullet could deliver. This unique design provides the hunter a Premier bullet that yields devastating on-game performance from 50 to 500 yards. Premier Core-Lokt Ultra Bonded — the new standard in high-performance hunting bullets.

CORE-LOKT® ULTRA BONDED EXPANDS RELIABLY AT ALL REASONABLE HUNTING DISTANCES.













50 Yards

100 Yards

200 Yards

300 Yards

400 Yards



PREMIER® CORE-LOKT® ULTRA BONDED 243 Win PRC243WC 100 Core-Lokt® Ultra Bonded PRC2506RA 25-06 Remington 115 Core-Lokt® Ultra Bonded 260 Remington PRC260RB 140 Core-Lokt® Ultra Bonded PRC270WB 140 Core-Lokt® Ultra Bonded 6.8mm Rem SPC PRC68R4 115 Core-Lokt® Ultra Bonded PRC7MMRA Core-Lokt® Ultra Bonded 7mm Remington Mag 140 PRC7MMRC 160 Core-Lokt® Ultra Bonded 7mm Remington Mag 7mm Rem. SA UM 140 PR7SM1 Core-Lokt® Ultra Bonded 7mm Rem. SA UM PR7SM4 160 Core-Lokt® Ultra Bonded 7mm Rem. Ultra Mag PR7UM1 140 Core-Lokt® Ultra Bonded PRC3006A Core-Lokt® Ultra Bonded 30-06 Springfield 150 30-06 Springfield PRC3006B 168 Core-Lokt® Ultra Bonded PRC3006C 180 Core-Lokt® Ultra Bonded 30-06 Springfield 300 Win Mag PRC300WA 150 Core-Lokt® Ultra Bonded 300 Win Mag PRC300WC 180 Core-Lokt® Ultra Bonded 308 Win PRC308WA 150 Core-Lokt® Ultra Bonded 308 Win PRC308WC 180 Core-Lokt® Ultra Bonded 300 Rem. SA UM PR300SM1 150 Core-Lokt® Ultra Bonded 300 Rem. SA UM PR300SM4 180 Core-Lokt® Ultra Bonded 300 Rem. Ultra Mag PR300UM4 180 Core-Lokt® Ultra Bonded

PRC338WA

More accurate. Our unique manufacturing process eliminates jacket stretch for near-perfect wall thickness which results in better flight stability.

More versatile. A 20% heavier jacket engineered with an innovative wall profile provides better expansion and penetration over a broad range of terminal velocities.

More reliable. 50% thicker Core-Lokt section increases mechanical locking of the rear core into the jacket and better controls expansion at higher velocities.

 More deadly. Bonded jacket/core design further insures controlled expansion (2x diameter) with up to 95% weight retention for ultimate on-game performance.



30-06 SPRG, 150-GR.
PREMIER® CORE-LOKT®
ULTRA BONDED,
5 SHOTS, .6", 100 YDS.



338 Win Mag

The finest biggame bullet in the world is now available to handloaders.

See page 70 for complete listings.

Core-Lokt® Ultra Bonded

225

PREMIER® ACCUTIP™



Gold polymer-tip initiates expansion for maximum on-game energy transfer

Sleek secant / ogive profile for high ballistic coefficient and reduced drop and wind drift

30-06 SPRG., 150-GR. PREMIER® ACCUTIP™ 5 SHOTS, .4", 100 YDS.

PRECISELY THE BIG-GAME BULLET OF YOUR DREAMS.

It's the most accurate, polymer-tipped big-game bullet available today. Along with match-grade precision, it delivers an unprecedented combination of laser-flat trajectory and devastating terminal performance. Accutip™ bullets expand quickly — producing an awesome level of transferred energy — to dispatch medium and big game with lightning authority. A thicker jacket and harder lead core regulate weight retention and optimize penetration. Make the switch and, trust us, big game won't know what hit 'em.

١	Caliber	Index/EDI No.	Bullet Wt. (grs.)	Bullet Type
l		PREMIE	R® ACCUTIP™	
l	243 Win	PRA243WA	95	AccuTip™
l	260 Remington	PRA260RA	120	AccuTip" Boat Tail
l	270 Win	PRA270WA	130	AccuTip" Boat Tail
١	280 Remington	PRA280RA	140	AccuTip" Boat Tail
ł	7mm-08 Remington	PRA7M08RB	140	AccuTip" Boat Tail
ı	7mm Remington Mag	PRA7MMRB	150	AccuTip" Boat Tail
ı	30-06 Springfield	PRA3006A	150	AccuTip" Boat Tail
ı	30-06 Springfield	PRA3006B	165	AccuTip" Boat Tail
ı	300 Win Mag	PRA300WC	180	AccuTip" Boat Tail
	308 Win	PRA308WB	165	AccuTip" Boat Tail

Thicker mid-jacket and heavy base for progressive expansion

and maximum weight retention



PREMIER® ACCUTIP-V™

PINPOINT DETONATION. Expect dynamite results. In varmint calibers, AccuTip-VTM combines superb flight characteristics and match-grade accuracy with a design optimized for explosive on-game results. At impact, AccuTip's gold polymer tip is driven rearward causing the thin jacket and soft lead core to fragment violently. First and foremost, though, it gets there precisely shot after shot — it's the most accurate varmint bullet you can shoot.

NEW 17 REMINGTON FIREBALL.

LIGHTING UP SMALL TARGETS AND THE WORLD OF SMALL-CALIBER PERFORMANCE.

It's time you warmed up to 4,000 fps velocities, extreme accuracy and less cleaning. The next generation of small-caliber performance is here for 2007. The Remington-exclusive 17 Remington Fireball. It breaks the 4,000 fps barrier with one of the smallest powder charges ever — this means less fouling and more shots between cleanings. It's a super-efficient case design that, when

matched with our 20-grain AccuTip-V, shoots flatter than a 22-250 Remington 55-grain loading. Plus, there's virtually no recoil or muzzle jump, so you never lose sight of your target. Based on the 17 Mach IV wildcat (a necked-down version of our 221 Remington Fireball) which has been a favorite for several years due to its inherent speed and accuracy, we're proud to say we've made the design a little better, and made it our own. The new 17 Remington Fireball.

Gold polymer tip acts as a wedge, splintering
bullet into fragments at impact

Thin jacket and soft lead core disintegrate and cause massive terminal damage at all ranges



The New Fireball. At 4,000 fps, it'll look plenty big in the eyes of varmints and predators. Tiny powder charges mean more accurate shots

> between cleanings. And speed? You know what that does.



NEW

17 REMINGTON FIRE

0.17	Bullet Wt.			locity (ft./se		400	100	Trajectory	200	400			nergy (ftlb		400	Recoil
Caliber	(grs.)	Muzzle	100 yd.	200 yd.	300 yd.	400 yd.	100 yd.	200 yd.	300 yd.	400 yd.	Muzzle	100 yd.	200 yd.	300 ya.	400 yd.	Energy
						17 RE	MINGTON F	IREBALL C	OMPARISO	ONS						
17 HMR	17	2550	1901	1378	1056	906	4.2	zero	-23.0	-76.9	245	136	72	42	31	<1
17 Remington Fireball	20	4000	3380	2840	2360	1930	0.8	zero	-5.1	-16.6	710	507	358	247	165	1.8
22-250 Remington	55	3680	3137	2656	2222	1832	1	zero	-6.0	-19.2	1654	1201	860	602	409	7.5



NEV

	Caliber	Index/EDI No.	Bullet Wt. (grs.)	Bullet Type
		PREMIER	® ACCUTIP™-V	
NEW	17 Remington Fireball	PRA17FB	20	AccuTip-V [™]
	17 Remington	PRA17RA	20	AccuTip-V [~]
	204 Ruger	PRA204A	32	AccuTip-V [™]
	204 Ruger	PRA204B	40	AccuTip-V™ Boat Tail
	221 Remington Fireball	PRA221FB	50	AccuTip-V™ Boat Tail
	22 Hornet	PRA22HNA	35	AccuTip-V [™]
	222 Remington	PRA222RB	50	AccuTip-V™ Boat Tail
	223 Remington	PRA223RB	50	AccuTip-V™ Boat Tail
	223 Remington	PRA223RC	55	AccuTip-V [™]
	22-250 Remington	PRA2250RB	50	AccuTip-V™ Boat Tail
	243 Win	PRA243WB	75	AccuTip-V™ Boat Tail




PREMIER® A-FRAME

THE MOST RELIABLE DUAL CORE BULLET

MADE. Premier® A-Frame™ bullets reliably expand at long-range decreased velocities, yet do not over-expand at short-range high velocities. A-Frame will mushroom to a devastating 2x caliber diameter with nearly 95% weight retention. Suitable for all big or dangerous game — the best choice from Alaska to Africa and

everywhere in between.





THE COMBINATION OF A-FRAME™ CONSTRUCTION AND PROPRIETARY BONDING PROCESS PRODUCES EXTREMELY UNIFORM, CONTROLLED EXPANSION TO 2X CALIBER WITH NEARLY 95% WEIGHT RETENTION.



Caliber	Index/EDI No.	Bullet Wt. (grs.)	Bullet Type
	PREMIER®	A-FRAME™	
270 Win	RS270WA	140	A-Frame™ PSP
7mm Rem. Mag	RS7MMA	160	A-Frame™ PSP
7mm Rem. Ultra Mag	PR7UM5	175	A-Frame™ PSP
7mm STW	RS7MSTWA	140	A-Frame™ PSP
30-06 SPRG	RS3006A	180	A-Frame™ PSP
300 Win Mag	RS300WA	200	A-Frame™ PSP
8mm Remington Mag	RS8MMRA	200	A-Frame™ PSP
300 Rem. Ultra Mag	RS300UM2	200	A-Frame™ PSP
338 Win Mag	RS338WA	225	A-Frame™ PSP
338 Rem. Ultra Mag	PR338UM1	250	A-Frame™ PSP
375 H&H Mag	RS375MA	300	A-Frame™ PSP
375 Rem. Ultra Mag	PR375UM3	300	A-Frame™ PSP
416 Remington Mag	RS416RA	400	A-Frame™ PSP

PREMIER® MATCH

IF THERE WERE A STRONGER WORD THAN ACCURATE, WE'D USE IT HERE.

Ever hear the phrase, "you could drive tacks with 'em?" Well they're probably talking about Remington® Premier® Match ammunition. Using only match-grade bullets Premier Match ammunition employs special loading practices to ensure world-class

performance and accuracy with every shot.

Maybe some day there will be a stronger word than accurate to describe Premier Match. Until then we'll continue to prove it on paper.



DEM	PMI JER MATE EREIRE RIFLE C	ngtol H ARTRIDGES	l.		
ts,			P		
	Caliber	Index/EDI No.	Bullet Wt. (grs.)	Bullet Type	
		PREMIER	® МАТСН		

Caliber	Index/EDI No.	Bullet Wt. (grs.)	Bullet Type
	PREMIER	® MATCH	
223 Remington	R223R6	62	Hollow Point Match
223 Remington	RM223R1	69	MatchKing® BTHP
6.8mm Rem. SPC	RM68R1	115	MatchKing® BTHP
300 Rem. SA UM	RM300SM7	190	MatchKing® BTHP
300 Win Mag	RM300W7	190	MatchKing® BTHP
308 Win	R308W7	168	MatchKing® BTHP



Remington® Core-Lokt® — a reputation deserved. Hunters with a knack for filling their deer tag tend to have more than success in common. They trust their hunt to Remington® Core-Lokt.® For more than six decades, it has remained the leader in centerfire deer ammunition. And deservedly so.

The Core-Lokt bullet design is the original controlled-expansion bullet — and one of the most effective ever developed. Its progressively tapered copper jacket is locked to a solid lead core, promoting perfectly controlled expansion and high weight retention for absolutely dependable on-game results. You'll find its time-proven performance in both soft point and pointed soft point versions — and in a range of bullet weights

for virtually every centerfire hunting caliber made.



Soft point shape provides broad frontal area for high energy impact and rapid expansion

Jackets designed for

progressive, reliable expansion to almost twice the original diameter

Bullet cores are "Lokt" in place to provide deep penetration —

Spitzer shape profile for improved velocity and flatter trajectory ———

Jackets designed for progressive, reliable expansion to almost twice the original diameter

Bullet cores are — mechanically locked in place to provide deep penetration



REMINGTON CORE-LOKT®

The Deadliest Mushroom in the Woods™





BRONZE POINT® TIPPED

Introduced by Remington,® these were the first bullets to utilize a tipped design. Exceptional long-range performance on medium-sized game. Sleek profile generates flat trajectory. On impact, the bronze tip is driven backward to create rapid, but controlled expansion.

Aerodynamic tip for superior long-range ballistics and rapid expansion



POWER-LOKT® HOLLOW POINT

Another breakthrough from Remington.® Express® Power-Lokt® delivers unmatched performance for small game and varmint hunting. The thin copper jacket is electrolytically plated to the lead core for near-perfect concentricity and gyroscopic balance. The result? Dead-on, benchrest-type accuracy with instant fragmentation on impact.





Plated copper jacket for superior accuracy and instant fragmentation on impact



MANAGED-RECOIL

REDUCE RECOIL TO IMPROVE YOUR

At some point, all shooters feel the negative effects of recoil. Some hunters experience the frustration of missing a target because of flinching. Others know the aggravation of losing the opportunity for a second shot because of the time it takes for scope recovery. Then there's the shoulder pain after a day of hunting or practicing, which may deter future practice sessions. To fight these effects of recoil, Remington® developed Managed-Recoil™ ammunition.

The Managed-Recoil ammunition succeeds where other recoilcontrol ammunition fails. Past attempts at curbing recoil have focused solely on the amount of gunpowder in the ammunition. Remington's Managed-Recoil focuses on the entire cartridge by incorporating a specially designed bullet built to perform at lower velocities.



YOUTH AND WOMEN. Managed-Recoil™ allows youth and women to practice and hunt effectively and comfortably with half the recoil. It even lets you use an existing gun without readjusting the scope because "point of aim - point of impact" is nearly identical to standard cartridges at 100 yards.

PRACTICE MAKES PERFECT. For target shooters and hunters who target shoot to improve their performance, Managed-Recoil™ cartridges provide more time on the range, without the bruises to prove it. It offers great hunting performance at ranges out to 200 yards, and you can switch to full-power ammunition without scope adjustment.

FEATURES

- Fully effective hunting performance with less than 50% of the recoil of standard cartridges
- · Less anticipation of recoil
- · Increased shooter confidence and improved shot placement
- · Quicker scope recovery for faster second shot placement
- Point of aim is within 2" of a standard cartridge at 100 yards
- Target practice without the recoil pounding
- Specially designed bullets are optimized to deliver 2x expansion with over 75% weight retention on shots out to 200 yards

FULLY EFFECTIVE ENERGY AND EXPANSION OUT TO 200 YARDS:









50 yards

100 yards

150 yards

200 yards

MANAGED-RECOIL™ COPPER SOLID™ SABOT SLUG.

The best-selling terminal performance and accuracy of our Copper Solid Slugs is now available in Managed-Recoil loads. With 40% less recoil, they're perfect for anyone who wants outstanding on-game results without the rearward punch.

	Index/ EDI No.	Gauge	Length (in.)	Velocity (ft./sec. @ 3 ft.)	Slug Wt.	Pellet Count	Slug Type
		MAN	NAGED-RECO	OIL™ COPPER SOL	ID™ SABO	r slug	
r	RL12CS	12	2 3/4	1200	1	_	CS

Or, use them to sight-in, then step up to full loads. There's no finer slug load for young or





MANAGED-RECOIL™ SLUGGER RIFLED SLUG.


Managed-Recoil™ Slugger® Rifled Slugs offer remarkably effective performance but with 45% less felt recoil than full velocity Sluggers. With effective energy out to 80 yards, these 1-ounce slugs easily handle the majority

of shotgun deer hunting ranges. Also

check out Managed-Recoil Buckshot; it's an ideal close-range performer.

Index/ EDI No.	Gauge	Length (in.)	Velocity (ft./sec. @ 3 ft.)	Slug Wt.	Pellet Count	Slug Type
	N	//ANAGED-RI	COIL™ SLUGGER	RIFLED S	LUG	
RL12RS	12	2 3/4	1200	1	_	Rifled Slug
		MANA	GED-RECOIL™ BU	CKSHOT		
RL12BK00	12	2 3/4	1200	_	8	00 BK

CHANCES OF SUCCESS IN THE FIELD.



L™ APPLICATIONS




HUNTING WITH CONFIDENCE. Most deer hunting shots are taken well within 200 yards, Managed-Recoil™ cartridges provide effective performance, with less than half the recoil. The result is less anticipation of recoil, better shot placement and quicker scope recovery.

RECOIL-SENSITIVE HUNTERS. For shooters that are unable to tolerate the recoil of a standard cartridge, Managed-Recoil™ Cartridges are the perfect solution. Effective performance with half the recoil.


50% LESS RECOIL

Remington® Managed-Recoil® centerfire cartridges deliver 50% less recoil than standard velocity ammunition. Managed-Recoil 270 Win, 308 Win and 30-06 actually deliver less recoil than a standard velocity 243 Win!



LETHAL PUNCH OUT TO 200 YARDS

Managed-Recoil™ rounds pack a lethal punch at the most common deer-hunting ranges. In fact, their energy levels exceed 1,100 ft.-lb. at 200 yards. Managed-Recoil 30-30 delivers 919 ft-lb. at 100 yards and is fully effective on deer sized animals out to 125 yards.



Oaliban	Index/	Bullet Wt.	Dullet Tone	Manuela		elocity (ft./se		0001	Marada		Energy (ftII		0001	F0l	Traject		0001
Caliber	EDI No.	(grs.)	Bullet Type	Muzzle	50 yd.	100 yd.	150 yd.	200 yd.	Muzzle	50 yd.	100 yd.	150 yd.	200 yd.	50 yd.	100 yd.	150 yd.	200 yd.
				MAN	NAGED-F	RECOIL® C	ENTERF	IRE RIFLE	CARTRID	GES							
270 Win.	RL270W2	115	Core-Lokt® PSP	2710	2558	2412	2270	2133	1875	1671	1485	1315	1161	0.1	zero	-1.6	-4.8
30-30 Win.	RL30301	125	Core-Lokt® SP	2175	1993	1820	1658	1508	1313	1102	919	763	631	0.3	zero	-3.0	-9.1
30-06 Springfield	RL30062	125	Core-Lokt® PSP	2660	2495	2335	2182	2034	1964	1727	1513	1321	1148	-0.1	zero	-1.5	-4.9
300 Win. Mag.	RL300W1	150	Core-Lokt® PSP	2650	2509	2373	2241	2113	2339	2097	1875	1672	1486	-0.1	zero	-1.5	-4.7
308 Win.	RL308W1	125	Core-Lokt® PSP	2660	2501	2348	2199	2057	1964	1736	1529	1342	1174	-0.1	zero	-1.5	-4.9
7mm Rem. Mag.	RL7MM4	140	Core-Lokt® PSP	2710	2594	2482	2372	2265	2283	2092	1915	1749	1595	0.0	zero	-1.5	-4.5

MANAGED-RECOIL™ BUCKHAMMER® LEAD SLUGS.

Managed-Recoil™ Technology has been applied to Remington's most devastating lead slug. We've reduced felt recoil by over 40% to make the BuckHammer® easier on the shooter without sacrificing its on-game performance. The Managed-Recoil BuckHammer 12-gauge slug travels at a fast 1,350 fps at the muzzle



and maintains an impressive 1,032 ft-lb. of deer-stopping energy at 100 yards. The 20-gauge, at 1,275 fps., delivers 746 ft.-lb. of energy at 100 yards. Standard BuckHammer and Managed-Recoil BuckHammer slugs are designed for use

with fully-rifled barrels or rifled choke tubes.

Index/		Length	Slug Wt.	Ve	locity (ft./s	ec.)	E	nergy (ftll	b.)	Trajecto	ry (in.)
EDI No.	Gauge		(oz.)	Muz.	50 yd.	100 yd.	Muz.	50 yd.	100 yd.	50 yd.	100 yd.
			MANAG	ED-RECO	IL™ BUC	KHAMMER	® LEAD SL	UGS			
RL12LSS	12	2 3/4	1 1/8	1350	1107	972	1991	1340	1032	0.0	-5.5
RL20LSS	20	2 3/4	7/8	1275	1057	938	1379	948	746	0.0	-6.2

COMPONENTS

REMINGTON® RELOADING **COMPONENTS.** If you reload your own cartridges, then you shouldn't settle for anything but the best reloading components in the business - Remington. We offer industry-leading products that are changing the way sportsmen think about reloading.

PREMIER® CORE-LOKT ULTRA BONDED™ BULLETS.

World-class accuracy and unmatched reliability on-game were just two of the many reasons our handloading customers demanded Core-Lokt Ultra Bonded bullets. We're proud to offer them as compo-

CORE-LOKT ULTRA BONDED BULLETS

See page 60 for complete bullet highlights.

nents this year.



NEW
NEW

RBC2433
RBC2642 26/6.5mm, 140-grain PSP RBC2682 27/6.8mm, 140-grain PSP RBC2772 27/6.8mm, 140-grain PSP RBC2841 28/7mm, 140-grain PSP RBC2843 28/7mm, 140-grain PSP RBC3081 30, 150-grain PSP RBC3082 30, 168-grain PSP RBC3082 30, 168-grain PSP RBC3083 30, 180-grain PSP RBC3381 338, 225-grain PSP ETRONX™ ELECTRIC CENTERFIRE PRIMERS XEL22610 9 ¹/₂ Large Rifle (Electric) CENTERFIRE PRIMERS X22600 1 ¹/₂ Small Pistol X22604 2 ¹/₂ Large Pistol X22606 5 ¹/₂ Small Pistol X22606 6 ¹/₂ Small Pistol X22608 9 ¹/₂ Large Rifle X22628 7 ¹/₃ Small Rifle BR X22629 9 ¹/₃ M Magnum Rifle CONSUMER PACK RIFLE BULLETS RB2241 224, 45-grain HP RB2242 224, 50-grain PSP RB2241 224, 50-grain PSP RB2241 224, 55-grain MC RB2242 224, 55-grain MC RB2247 224, 55-grain PSP RB2247 224, 55-grain PSP RB2247 224, 55-grain PSP RB2247 224, 56-grain HP Match RB2430 243, 80-grain PLHP RB2431 243, 80-grain PLHP RB2432 243, 80-grain PSP Core-Lokt RB2571 257, 100-grain PSP Core-Lokt RB2682 6.8mm, 115-grain MC RB2777 277, 130-grain PSP Core-Lokt RB2842 264, 150-grain PSP Core-Lokt RB2842 264, 150-grain PSP Core-Lokt RB2842 264, 150-grain PSP Core-Lokt RB2844 264, 150-grain PSP Core-Lokt RB2845 308, 150-grain PSP Core-Lokt RB2846 264, 150-grain PSP Core-Lokt RB3085 308, 150-grain MS RB3081 308, 150-grain MS
RBC2682 27/6.8mm, 140-grain PSP RBC2772 27/6.8mm, 140-grain PSP RBC2841 28/7mm, 140-grain PSP RBC2843 28/7mm, 160-grain PSP RBC3081 30, 150-grain PSP RBC3082 30, 168-grain PSP RBC3083 30, 180-grain PSP RBC3083 30, 180-grain PSP RBC3381 338, 225-grain PSP ETRONX™ ELECTRIC CENTERFIRE PRIMERS XE122610 9 ½ targe Rifle (Electric) CENTERFIRE PRIMERS X22600 1 ½ Small Pistol X22604 2 ½ Large Pistol X22606 5 ⅓ Small Pistol X22606 6 ⅓ Small Pistol X22608 9 ⅓ Large Rifle X22608 9 ⅓ Large Rifle X22608 9 ⅓ Large Rifle X22622 9 ⅓ M Magnum Rifle CONSUMER PACK RIFLE BULLETS RB2241 224, 45-grain HP RB2242 224, 50-grain PSP RB2241 224, 50-grain PLHP RB2244 224, 55-grain MC RB2247 224, 55-grain PPP RB2247 224, 55-grain PPP RB2247 224, 50-grain PLHP RB2248 224, 50-grain PLHP RB2249 224, 55-grain PPP RB2241 224, 50-grain PLHP RB2241 224, 50-grain PPP RB2242 224, 55-grain PPP RB2243 224, 55-grain PPP RB2247 224, 50-grain PPP RB22491 243, 80-grain PLHP RB2241 224, 50-grain PPP RB2247 224, 50-grain PPP RB22491 224, 50-grain PPP RB2241 224, 50-grain PPP RB2241 224, 50-grain PPP RB2243 224, 55-grain MC RB2571 257, 100-grain PSP Core-Lokt RB2682 6.8mm, 115-grain MC RB2777 277, 130-grain PSP Core-Lokt RB2842 264, 150-grain PSP Core-Lokt RB2842 264, 150-grain PSP Core-Lokt RB28305 308, 150-grain MC RB3081 308, 150-grain MC
RBC2772 27/6.8mm, 140-grain PSP RBC2841 28/7mm, 140-grain PSP RBC2843 28/7mm, 160-grain PSP RBC3081 30, 150-grain PSP RBC3082 30, 168-grain PSP RBC3083 30, 180-grain PSP RBC3081 338, 225-grain PSP ETRONX™ ELECTRIC CENTERFIRE PRIMERS XEL22610 9 ½ Large Rifle (Electric) CENTERFIRE PRIMERS X22600 1 ½ Small Pistol X22604 2 ½ Large Pistol X22606 5 ⅓ Small Pistol X22626 5 ⅓ Small Pistol X22628 7 ⅓ Small Pistol X22628 7 ⅓ Small Pistol X22628 9 ⅓ M Magnum Rifle CONSUMER PACK RIFLE BULLETS RB2241 224, 45-grain HP RB2242 224, 50-grain PSP RB2241 224, 55-grain MC RB2244 224, 55-grain PSP RB2244 224, 55-grain PSP RB2247 224, 55-grain PPB RB2247 224, 55-grain PPB RB2249 224, 55-grain PPB RB2241 224, 56-grain PHP RB2242 224, 55-grain PPB RB2243 224, 55-grain PPB RB22492 224, 55-grain PPB RB2241 224, 56-grain PPBP RB2242 224, 55-grain PPB RB2243 224, 55-grain PPB RB2241 224, 56-grain PPBP RB2242 224, 55-grain PPB RB2241 224, 56-grain PPBP RB2241 224, 56-grain PPBP RB2242 224, 55-grain PPB RB2243 224, 55-grain PPB RB2241 224, 55-grain PPB RB2241 224, 56-grain PPBP RB2242 224, 55-grain PPBP RB2243 224, 55-grain PPBP RB2249 224, 55-grain PPBP RB2241 224, 56-grain PPBP RB2241 224, 56-grain PPBP RB2242 224, 56-grain PPBP RB2243 224, 56-grain PPBP RB2241 224, 56-grain PPBP RB2241 224, 56-grain PPBP RB2242 224, 56-grain PPBP RB2241 224, 56-grain PPBP RB2241 224, 56-grain PPBP RB2242 224, 56-grain PPBP RB2243 224, 56-grain PPBP RB2244 224, 56-grain PPBP RB2247 224, 56-grain PPBP RB2248 2264, 510-grain PPSP Core-Lokt RB2682 6.8mm, 115-grain MC RB2772 277, 130-grain PSP Core-Lokt RB28842 264, 150-grain PSP Core-Lokt RB28842 264, 150-grain PSP Core-Lokt RB28842 264, 150-grain PSP Core-Lokt RB3085 308, 150-grain PSP Core-Lokt
RBC2841 28/7mm, 140-grain PSP RBC2843 28/7mm, 160-grain PSP RBC3081 30, 150-grain PSP RBC3082 30, 168-grain PSP RBC3083 30, 180-grain PSP RBC3381 338, 225-grain PSP RBC3381 338, 225-grain PSP ETRONX™ ELECTRIC CENTERFIRE PRIMERS XEL22610 9 ¹/₂ Large Rifle (Electric) CENTERFIRE PRIMERS X22600 1 ¹/₃ Small Pistol X22604 2 ¹/₃ Large Pistol X22606 5 ¹/₃ Small Pistol X22606 5 ¹/₃ Small Pistol X22608 7 ¹/₃ Small Pistol X22608 9 ¹/₃ Large Rifle X22608 9 ¹/₃ Large Rifle X2602 9 ¹/₃ M Magnum Rifle CONSUMER PACK RIFLE BULLETS RB2241 224, 45-grain HP RB2242 224, 50-grain PSP RB2241 224, 55-grain MC RB2243 224, 55-grain PSP RB2244 224, 55-grain PSP RB2244 224, 55-grain PSP RB2247 224, 55-grain PSP RB2247 224, 55-grain PSP RB2247 224, 56-grain PSP RB2247 224, 62-grain HP Match RB2430 243, 80-grain PSP RB2431 243, 80-grain PSP RB2432 243, 80-grain PSP RB2433 243, 100-grain PSP Core-Lokt RB2642 6 6.8mm, 115-grain MC RB2772 277, 130-grain PSP Core-Lokt RB2682 6 6.8mm, 115-grain MC RB2772 277, 130-grain PSP Core-Lokt RB2685 308, 150-grain PSP Core-Lokt RB2685 308, 150-grain PSP Core-Lokt RB3085 308, 150-grain PSP Core-Lokt
RBC2843 28/7mm, 160-grain PSP RBC3081 30, 150-grain PSP RBC3082 30, 168-grain PSP RBC3083 30, 180-grain PSP RBC3381 338, 225-grain PSP ETRONX™ ELECTRIC CENTERFIRE PRIMERS XEL22610 9 ½ Large Rifle (Electric) CENTERFIRE PRIMERS X22600 1 ½ Small Pistol X22604 2 ½ Large Pistol X22606 5 ⅓ Small Pistol X22626 5 ⅓ Small Pistol X22628 7 ⅓ Small Pistol X22628 7 ⅓ Small Rifle BR X22608 9 ⅓ Large Rifle X22629 9 ⅓ M Magnum Rifle CONSUMER PACK RIFLE BULLETS RB2241 224, 45-grain HP RB2242 224, 50-grain PSP RB2241 224, 55-grain MC RB2243 224, 55-grain MC RB2243 224, 55-grain PSP RB2244 224, 55-grain PSP RB2247 224, 55-grain PSP RB2247 224, 55-grain PSP RB2247 224, 56-grain PSP RB2248 224, 56-grain PSP RB2249 224, 55-grain PSP RB2241 224, 55-grain PSP RB2242 224, 50-grain PSP RB2243 224, 55-grain PSP RB2241 224, 56-grain PSP RB2243 224, 55-grain PSP RB2247 224, 62-grain HP Match RB2632 243, 80-grain PSP RB2433 243, 80-grain PSP RB2433 243, 100-grain PSP Core-Lokt RB2642 66, 8mm, 115-grain MC RB2772 277, 130-grain PSP Core-Lokt RB2682 66, 8mm, 115-grain MC RB2772 277, 130-grain PSP Core-Lokt RB2685 308, 150-grain PSP Core-Lokt RB3085 308, 150-grain MC RB3081 308, 150-grain MC
RBC3081 30, 150-grain PSP RBC3082 30, 168-grain PSP RBC3083 30, 180-grain PSP RBC3083 30, 180-grain PSP RBC3381 338, 225-grain PSP ETRONX™ ELECTRIC CENTERFIRE PRIMERS XEL22610 9 ½ Large Rifle (Electric) CENTERFIRE PRIMERS X22600 1 ½ Samall Pistol X22604 2 ½ Large Pistol X22606 6 ⅓ Small Pistol X22626 5 ⅓ Small Pistol X22628 7 ⅓ Small Rifle BR X22608 9 ⅓ Large Rifle X22608 9 ⅓ Large Rifle X22622 9 ⅓ M Magnum Rifle CONSUMER PACK RIFLE BULLETS RB2241 224, 45-grain HP RB2242 224, 50-grain PSP RB2241 224, 50-grain PSP RB2241 224, 55-grain MC RB2243 224, 55-grain PLHP RB2244 224, 55-grain PLHP RB2245 224, 55-grain PLHP RB2247 224, 55-grain PLHP RB2247 224, 55-grain PLHP RB2247 224, 62-grain HP Match RB2432 243, 80-grain PLHP RB2432 243, 80-grain PSP RB2433 243, 100-grain PSP Core-Lokt RB2642 264, 140-grain PSP Core-Lokt RB2682 6.8mm, 115-grain MC RB2777 277, 130-grain PSP Core-Lokt RB2684 264, 150-grain PSP Core-Lokt RB2884 264, 150-grain PSP Core-Lokt RB2885 308, 150-grain MC RB3085 308, 150-grain MC RB3081 308, 150-grain MC
RBC3082 30, 168-grain PSP RBC3083 30, 180-grain PSP RBC3381 338, 225-grain PSP ETRONX™ ELECTRIC CENTERFIRE PRIMERS XEL22610 9 ½ Large Rifle (Electric) CENTERFIRE PRIMERS X22600 1 ½ Small Pistol X22604 2 ½ Large Pistol X22605 5 ⅓ Small Pistol X22606 6 ⅓ Small Pistol X22628 7 ⅓ Small Rifle BR X22608 9 ⅓ Large Rifle X22608 9 ⅓ Large Rifle X22608 9 ⅓ Large Rifle X22622 9 ⅓ M Magnum Rifle CONSUMER PACK RIFLE BULLETS RB2241 224, 45-grain HP RB2242 224, 50-grain PSP RB2241 224, 50-grain PSP RB2244 224, 55-grain MC RB2243 224, 55-grain MC RB2244 224, 55-grain PLHP RB2244 224, 55-grain PLHP RB2247 224, 55-grain PLHP RB2247 224, 55-grain PLHP RB2247 224, 56-grain PLHP RB2247 224, 56-grain PSP RB22491 224, 56-grain PSP RB2241 224, 50-grain PSP RB2241 224, 56-grain PSP RB2241 224, 55-grain PSP RB2241 224, 56-grain PSP RB2242 224, 56-grain PSP RB2247 224, 56-grain PSP RB2247 224, 56-grain PSP RB2248 243, 80-grain PSP RB2433 243, 100-grain PSP Core-Lokt RB2642 64, 140-grain PSP Core-Lokt RB2682 64, 150-grain PSP Core-Lokt RB2772 277, 130-grain PSP Core-Lokt RB2842 264, 150-grain PSP Core-Lokt RB2842 264, 150-grain PSP Core-Lokt RB3085 308, 150-grain MC RB3081 308, 150-grain MC
RBC3083 30, 180-grain PSP RBC3381 338, 225-grain PSP ETRONX™ ELECTRIC CENTERFIRE PRIMERS XEL22610 9 ½ Large Rifle (Electric) CENTERFIRE PRIMERS X22600 1 ½ Small Pistol X22604 2 ½ Large Pistol X22626 5 ½ Small Pistol X22626 5 ½ Small Pistol X22628 7 ½ Small Pistol X22608 9 ½ Large Rifle BR X22608 9 ½ Large Rifle X22622 9 ½ M Magnum Rifle CONSUMER PACK RIFLE BULLETS RB2241 224, 45-grain HP RB2242 224, 50-grain PSP RB2241 224, 50-grain PLHP RB2244 224, 55-grain MC RB2243 224, 55-grain MC RB2247 224, 55-grain PLHP RB2248 2243, 80-grain PLHP RB22491 243, 80-grain PLHP RB2432 243, 80-grain PLHP RB2432 243, 80-grain PSP Core-Lokt RB2571 257, 100-grain PSP Core-Lokt RB2682 6.8 mm, 115-grain MC RB2777 277, 130-grain PSP Core-Lokt RB2842 264, 150-grain PSP Core-Lokt RB2842 264, 150-grain PSP Core-Lokt RB28305 308, 150-grain PSP Core-Lokt RB3085 308, 150-grain MC RB3081 308, 150-grain MSP Core-Lokt
RBC3381 338, 225-grain PSP ETRONX™ ELECTRIC CENTERFIRE PRIMERS XEL22610 9 ½ Large Rifle (Electric) CENTERFIRE PRIMERS X22600 1 ½ Small Pistol X22604 2 ½ Large Pistol X22606 5 ½ Small Pistol X22606 6 ½ Small Pistol X22608 9 ½ Iarge Rifle BR X22608 9 ½ Large Rifle X22608 9 ½ Large Rifle X22622 9 ½ M Magnum Rifle CONSUMER PACK RIFLE BULLETS RB2241 224, 45-grain HP RB2242 224, 50-grain PSP RB2241 224, 55-grain MC RB2244 224, 55-grain MC RB2244 224, 55-grain PLHP RB2244 224, 55-grain PPP RB2247 224, 55-grain PP PR RB2247 224, 55-grain HP Match RB2431 243, 80-grain PLHP RB2247 224, 55-grain HP Match RB2432 243, 80-grain PLHP RB2432 243, 80-grain PSP Core-Lokt RB2571 257, 100-grain PSP Core-Lokt RB2682 6.8mm, 115-grain MC RB2777 277, 130-grain PSP Core-Lokt RB2842 264, 150-grain PSP Core-Lokt RB28305 308, 150-grain MC RB3081 308, 150-grain MC
ETRONX™ ELECTRIC CENTERFIRE PRIMERS XEL22610 9 ½ Large Rifle (Electric) CENTERFIRE PRIMERS X22600 1 ½ Small Pistol X22604 2 ½ Large Pistol X22626 5 ⅓ Small Pistol X22626 5 ⅓ Small Pistol X22628 7 ⅓ Small Pistol X22628 7 ⅓ Small Pistol X22628 9 ⅓ Small Pistol X22628 9 ⅓ Large Rifle X22629 9 ⅓ Magnum Rifle CONSUMER PACK RIFLE BULLETS RB2241 224, 45-grain HP RB2242 224, 50-grain PSP RB2241 224, 55-grain MC RB2244 224, 55-grain MC RB2244 224, 55-grain PSP RB2244 224, 55-grain PSP RB2247 224, 55-grain PPM RB2248 224, 55-grain PPM RB22492 224, 55-grain PPM RB2241 224, 50-grain PHP RB2242 224, 55-grain PSP RB2243 224, 55-grain PPM RB2241 224, 55-grain PPM RB2242 224, 55-grain PPM RB2243 224, 55-grain PPM RB2241 224, 50-grain PHP RB2242 224, 50-grain PPM RB2243 224, 50-grain PPM RB2241 224, 50-grain PPM RB2241 225, 50-grain PPM RB2242 224, 50-grain PPM RB2243 224, 50-grain PPM RB2241 224, 50-grain PPM RB2241 224, 50-grain PPM RB2242 224, 50-grain PPM RB2247 224, 50-grain PPM RB2248 243, 100-grain PSP Core-Lokt RB2571 257, 100-grain PSP Core-Lokt RB2682 68mm, 115-grain MC RB2772 277, 130-grain PSP Core-Lokt RB2842 264, 150-grain PSP Core-Lokt RB28842 264, 150-grain PSP Core-Lokt RB3085 308, 150-grain MC RB3081 308, 150-grain MC
XEL22610 9 ½ Large Rifle (Electric)
CENTERFIRE PRIMERS
X22600
X22600
X22604 2 1/2 Large Pistol
X22606 6 1/2 Small Pistol
X22628
X22608 9 ½ targe Rifle
X2622 9 1/- M Magnum Rifle
CONSUMER PACK RIFLE BULLETS RB2241 224, 45-grain HP RB2242 224, 50-grain PSP RB224P1 224, 50-grain PLHP RB2244 224, 55-grain MC RB2243 224, 55-grain PSP RB224P2 224, 55-grain PLHP RB224P2 224, 55-grain PLHP RB224P1 224, 62-grain HP Match RB243P1 243, 80-grain PSP RB2432 243, 80-grain PSP RB2433 243, 100-grain PSP Core-Lokt RB2571 257, 100-grain PSP Core-Lokt RB2642 264, 140-grain PSP Core-Lokt RB2682 6.8mm, 115-grain MC RB2772 277, 130-grain PSP Core-Lokt RB2842 264, 150-grain PSP Core-Lokt RB3085 308, 150-grain MC RB3081 308, 150-grain PSP Core-Lokt
RB2241 224, 45-grain HP RB2242 224, 50-grain PSP RB22491 224, 50-grain PLHP RB2244 224, 55-grain MC RB2243 224, 55-grain PSP RB22492 224, 55-grain PLHP RB2247 224, 55-grain PLHP RB22491 243, 80-grain PLHP RB2432 243, 80-grain PSP Ore-Lokt RB2433 243, 100-grain PSP Core-Lokt RB2571 257, 100-grain PSP Core-Lokt RB2642 264, 144-grain PSP Core-Lokt RB2682 6.8mm, 115-grain MC RB2772 277, 130-grain PSP Core-Lokt RB2842 264, 150-grain PSP Core-Lokt RB3085 308, 150-grain MC RB3081 308, 150-grain PSP Core-Lokt
RB2242 224, 50-grain PSP RB224P1 224, 50-grain PLHP RB2244 224, 55-grain MC RB2243 224, 55-grain PSP RB224P2 224, 55-grain PLHP RB224T 224, 52-grain HP Match RB243P1 243, 80-grain PLHP RB2432 243, 80-grain PSP RB2433 243, 100-grain PSP Core-Lokt RB2571 257, 100-grain PSP Core-Lokt RB2642 264, 140-grain PSP Core-Lokt RB2682 6.8mm, 115-grain MC RB2772 277, 130-grain PSP Core-Lokt RB2842 264, 150-grain PSP Core-Lokt RB3085 308, 150-grain MC RB3081 308, 150-grain PSP Core-Lokt
RB224P1 224, 50-grain PLHP RB2244 224, 55-grain MC RB2243 224, 55-grain PSP RB224P2 224, 55-grain PLHP RB224T 224, 55-grain PLHP RB224P1 224, 62-grain HP Match RB243P1 243, 80-grain PSP RB2432 243, 80-grain PSP RB2433 243, 100-grain PSP Core-Lokt RB2571 257, 100-grain PSP Core-Lokt RB2642 264, 140-grain PSP Core-Lokt RB2682 6.8mm, 115-grain MC RB2772 277, 130-grain PSP Core-Lokt RB2842 264, 150-grain PSP Core-Lokt RB3085 308, 150-grain MC RB3081 308, 150-grain PSP Core-Lokt
RB2244 224, 55-grain MC RB2243 224, 55-grain PSP RB224P2 224, 55-grain PLHP RB224T 224, 62-grain HP Match RB243P1 243, 80-grain PLHP RB2432 243, 80-grain PSP RB2433 243, 100-grain PSP Core-Lokt RB2571 257, 100-grain PSP Core-Lokt RB2642 264, 140-grain PSP Core-Lokt RB2682 6.8mm, 115-grain MC RB2772 277, 130-grain PSP Core-Lokt RB2842 264, 150-grain PSP Core-Lokt RB3085 308, 150-grain MC RB3081 308, 150-grain PSP Core-Lokt
RB2243 224, 55-grain PSP RB224P2 224, 55-grain PLHP RB2247 224, 62-grain HP Match RB243P1 243, 80-grain PLHP RB2432 243, 80-grain PSP RB2433 243, 100-grain PSP Core-Lokt RB2571 257, 100-grain PSP Core-Lokt RB2642 264, 140-grain PSP Core-Lokt RB2682 6.8mm, 115-grain MC RB2772 277, 130-grain PSP Core-Lokt RB2842 264, 150-grain PSP Core-Lokt RB3085 308, 150-grain MC RB3081 308, 150-grain PSP Core-Lokt
RB224P2 224, 55-grain PLHP RB2247 224, 62-grain HP Match RB243P1 243, 80-grain PLHP RB2432 243, 80-grain PSP RB2433 243, 100-grain PSP Core-Lokt RB2571 257, 100-grain PSP Core-Lokt RB2642 264, 140-grain PSP Core-Lokt RB2682 6.8mm, 115-grain MC RB2772 277, 130-grain PSP Core-Lokt RB2842 264, 150-grain PSP Core-Lokt RB3085 308, 150-grain MC RB3081 308, 150-grain PSP Core-Lokt
RB2247 224, 62-grain HP Match RB243P1 243, 80-grain PLHP RB2432 243, 80-grain PSP RB2433 243, 100-grain PSP Core-Lokt RB2571 257, 100-grain PSP Core-Lokt RB2642 264, 140-grain PSP Core-Lokt RB2682 6.8mm, 115-grain MC RB2772 277, 130-grain PSP Core-Lokt RB2842 264, 150-grain PSP Core-Lokt RB3085 308, 150-grain MC RB3081 308, 150-grain PSP Core-Lokt
RB243P1 243, 80-grain PLHP RB2432 243, 80-grain PSP RB2433 243, 100-grain PSP Core-Lokt RB2571 257, 100-grain PSP Core-Lokt RB2642 264, 140-grain PSP Core-Lokt RB2682 6.8mm, 115-grain MC RB2772 277, 130-grain PSP Core-Lokt RB2842 264, 150-grain PSP Core-Lokt RB3085 308, 150-grain MC RB3081 308, 150-grain PSP Core-Lokt
RB2432 243, 80-grain PSP RB2433 243, 100-grain PSP Core-Lokt RB2571 257, 100-grain PSP Core-Lokt RB2642 264, 140-grain PSP Core-Lokt RB2682 6.8mm, 115-grain MC RB2772 277, 130-grain PSP Core-Lokt RB2842 264, 150-grain PSP Core-Lokt RB3085 308, 150-grain MC RB3081 308, 150-grain PSP Core-Lokt
RB2433 243, 100-grain PSP Core-Lokt RB2571 257, 100-grain PSP Core-Lokt RB2642 264, 140-grain PSP Core-Lokt RB2682 6.8mm, 115-grain MC RB2772 277, 130-grain PSP Core-Lokt RB2842 264, 150-grain PSP Core-Lokt RB3085 308, 150-grain MC RB3081 308, 150-grain PSP Core-Lokt
RB2571 257, 100-grain PSP Core-Lokt RB2642 264, 140-grain PSP Core-Lokt RB2682 6.8mm, 115-grain MC RB2772 277, 130-grain PSP Core-Lokt RB2842 264, 150-grain PSP Core-Lokt RB3085 308, 150-grain MC RB3081 308, 150-grain PSP Core-Lokt
RB2642 264, 140-grain PSP Core-Lokt RB2682 6.8mm, 115-grain MC RB2772 277, 130-grain PSP Core-Lokt RB2842 264, 150-grain PSP Core-Lokt RB3085 308, 150-grain MC RB3081 308, 150-grain PSP Core-Lokt
RB2682 6.8mm, 115-grain MC RB2772 277, 130-grain PSP Core-Lokt RB2842 264, 150-grain PSP Core-Lokt RB3085 308, 150-grain MC RB3081 308, 150-grain PSP Core-Lokt
RB2772 277, 130-grain PSP Core-Lokt RB2842 264, 150-grain PSP Core-Lokt RB3085 308, 150-grain MC RB3081 308, 150-grain PSP Core-Lokt
RB2842 264, 150-grain PSP Core-Lokt RB3085 308, 150-grain MC RB3081 308, 150-grain PSP Core-Lokt
RB3085 308, 150-grain MC RB3081 308, 150-grain PSP Core-Lokt
RB3081 308, 150-grain PSP Core-Lokt
RR3083 308 180-grain PSP Core-Lokt
1.00000 OOO, 100 Brain For Ouro Lone
RB30301 308 (30-30), 150-grain SP Core-Lokt

Index/EDI No.	Description		
CONSUMER PACK RIFLE BULLETS (cont.)			
RB303B	310 (303 Brit.), 180-grain SP Core-Lokt		
RB3231	8mm, 185-grain PSP Core-Lokt		
RB4571	457, 300-grain SJHP		
CONSUMER PACK PISTOL BULLETS			
RB9MM3	9mm, 115-grain MC		
RB9MM11	9mm, 115-grain FNEB		
RB9MM5	9mm, 115-grain JHP		
RB9MM2	9mm, 124-grain MC		
RB9MM8	9mm, 147-grain JHP		
RB380AP	356 380 Auto, 95-grain MC		
RB38S11	356 38 Special, 130-grain MC		
RB357M7	357/38, 110-grain SJHP		
RB357M1	357/38, 125-grain SJHP		
RB357M2	357/38, 158-grain SJHP		
RB40SW1	40/10mm, 155-grain JHP		
RB40SW3	40/10mm, 180-grain MC		
RB40SW5	40/10mm, 180-grain FNEB		
RB40SW2	40/10mm, 180-grain JHP		
RB41MG1	41, 200-grain SJHP		
RB44MG6	44, 210-grain SJHP		
RB44MG3	44, 240-grain SJHP		
RB45AP4	45 Automatic, 230-grain MC		
RB45AP8	45 Automatic, 230-grain FNEB		
RB45AP7	45 Automatic, 230-grain JHP		
CONSUMER PACK RIFLE BRASS			
RC17R	17 Remington		
RC204R	204 Ruger		
RC22H	22 Hornet		
RC221FB	221 Remington Fireball		
RC222R	222 Remington		
RC223R	223 Remington		
RC2250R	22-250 Remington		
RC220S	220 Swift		
RC243W	243 Win		
RC6MMR	6mm Remington		
RC2506R	25-06 Remington		
RC2520W	25-20 Win		
RC257R	257 Roberts		
RC65S	6.5x55 Swedish Mauser		
RC260R	260 Remington		
RC68SPCR	6.8mm Remington SPC		

gton

Remington

		1 "1
Car was at a second		
(in the same of th		
Description	Index FDI No.	
Description		Description
MER PACK RIFLE BULLETS (cont.)		ACK RIFLE BRASS (cont.)
310 (303 Brit.), 180-grain SP Core-Lokt		270 Win
8mm, 185-grain PSP Core-Lokt		270 WSM
457, 300-grain SJHP		7mm-08 Remington
UMER PACK PISTOL BULLETS		mm Remington Magnum
9mm, 115-grain MC		mm Remington SA Ultra Magnum
9mm, 115-grain FNEB		mm Remington Ultra Magnum
9mm, 115-grain JHP		280 Remington
9mm, 124-grain MC		80-30 Win
9mm, 147-grain JHP		300 Remington SA Ultra Magnum
356 380 Auto, 95-grain MC		300 Remington Ultra Magnum
356 38 Special, 130-grain MC	RC3006 3	80-06 SPRG
357/38, 110-grain SJHP	RC300WM 3	300 Win Mag
357/38, 125-grain SJHP	RC300WSM 3	800 WSM
357/38, 158-grain SJHP	RC303B 3	803 British
40/10mm, 155-grain JHP	RC308W 3	308 Win
40/10mm, 180-grain MC	RC3220W 3	32-20 Win
40/10mm, 180-grain FNEB	RC8MSR 8	Bmm Mauser
40/10mm, 180-grain JHP	RC8MMG 8	Bmm Remington Magnum
41, 200-grain SJHP	RC338W 3	338 Win Mag
44, 210-grain SJHP	RC338RA 3	338 Remington Ultra Magnum
44, 240-grain SJHP	RC350R 3	350 Remington Magnum
45 Automatic, 230-grain MC	RC35W 3	35 Whelen
45 Automatic, 230-grain FNEB	RC375H 3	375 H&H Magnum
45 Automatic, 230-grain JHP	RC375RA 3	375 Remington Ultra Magnum
ISUMER PACK RIFLE BRASS	RC4440W 4	14-40 Win
17 Remington	RC4570G 4	15-70 Government
204 Ruger	CONSUMER PACK PISTOL BRASS	
22 Hornet	RC357MG 3	357 Magnum
221 Remington Fireball	RC357X 3	357 Maximum
222 Remington	RC9MM 9	9mm Luger
223 Remington	RC38AS 3	88 Super Auto + P
22-250 Remington	RC38SP 3	88 Special
220 Swift	RC40SW 4	10 S&W
243 Win	RC41RA 4	11 Remington Magnum
6mm Remington	RC44RA 4	14 Remington Magnum
25-06 Remington		14 S&W
25-20 Win	RC45C 4	15 Colt
257 Roberts	RC45A 4	15 Auto
6.5x55 Swedish Mauser	RC454C 4	154 Casull
260 Remington	00 0 10 115	
6 8mm Remington SPC	BR = Bench Rest / FNEB = F	lat Nose Enclosed Base

221 FIREBALL

100 UNPRIMED CASES


Kemington

6.8 CALIBER 115 MC DIA..277 100 BULLETS

HP = Hollow Point / JHP = Jacketed Hollow Point / MC = Metal Case PLHP = Power Lokt Hollow Point / PSP = Pointed Soft Point SJHP = Semi-Jacketed Hollow Point / SP = Soft Point

PISTOL & REVOLVER





EVERY APPLICATION, ONE BRAND. Remington® has been making centerfire handgun ammunition longer than anyone. It should then come as no surprise that we offer the broadest line of pistol and revolver ammunition available. All cartridges are assembled from premium components — with meticulous quality control — to assure reliability in all handgun actions. (See the complete line on page 84.)

UMC® AMMUNITION

UMC® HANDGUN CARTRIDGES.

All UMC ammunition is American-made in Lonoke, Arkansas using first-quality factory-fresh brass and clean-shooting Kleanbore® primers to provide the best value for practice, personal defense and hunting. (See the complete line on page 84.)





UMC® LEADLESS™ HANDGUN CARTRIDGES. A must have for shooters that frequent indoor ranges, economical UMC® LeadLess™ cartridges virtually eliminate lead exposure

at the firing line. Specially designed bullet actually prevents the vaporization of lead from the bullet's base upon firing. Standard bullet weights duplicate the ballistics of conventional loads. (See the complete line on page 84.)

UMC® RIFLE CARTRIDGES.

Made in the USA. Value-priced and ideal for high-volume shooters that demand the utmost in consistency. Seven popular calibers. (See the complete line on page 84.)





GOLDEN SABER™ HPJ

DEAD-SERIOUS BULLET INNOVATION. A superior bullet for when the stakes are at their highest. Designed for law enforcement and personal defense, the Golden Saber™ High Performance Jacket successfully combines: match-type accuracy, deep penetration, maximum expansion and near 100% weight retention. (See the complete line on page 84.)



The high-performance jacket expands to a larger diameter than lead core — over 1.6x diameter. Minimal lead deformation retains energy for deeper penetration.



Bottom of rifling groove

Golden Saber™

Driving Band™

Top of rifling band

The bullet diameter directly ahead of the Driving Band™ is reduced from groove to bore diameter, so the bullet is precisely aligned before the Driving Band engages the rifling. The result: match-grade accuracy and reduced barrel friction that conserves velocity.

PREMIER®-TACTICAL KNIVES

TANGO™ NEW



- Civilian: 440C stainless steel PTFE-Teflon® coated blade with etched Remington® logo
- Law Enforcement: 440C stainless steel Mill Spec: Mil-C 13924 blade with etched Remington® LE logo
- Military: N690 stainless steel DLC coated blade with etched Remington® MPD logo
- G-10 handle
- Series I: Civilian Cordura sheath; LE Molle sheath; Military Molle plus leg extension
- Series I: 5 1/4" Blade, 10 1/2" Overall Length

• Series II: 3 5/8" Blade, 4 3/4" Closed

Made in Italy

SERIES I – FIXED BLADE

Clip: 19697 - Boxed

Drop: 19698 - Boxed

Tanto: 19699 - Boxed

LAW ENFORCEMENT

Clip: 19700 - Boxed

Drop: 19701 - Boxed Tanto: 19702 - Boxed

Clip: 19703 - Boxed

Drop: 19704 - Boxed Tanto: 19705 - Boxed

TANGO™

CIVILIAN

MILITARY





Clip: 19706 - Boxed **Drop:** 19707 - Boxed

Tanto: 19708 - Boxed LAW ENFORCEMENT

Clip: 19709 - Boxed **Drop:** 19710 - Boxed Tanto: 19711 - Boxed

MILITARY

Clip: 19712 - Boxed **Drop:** 19713 - Boxed Tanto: 19714 - Roxed







- Civilian: 440C stainless steel PTFE-Teflon® coated blade with etched Remington® logo
- Law Enforcement: 440C stainless steel Mill Spec: Mil-C 13924 blade with etched Remington® LE logo
- Military: N690 stainless steel DLC coated blade with etched Remington® MPD logo
- Anodized aluminum handle with 3M non-slip inserts
- 4 1/2" Blade, 4 1/2" Closed





Clip: 19578 - Boxed **Drop:** 19579 - Boxed Tanto: 19580 - Boxed

LAW ENFORCEMENT

Clip: 19581 - Boxed **Drop:** 19582 – Boxed Tanto: 19583 - Boxed

MILITARY

Clip: 19584 - Boxed **Drop:** 19585 - Boxed Tanto: 19586 - Boxed



- Civilian: 440C stainless steel PTFE-Teflon® coated blade with etched Remington® logo
- Law Enforcement: 440C stainless steel Mill Spec: Mil-C 13924 blade with etched Remington® LE logo
- Military: N690 stainless steel DLC coated blade with etched Remington® MPD logo
- Anodized aluminum handle with 3M non-slip inserts
- Series I: Civilian Cordura sheath; LE Molle sheath; Military Molle plus leg extension (shown above)

• Series I: 4 3/4" Blade, 10 1/2" Overall Length • Series II: 3 5/8" Blade, 4 3/4" Closed

Made in Italy

CIVILIAN

ZULU™ SERIES I - FIXED BLADE

Clip: 19560 - Boxed **Drop:** 19561 - Boxed Tanto: 19562 - Boxed

LAW ENFORCEMENT

Clip: 19563 - Boxed **Drop:** 19564 – Boxed Tanto: 19565 - Boxed

MILITARY

Clip: 19566 - Boxed **Drop:** 19567 – Boxed Tanto: 19568 - Boxed





MILITARY (Drop)

7ULU™ SERIES II - FOLDER

CIVILIAN

Clip: 19569 - Boxed Dron: 19570 - Boxed Tanto: 19571 – Boxed

LAW ENFORCEMENT

Clip: 19572 - Boxed **Drop:** 19573 - Boxed Tanto: 19574 - Boxed

MILITARY

Clip: 19575 - Boxed Drop: 19576 - Boxed Tanto: 19577 - Boxed



PREMIER® -**HUNTING KNIVES**

ELITE HUNTER™ NEW



- 440C stainless steel blade with satin finish and etched Remington® logo
- 6061 aircraft aluminum handle
- · Genuine leather sheaths
- Available in 3M non-slip, Olive Wood or Genuine Stag handles
- Series I: 4 1/4" Blade, 9 1/8" Overall Length
- - Clip & Drop: 3 3/8" Blade, 4 1/2" Closed
 - -2-Blade: 3 3/8" Drop, 3 1/4" Saw, 4 1/2" Closed
 - 3-Blade: 3 3/8" Drop, 3 1/4" Saw, 3 3/8" Gut Hook, 4 1/2" Closed
- Made in Italy





ELITE HUNTER™ SERIES II - FOLDER

NON-SLIP HANDLE (HBL) Clip: 19741 - Boxed **Drop:** 19742 - Boxed 2-Blade: 19750 - Boxed 3-Blade: 19753 - Boxed

OLIVE WOOD HANDLE (HBR)

Clip: 19744 - Boxed **Drop:** 19745 – Boxed 2-Blade: 19751 - Boxed 3-Blade: 19754 - Boxed

GENUINE STAG HANDLE (HBR)

Clip: 19747 – Boxed Drop: 19748 – Boxed 2-Blade: 19752 - Boxed 3-Blade: 19755 - Boxed

G-10 GRIP







CUSTOM CARRY TM



- 6061 aircraft aluminum handle
- Leather sheath (Series I only)
- Available in aluminum or G-10 handles
- Series I: 4 3/8" Blade, 9 3/8" Overall Length

• Series II: 3 1/4" Blade, 4 1/2" Closed



CUSTOM CARRY™ SERIES II - FOLDER ALUMINUM HANDLE **Drop:** 19726 - Boxed G-10 HANDLE **Drop:** 19727 - Boxed

GRIP

CUSTOM CARRY™ SERIES I - FIXED BLADE **ALUMINUM HANDLE** (BR) **Drop:** 19724 - Boxed

G-10 HANDLE (BL) **Drop:** 19725 - Boxed



EXCURSION TM NEW



• Injection molded black rubber handle with 420 SS frame

- · Cordura sheath
- Made in Italy



KNIVES





OUTDOOR EXPLORATION KNIFE SERIES - SOUTH

- Number three in a set of four
- · Genuine jig bone handle
- · Compass etch on blade with corresponding direction to South
- 440 stainless steel blades
- Limited Edition
- 2 9/16" spear blade



NEW

OUTDOOR EXPLORATION - SOUTH (3 3/4" Closed) 18983 - Boxed

The South. This is the third in a series of four knives incorporating the famous Remington Compass onto the handle and blade. The direction of the compass arrow corresponds with the knife's name, thus, on this model, the needle points to "The South." The unique display box is designed to stack in a manner that progressively builds a Remington Country image on two sides.





SPORTSMAN™ SERIES **DELRIN FOLDING KNIVES**

- · Jigged "bone style" Delrin handle with cloisonné shield
- Locking 440A stainless steel blade



Small (3" Closed)

18186 - Clampack 19387 – Boxed

Your large Delrin or Cocobola knife comes with this rugged black nylon sheath.

SPORTSMAN™ SERIES COCOBOLA FOLDING KNIVES

· Attractive Cocobola wood handle with cloisonné shield

· Locking 440A stainless steel blade

• Nickel-silver bolsters & pins

· Large knife comes with rugged black nylon sheath

Brass liners

Combo set also available



Small (3 1/8" Closed) 18184 - Clampack 19385 - Boxed

Combo Set 18180 - Clampack. 19384 – Boxed

Large (5" Closed)

18185 - Clampack

19386 - Boxed



M-SERIES™ KNIVES



M-SERIES™ CLIP Medium (3" Blade, 4 5/16" Closed)

18351 - Clampack, 19361 - Boxed Large (3 3/8" Blade, 4 13/16" Closed)

18350 - Clampack, 19360 - Boxed

M-SERIES™ DROP Medium (3" Blade, 4 5/16" Closed) 18353 - Clampack, 19363 - Boxed Large (3 3/8" Blade, 4 13/16" Closed) Medium (Drop) 18352 - Clampack, 19362 - Boxed

MODEL 830™ KNIVES

- 420HC high carbon stainless steel drop point blade with bead blast finish
- 6061 aircraft aluminum handle with hard anodized finish
- Etched Remington® logo
- Bead blast stainless steel pocket clip
- · Ambidextrous thumb stud
- Lanyard hole
- Made in the USA

MODEL 830™ BLACK (2 3/4" Blade, 3 5/8" Closed) 18338 – Clampack, 19369 - Boxed



(2 3/4" Blade, 3 5/8" Closed) 18337 - Clampack, 19368 - Boxed

SWIFT-LOKT® 2.0 KNIVES

- · Aluminum with dark gray anodized finish and tactile rubber inlays with bead blasted stainless steel pocket clip
- Cryogenically tempered AUS8 high carbon bead blasted stainless steel blade with thumb stud
- Patented assisted opening system using 9 long beam springs for superior power and speed





(3 1/8" Blade) 18913 - Boxed



Large (3 1/2" Blade, 4 1/2" Closed)

SPORTSMAN™ SERIES FIXED KNIVES

• 420HC high carbon stainless steel blade with etched Sportsman™ Series logo

· Black synthetic non-slip handle

· Black leather sheath





Skinner Clip



18195 - Clampack, 18179 - Boxed

(4 5/8" Blade, 9 3/4" Overall Length) 18191 - Clampack, 18170 - Boxed

Drop w/Gut Hook

(4 5/8" Blade, 9 3/16" Overall Length) 18193 - Clampack, 18173 - Boxed

Skinner

(4 9/16" Blade, 9 3/4" Overall Length) 18194 - Clampack, 18176 - Boxed

Skinner Clip

(3 $^{11}/_{16}{}^{\shortparallel}$ Blade, 9 $^{3}/_{4}{}^{\shortparallel}$ Overall Length) 18192 - Clampack, 18171 - Boxed

SWIFT-LOKT® KNIVES

SWIFT-LOKT® MODIFIED DROP · Aluminum with gray anodized finish and rubber (3 1/8" Blade) inserts with bead blasted stainless steel pocket clip 18912 - Boxed 420 high carbon bead blasted stainless steel blade with thumb stud · Patented opening assisted mechanism • 4 1/2" closed Made in the USA

SWIFT-LOKT® MODIFIED DROP W/SERRATION

KNIVES

SPORTSMAN™ SERIES F.A.S.T.® FOLDING KNIVES

- "Fast Action Soft Touch"
- · Rubber coated stainless steel handle
- 440 stainless steel blade with etched Sportsman[™] Series logo
- Available in matte black, Mossy Oak® Obsession® and Advantage® MAX-4 HD™ camouflage
- · Available in three sizes:
 - Large: 3 5/8" Serrated Blade, 5" Closed
 - Medium: 3 1/8" Serrated Blade, 4 1/8" Closed

- Small: 2 1/2" Blade, 3 3/8" Closed



STAINLESS STEEL BLADE MATTE BLACK HANDLE

(Large)









NEW

Large: 18220 - Clampack, 18213 - Boxed Medium: 19073 - Clampack, 19061 - Boxed

Small: 19079 - Clampack, 19067 - Boxed

Large: 18216 - Clampack, 18210 - Boxed Medium: 19070 — Clampack, 19058 — Boxed Small: 19076 - Clampack, 19064 - Boxed STAINLESS STEEL BLADE MOSSY OAK® OBSESSION® HANDLE (Medium)



STAINLESS STEEL BLACK BLADE ADVANTAGE® MAX-4 HD™ HANDLE (Medium)

STAINLESS STEEL BLACK BLADE

MOSSY OAK® OBSESSION® HANDLE

Small: 19075 - Clampack, 19063 - Boxed

Large: 18214 - Clampack, 18208 - Boxed Medium: 19068 - Clampack, 19056 - Boxed Small: 19074 - Clampack, 19062 - Boxed

Medium: 19069 — Clampack, 19057 — Boxed

(Small)

STAINLESS STEEL BLADE ADVANTAGE® MAX-4 HD™ HANDLE (Small)

Large: 18218 - Clampack, 18211 - Boxed Medium: 19071 — Clampack, 19059 — Boxed Small: 19077 - Clampack, 19065 - Boxed

SPORTSMAN™ SERIES F.A.S.T.® FIXED KNIVES

- "Fast Action Soft Touch"
- · Rubber coated stainless steel handle
- 440 stainless steel blade with etched Sportsman[™] Series logo
- Available in matte black, Mossy Oak® Obsession® and Advantage® MAX-4 HD™ camouflage

• 5 3/8" Serrated Blade, 10 1/2" Overall Length





STAINLESS STEEL BLADE MOSSY OAK® OBSESSION® HANDLE 19788 - Clampack 19782 - Boxed







SPORTSMAN™ SERIES STOCKMAN SET

- Family Stockman Set with Collector's Tin
- Green jigged Delrin handle
- 440 stainless steel blade with etched Sportsman™ Series logo
- Large: 3" Clip, 2" Drop, 2" Sheep's Foot 3 7/8" closed
- Small: 2 1/2" Clip, 1 3/4" Drop, 1 3/4" Sheep's Foot 3 1/4" closed
- · Free display holder with every case



18242 - Clampack



18241 – Clampack

SPORTSMANTM SERIES LOCKBACK SET

- Family Lockback Set with Collector's Tin
- Green Bone handle
- 440 stainless steel blade with etched Sportsman[™] Series logo
- Large: 3 1/4" blade 4 1/4" closed
- Small: 2 ³/₄" blade − 3 ³/₄" closed
- Free display holder with every case

SPORTSMAN™ SERIES KNIFE/LED LIGHT/ **MULTI-TOOL COMBO**

- Button activated LED light
- 8 tools in one!
- Pliers head opens with the push of a button
- Multi-tool comes with pliers, blade and Phillips/ Flathead screwdriver
- Impact-resistant black ABS handle
- · High carbon steel locking blade
- Knife: 2" Clip blade (2 3/4" closed); Multi-tool: 2 7/8" closed
- Free display holder with every case



18246 - Clampack

SPORTSMAN" SERIES BLACK DELRIN® FOLDERS

- 440 stainless steel blade with etched Sportsman™ Series logo
- Satin finish stainless steel pins and bolsters
- · Black delrin handle
- · Brass liners





(2 7/8" Closed) (Clip and Pen) 18033 - Clampack 18198 - Boxed



GENTLEMEN'S (3" Closed) (Drop Point) 18037 - Clampack 18202 - Boxed



WHITTLER (3 1/2" Closed) (Clip, Short Clip and Pen) 18034 — Clampack 18199 - Boxed



(3 1/2" Closed) (Clip and Spey) 18040 - Clampack 18205 - Boxed



(3 1/2" Closed) (Clip and Pen) 18042 - Clampack 18207 - Boxed



(Spear and Pen) 18036 - Clampack 18201 - Boxed



CAMPER'S KNIFE (3 3/4" Closed) (Spear, Can Opener, Punch Screwdriver and Cap Lifter) 18041 – Clampack 18206 - Boxed



BIRD HUNTER (3 7/8" Closed) (Clip and Bird Hook) 18038 — Clampack 18203 - Boxed



UPLAND (3 7/8" Closed) (Clip, Choke Tube Wrench/Tool and Bird Hook) 18035 - Clampack 18200 - Boxed

• 440 Stainless Steel



MID-FOLDING HUNTER (4" Closed) (Clip with Thumb Stud) 18039 — Clampack . 18204 — Boxed



MEDIUM STOCKMAN (3 5/8" Closed) (Clip, Spey and Sheepsfoot) 18032 - Clampack . 18197 – Boxed




LARGE STOCKMAN (4 1/4" Closed) (Clip, Spey and Sheepsfoot) 18031 - Clampack . 18196 – Boxed

BIG GAME SKINNER SET

- Solid 440 Stainless Steel tip to tip
- Blade lengths: 3" Guthook, 3" Skinner & 2 7/8" Caping blade
- Overall lengths: 7 1/4" Guthook, 7 3/8" Skinner, 6 1/2" Caper
- · All knives fit in the heavy-duty Cordura sheath
- · Easy access finger hole





· All knives fit in black nylon sheath

DUCK/PHEASANT

CLEANING KIT

• Blade lengths: 2" Caping blade



DOVE/QUAIL CLEANING KIT

- 440 Stainless Steel
- Blade lengths: 1 3/4" Caping blade
- Overall lengths: 5 1/2" Caper, 4 1/4" Guthook, 4 1/2" Scissors
- All knives fit in black nvlon sheath for easy carry



18643 – Clampack

SPORTSMAN™ SERIES 3-BLADE & SINGLE BLADE FOLDING CAMP SAWS

18645 – Clampack

- · Silver Anodized Extruded aluminum shaft and ABS High Impact resistant handle
- High carbon steel blades
- 3-Blade: wood, bone and hack saw
- · Camo cloth sheath (3-blade only,
- · Single blade model (wood blade only)




Single-Blade (18 3/4" wood blade only, 22 1/2" closed) 18601 - Clampack 3-Blades (18 3/4" blades, 23 1/2" closed) 18602 - Clampack

• The ultimate upland/waterfowl hunter's multi-tool • Includes game shears with wing notch, bird gut hook,

BIRD HUNTER'S TOOL

- 3" clip blade, saw, flathead screwdriver, metric ruler and patented 12- and 20-gauge choke tube wrench
- 100% rust-resistant stainless steel
- · Black nylon sheath included
- 4 1/2" closed



GUN CARE

TARGETMASTER™ DELUXE KIT

- 52-piece (true count) kit has all you need includes 100 patches
- · Sturdy aluminum case with positive latches
- 3 sets of 3-piece rods: Rimfire rod (.17-.22), Centerfire rod (.22 and up) and Shotgun/muzzleloader rod
- Precision brass patch jags fit .17-.50 calibers
- Adapters allow for cleaning of handguns (.17-.50)
- Solid assortment of brushes/mops and accessories




SPORTSMAN TM UNIVERSAL KIT

- 27-piece (true count) cleaning kit includes 50 patches (.22 caliber to 12-gauge)
- 3-piece brass rod accepts standard #8-32
- · Integral swivel handle
- An assortment of most popular brushes, mops, and patch sizes
- · Brass and nylon brushes for cleaning actions, bolts, cylinders and semi-auto slides








FIELDMASTER® KIT

- Brass 3-piece rod with swiveling handle
- Rem[®] Oil (1-oz.) & Brite Bore [™] (2-oz.)
- A wide variety of patches and patch pullers
- Brass pistol and shotgun adapters
- An assortment of bronze bore brushes for 22, 270 and 30 calibers as well as 12 and 20 gauges





REM® PAD GUN CLEANING MATS

- Soft, acrylic surface material won't scratch guns or tabletops
- Absorbent top material traps and holds up to eight times its weight in fluids
- A non-slip vinyl bottom forms a barrier to prevent spilled fluids from soaking through
- Fully machine-washable
- · Available in two sizes





- · Ideal for inspecting used firearms, cleaning firearms and inspecting bore for obstructions
- LED light eliminates intense glare allowing for better viewing
- Compact easy to carry and stow
- · Comes complete with batteries
- Includes both curved and straight light tubes



Order No. 19055

- Dissolves carbon and powder fouling, removes copper, lead and plastic deposits
- Low odor contains no CFC's
- Handy size for field/range use
- · Comes in:
 - 6 oz. can: Order No. 18394
 - 4 oz. jar: Order No. 18385
 - 2 oz. bottle: Order No. 18367





40-X TM BORE CLEANER TM

- Formerly Remington Bore Cleaner
- 40-X name ties into the products origins in Precision Benchrest Shooting
- Product is uniquely formulated for rifles to improve cleaning, accuracy and performance
- Fast and easy to use no soaking or foul odors
- White positive closure cap similar to 1-oz. Rem Oil
- Packaged in tri-fold clamshells
- Comes in:
 - 2 oz. white oval bottle with child resistant cap: Order No. 18359
 - 4 oz. squeeze bottle: Order No. 18397

SHOTGUN CLEANER

- Cleans trigger groups, gas ports, choke tube threading, receivers, chambers, barrels and magazine tubes
- Dissolves powder residue, fouled lubricants, burnt carbon deposits and gunk
- Blasts away gummy caked on grime from hard to reach areas such as ejectors, firing pin assemblies, trigger components and bolt recesses
- Contains no CFC's or carcinogens safe for polymers
- 18-oz. size

REM® DRILUBE TM

- Teflon-based lubricant provides a tough, non-congealing film without the residue of dry graphite lubes
- Keeps firearms functioning dependably to -40°F
- Comes in easy-to-use 4-oz. aerosol can



REM® OIL

- Cleans dirt and grime from exposed metal surfaces while displacing non-visible moisture from metal pores
- Protects internal and external metal parts from rust and corrosion
- Exclusive Teflon formula provides a thin, long-lasting film that keeps actions working smoothly by reducing metal-to-metal wear
- · Comes in:
 - 10 oz. aerosol can: Order No. 24027
- 4 oz. aerosol can: Order No. 26610
- 2 oz. bottle with child resistant cap in footed clamshell: Order No. 18366
- 1 oz. squeeze bottle in footed clamshell: Order No. 26617





REM® OIL WIPES

- 12 foil wrapped wipes
- 6" x 8" wipe cloth saturated with Rem Oil

Order No. 18411

REM® ACTION CLEANER

- Easily cleans dirt, powder residue and caked-on lubricants from disassembled actions and fire-control mechanisms
- · Dries quickly and leaves no residue
- Comes in 10.5-oz. can with jet-spray extension tube



Ų

Order No. 18395

GUN STORAGE

MODEL 365 MINI DEHUMIDIFIER

- Protects 30-60 days before recharging is necessary
- Self-contained unit requires no wiring or extension cords
- Recharges easily in a few hours
- 5 year warranty

Order No. 19950 - Clampack



16" PLUG-IN DEHUMIDIFIER

- Works by gently warming the air inside your safe which helps in minimizing moisture
- 6' cord comes with easily assembled plug to allow installation using a small hole in back of safe
- Protects even up to 200 cubic feet more than enough for the largest gun safes







REM DRI™ 35 DESICCANT

- Removes moisture to prevent rust corrosion and eliminates odors in gun safes and cabinets
- No electricity required, easy to read indicator
- Rechargeable for multiple uses, non-toxic
- Protects up to 35 cu. ft. of enclosed space

Single Trigger Block also available. (Order No. 18491)

THREE-PACK

TRIGGER

BLOCKS



CABLE LOCK

- Fits most shotguns, rifles and pistols
- California approved

Order No. 19952 — Clampack

REMINGTON® VALUED PARTNERS



Remington Branded Custom Trucks & SUV's

Offerings in Ford, Dodge, Chevy and GMC. 3/4- and 1-ton four-door trucks with multiple standard and optional Remington upgrades.

REGENCY CONVERSIONS 2800 Golden Triangle Boulevard Fort Worth, Texas 76177 Phone: 888-899-7171

regencyrep.com remington.com/customtruck



Camping Furniture and Hard Gun Cases

Outdoor furniture including chairs, stools, tables and hard-sided gun cases.

MACHO INC. 1202 Melissa Drive Bentonville, AR 72712 479-273-5475

remington.com/lodgecabin



Food Plot Products. Scent **Lures and Game Calls**

Product sold exclusively in Canada and Europe.

BUCK EXPERT 262, Principale, C.P. 10 Saint-Benjamin Quebec GOM 1NO Canada 418-594-6393

buckexpert.com remington.com/wildlife



Wallpaper Borders & Bathroom Accessories

Wallpaper borders featuring Remington vintage artwork and bathroom accessories.

YORK WALLCOVERINGS PO Box 5166 York, PA 17405 717-846-4456

yorkwall.com remington.com/lodgecabin



Outdoor Clothing

Remington clothing – A leader in field tested, field performance hunting gear.

THE BRINKMAN CORPORATION 7633 East 63rd. Pl., Ste. 300 Tulsa, OK 74133 877-525-9070

brinkmann.net remington.com/apparel



Decorative Wooden Collectable

Uniquely crafted wooden ammunition boxes, furniture and decorative Remington accessories.

VINTAGE EDITIONS, INC. 88 Bluff Lane Taylorsville, NC 28681 800-662-8965

vintageeditions.com remington.com/lodgecabin



ATV Accessories

Remington big game edition ATV accessories.

ARCTIC CAT PO Box 810 Thief River Falls, MN 56701 218-681-8558

arcticcat.com remington.com/atv



Sporting Dogs

Complete selection of quality licensed Remington sporting dog accessories, training products and electronic training collars.

COASTAL PET PRODUCTS 911 Leadway Ave. Alliance, OH 44601 800-321-0248

coastalpet.com remington.com/pets



Complete line of vintage Remington imagery including metal signs, thermometers & more.

DESPERATE ENTERPRISES, INC. 728 E. Smith Road Medina, OH 44256 800-732-4859

desperate.com remington.com/lodgecabin



Game Calls

Remington game calls with flextone technology.

WILEY OUTDOORS 115-A Willie Drive Pearl, MS 39208 662-324-9188

remingtongamecalls.com remington.com/gamecalls



Dog Kennels

Remington dog kennels & vehicle barriers provide excellent quality and comfort for animal companions.

KENNEL AIRE N4 W31844 Whitetail Run Delafield, WI 53018 800-346-0134

kennel-aire.com remington.com/pets



Socks

The Remington sock program features Outlast™ technology for use in any weather. Made in the U.S.A.

FOX RIVER MILLS PO Box 298 Osage, IA 50461 800-247-1815

foxsox.com remington.com/footwear



Men's & Women's Wristwatches, Pocket Watches & Clocks

Marketer, merchandiser and manufacturer of Remington timewear.

ADVANCE WATCH COMPANY 25800 Sherwood Warren, MI 48091 800-477-4788

advancegroupinc.com remington.com/personal



Quality assured treestands sporting the most exclusive safety and design standards in the industry.

W.I.C. — REMINGTON TREESTANDS PO Box 352 Windom, MN 56101 507-831-2540

remingtontreestand.com remington.com/huntshoot



Headwear

Licensed technical and casual hunting headwear products.

OUTDOOR CAP COMPANY, INC. 1200 Melissa Lane Bentonville, AR 72712 800-826-6047

outdoorcap.com remington.com/apparel



Gun Safes & Cabinets

Remington gun safes including gun cabinets.

LIBERTY SAFE AND SECURITY, INC. 1199 West Utah Ave. Payson, UT 84651 800-247-5625

libertysafe.com remington.com/safes

REMINGTON® VALUED PARTNERS



Gun Cases, Paper Targets & Shooting Accessories

The Allen Company manufactures high-quality soft gun cases, targets and other shooting accessories utilizing Remington trademarked logos.

THE ALLEN COMPANY PO Box 445 525 Burbank St. Broomfield, CO 80038 303-469-1857

allencompany.com remington.com/huntshoot



Die Cast Toy Trucks, Cars, Bi-Planes, Train Cars and Gas Pumps

ALPHA INTERNATIONAL 4520 20th Avenue, SW Cedar Rapids, IA 52404 800-368-6367

alphahomepage.com remington.com/toys



Wildlife Feeders

Remington wildlife feeders with automatic & self-feeding models, timing units & accessories.

<u>BA PRODUCTS</u> PO Box 291730 Kerrville, TX 78028 830-895-9800

remingtonfeeders.com remington.com/wildlife



Metal Spinning Targets & Hunting Accessories

Exclusively designed auto-reset & spinner targets intended for use with .22 to .44 caliber rifles. BIG GAME HUNTING & ACC., INC.

REMINGTON TARGETS
1680 N. Redding Ave. (or)
PO Box 383
Windom, MN 56101
507-831-4350

biggametreestands.com remington.com/huntshoot



Eye & Hearing Protection, Safety Gloves, Hard Hats and Vests (for both

the sporting & industrial markets)

Eye & hearing protection and reflective and non-reflective safety gloves, hard hats and vests for both the sporting goods and industrial trades.

RADIANS 2768 Appling Center Cove Memphis, TN 38133 901-388-7776

radiansinc.com remington.com/safetygear



Thermal Underwear T-Shirts & Henleys

Men's screen printed graphic T-shirts depicting Remington themes and thermal underwear for hunters.

WRIGHT'S LLC 208 Walter Blvd. Suite 100 Bentonville, AR 72712 479-271-8488

intradecoapparel.com remington.com/apparel



Action Figures

Outdoor action figures with matching firearms and hunting accessories.

<u>HUNTER DAN</u> PO Box 103 Greencastle, IN 46135 765-655-1400

hunterdan.com remington.com/toys



Knife Storage Cases, Rolls, Packs and Zipper Pouches

Remington knife storage cases, rolls, packs and zipper pouches.

SMOKEY MOUNTAIN KNIFE WORKS 2320 Winfield Dunn Pkwy Sevierville, TN 37876 865-453-5871

eknifeworks.com remington.com/cutlery



Calendars

The 2007 Remington calendar program features a collector's poster calendar and daily planners.

CALENDAR PROMOTIONS / GLOBAL MARKETING 1000 Highway 4 South Sleepy Eye, MN 56085 800-533-0498

countrygallerycalendars.com remington.com/lodgecabin



Remington decoys exceptional detail for realistic look. Duck, goose and related waterfowl products.

CASL INDUSTRIES Po Box 1280 Clayton, CA 94517 925-685-5055

remington.com/huntshoot



Back Packs, Bags and Pouches

Remington camo back packs, bags, pouches and related products.

CERF BROTHERS 4240 Rider Trail North Earth City, MO 63045 800-237-3224

cerfbag.com remington.com/huntshoot



Black Powder Accessories

Complete line of Remington black powder accessories.

TRADITIONS BLACK POWDER 1375 Boston Post Road PO Box 776 Old Saybrook, CT 06475 860-388-4656

traditionsfirearms.com remington.com/huntshoot



AMERICAN SPORTSMAN

Complete line of vintage Remington, UMC, Peters wooden signs, nostalgic tins and magnets.

Wooden Signs, Tins & Magnets

SIGN CO. 4808 Chilton Court Columbia, MO 65203 573-449-9077

americansportsmansign.com remington.com/lodgecabin



Fine Art Prints

Limited Edition fine art print reproductions of vintage Remington, Peters, UMC firearms & ammo promotional artwork.

WINFIELD GALLERIES 748 Hanley Industrial Court St. Louis. MO 63144 314-993-8947

remingtonartwork.com remington.com/lodgecabin



Lighters and Lighter Accessories

The #1 name in American made lighters – now produces a great line of Remington branded products.

ZIPP0 33 Barbour Bradford, PA 16701 814-368-2700

zippo.com remington.com/personal



Air Rifles & **Soft Air Rifles**

Pneumatic and break barrel air rifles and air gun ammunition. Plus Remington replica soft air rifles.

CROSSMAN CORP. Rout 5 & 20 East Bloomfield, NY 14443 585-657-6161

crosman.com remington.com/airguns

Specialty Gifts

Windmills, thermometers, lanterns, wind chimes, ceiling fans, truck hitch covers and benches.

S & D, INC. 203 E. Mill St. Amboy, IN 46911 877-616-7495

harvest-farms.com remington.com/lodgecabin

(Not Shown)

FOR MORE INFORMATION

OR LICENSEE OPPORTUNITIES,

CONTACT SCOTT LESTER, DIRECTOR OF LICENSING,

AT 336-548-8535 OR

SCOTT.LESTER@REMINGTON.COM

BALLISTICS

These tables were calculated by computer. A standard scientific technique was used to predict trajectories from the best available data for each round. Trajectories shown typify the ammunition's performance at sea level, but note that they may vary due to atmospheric conditions and the equipment. All velocity and energy figures in these charts have been derived by using test barrels of standard length for the caliber group.

INTERCHANGEABILITY CHART. Cartridges within groups shown are interchangeable. Other substitutions should not be made without specific recommendation of the firearms manufacturer since improper combinations could result in firearm damage or personal injury.

RIMFIRE	CENTERFIRE (CONT.)	CENTERFIRE (CONT.)	CENTERFIRE (CONT.)	CENTERFIRE (CONT.)
22 W.R.F.	6.35mm Browning	32 Short Colt in 32 Long Colt but not	38 Colt Special	38 Automatic in 38 Super +P
22 Remington Special	7mm Express, Remington	conversely (SEE NOTE C)	38 S&W Special	but not conversely
22 Win. Model 1890 in a 22 Win. Mag.	280 Remington	32 S&W in 32 S&W Long but not conversely	38 Special Targetmaster®	380 Automatic
Rimfire but not conversely	30-30 Sav.	32 S&W Long	38 S&W Special Mid-Range (SEE NOTE D)	9mm Browning Short (Corto Kurz)
CENTERFIRE	30-30 Win.	32 Colt New Police	38 Special +P (SEE NOTE B)	9mm Luger (SEE NOTE E)
25-20 Remington	30-30 Win. Accelerator* (SEE NOTE A)	32 Colt Police Positive	38-44 Special +P (SEE NOTE B)	9mm Parabellum
25-20 W.C.F.	30-30 Marlin	32 W.C.F. (SEE NOTE A)	38 Special	44 S&W Special (SEE NOTE F)
25-20 Win.	30-30 Win. High Speed	32 Win. (SEE NOTE A)	38 Special Flat Point	44 Marlin
25-20 Win. High Speed	30 W.C.F.	32-20 Win. High Speed (SEE NOTE A)	38 Short Colt in 38 Long Colt but not conversely.	44 Win.
25-20 Marlin	32 Colt Automatic	32-20 Colt L.M.R	Both can be used in 38 Special	44 Remington
25 W.C.F.	32 Auto. Colt Pistol (ACP)	32-20 W.C.F (SEE NOTE G)	38 Marlin	44-40 Win.
6mm Remington	32 (7.65mm) Automatic	32-20 Win.	38 Win. (SEE NOTE A)	44 W.C.F.
244 Remington	7.65mm Automatic Pistol	32-20 Marlin	38 Remington (SEE NOTE A)	45-70 Government
25 Automatic	7.65mm Browning (not interchangeable	38 S&W	38-40 Win.	45-70 Marlin
25 Auto. Colt Pistol (ACP)	with 7.65mm Luger)	38 Colt New Police	38 W.C.F. (SEE NOTE A)	45-70 Win.
25 (6.35mm) Automatic		380 Webley		45-70-405

NOTE A: High-speed cartridges must not be used in revolvers. They should be used only in rifles made especially for them.

NOTE B: Ammunition with "+P" on the case headstamp is loaded to higher pressure. Use

only in firearms designated for this cartridge and so recommended by the gun manufacturer.

 $\textbf{NOTE C:} \ \ \textit{Not for use in revolvers chambered for 32 S\&W or 32 S\&W Long.}$

NOTE D: All 38 Special cartridges can be used in 357 Magnum revolvers but not conversely.

NOTE E: 9mm sub machine gun cartridges should not be used in handguns.

NOTE F: 44 Russian and 44 S&W Special can be used in 44 Remington Magnum revolvers but not conversely.

NOTE G: Not to be used in Win. M-66 and M-73.

HANDGUN CENTERFIRE BALLISTICS

CALIBER	INDEX/EDI Number	WT. (gr)	BULLET STYLE	PRIMER NUMBER	VEL MUZZLE	.ocity (f _l	ps) 100	EN Muzzle	ERGY (ft- 50	lb) 100
25 Auto (6.35mm)	L25AP	50	UMC® Metal Case	1 ½	760	707	659	64	56	48
	R25AP	50	Metal Case	1 ½	760	707	659	64	56	48
32 S&W	R32SW	88	Lead Round Nose	1 ½	680	645	610	90	81	73
32 S&W Long	R32SWL	98	Metal Case	1 ½	705	670	635	115	98	88
32 Auto (7.65mm)	L32AP	71	UMC® Metal Case	1 ½	905	855	810	129	115	97
	R32AP	71	Metal Case	1 ½	905	855	810	129	115	97
9mm Luger	LL9MM11	115	UMC® Flat Nose Enclosed Base	1 ½	1135	1041	973	329	277	242
	L9MM3	115	UMC® Metal Case	1 ½	1135	1041	973	329	277	242
	L9MM3B1	115	UMC® Metal Case	1 ½	1135	1041	973	329	277	242
	R9MM1	115	Jacketed Hollow Point	1 ½	1155	1047	971	341	280	241
	R9MM3	115	Metal Case	1 ½	1135	1041	973	329	277	242
	R9MM6 (+P)	115	Jacketed Hollow Point	1 ½	1250	1113	1019	399	316	265
	GS9MMB	124	Golden Saber™ HPJ	1 ½	1125	1031	963	349	293	255
	GS9MMD (+P)	124	Golden Saber™ HPJ	1 ½	1180	1089	1021	384	327	287
	L9MM2	124	UMC® Metal Case	1 ½	1100	1030	971	339	292	252
	LL9MM2	124	UMC® Flat Nose Enclosed Base	1 ½	1100	1030	971	339	292	252
	R9MM2	124	Metal Case	1 ½	1110	1030	971	339	292	259
	GS9MMC	147	Golden Saber™ HPJ	1 ½	990	941	900	320	289	264
	L9MM9	147	UMC® Metal Case	1 ½	990	941	900	320	289	264
	R9MM8	147	Jacketed Hollow Point (Subsonic)	1 ½	990	941	900	320	289	264
357 Mag*	R357M7	110	Semi-Jacketed Hollow Point	5 ½	1295	1094	975	410	292	232
	GS357MA	125	Golden Saber™ HPJ	5 ½	1220	1095	1009	413	333	283
	L357M12	125	UMC® Jacketed Soft Point	5 ½	1450	1240	1090	583	427	330
	LL357M1	125	UMC® Flat Nose Enclosed Base	5 ½	1450	1240	1090	583	427	330
	R357M1	125	Semi-Jacketed Hollow Point	5 ½	1450	1240	1090	583	427	330
	R357M2	158	Semi-Jacketed Hollow Point	5 ½	1235	1104	1015	535	428	361
	R357M3	158	Soft Point	5 ½	1235	1104	1015	535	428	361
	R357M5	158	Semi-Wadcutter	5 ½	1235	1104	1015	535	428	361
	R357M10	180	Semi-Jacketed Hollow Point	5 ½	1145	1053	985	524	443	388
357 Sig	L357S1	125	UMC® Metal Case	5 ½	1350	1146	1018	506	422	359
	L357S2	125	UMC® Jacketed Hollow Point	5 ½	1350	1157	1032	506	372	296
	R357S2	125	Jacketed Hollow Point	5 ½	1350	1157	1032	506	372	296
380 Auto	R380A1	88	Semi-Jacketed Hollow Point	1 ½	990	920	868	191	165	146
	LL380AP2	95	UMC® Flat Nose Enclosed Base	1 ½	955	865	785	190	160	130
	L380AP	95	UMC® Metal Case	1 ½	955	865	785	190	160	130
	R380AP	95	Metal Case	1 ½	955	865	785	190	160	130
	GS380B	102	Golden Saber™ HPJ	1 ½	940	901	866	200	184	170
38 Special*	R38S10 (+P)	110	Semi-Jacketed Hollow Point	1 ½	995	926	871	242	210	185
	R38S16	110	Semi-Jacketed Hollow Point	1 ½	950	890	840	220	194	172
	GS38SB (+P)	125	Golden Saber™ HPJ	1 ½	975	929	885	264	238	218
(continued next table)	LL38S17	125	UMC® Flat Nose Enclosed Base	1 ½	850	822	796	201	188	176
A 21 21 41	D" "		nn is loaded to higher pressure							

	INDEX/EDI Number	WI. (gr)		PRIMER Number	VEL Muzzle	.OCITY (fp 50	s) 100	ENE Muzzle	ergy (ft-1 50	Ib) 100
38 Special* (cont.)	LL38S2 (+P)	125	UMC® Flat Nose Enclosed Base	1 1/2	975	935	899	264	242	224
	L38S2 (+P)	125	UMC® Jacketed Hollow Point	1 ½	945	898	858	248	224	204
	R38S2 (+P)	125	Semi-Jacketed Hollow Point	1 1/2	945	898	858	248	224	204
	L38S11	130	UMC® Metal Case	1 1/2	790	766	743	173	163	15
	R38S3	148	Targetmaster® Lead WC Match	1 ½	710	634	566	166	132	10
	L38S5	158	UMC® Lead Round Nose	1 ½	755	723	692	200	183	16
	R38S5	158	Lead Round Nose	1 1/2	755	723	692	200	183	16
	R38S14 (+P)	158	Semi-Wadcutter	1 ½	890	855	823	278	257	23
	R38S6	158	Semi-Wadcutter	1 1/2	755	723	692	200	183	16
	R38S12 (+P)	158	Lead Hollow Point	1 1/2	890	855	823	278	257	23
38 S&W	R38SW	146	Lead Round Nose	1 ½	685	650	620	150	135	12
38 Short Colt*	R38SC	125	Lead Round Nose	1 1/2	730	685	645	150	130	11
38 Super Auto	L38SUP (+P)	130	UMC® Metal Case	1 1/2	1215	1099	1017	426	348	29
10mm Auto	L10MM6	180	UMC® Metal Case	2 1/2	1150	11063	998	529	452	39
40 S&W	R40SW1	155	Jacketed Hollow Point	5 ½	1205	1095	1017	499	413	35
	GS40SWA	165	Golden Saber™ HPJ	5 ½	1150	1040	964	485	396	34
	L40SW4	165	UMC® Metal Case	5 ½	1150	1040	964	485	396	34
	GS40SWB	180	Golden Saber™ HPJ	5 1/2	1015	960	914	412	368	33
	L40SW2	180	UMC® Jacketed Hollow Point	5 ½	1015	960	914	412	368	33
	L40SW3	180	UMC® Metal Case	5 ½	985	936	893	388	350	31
	LL40SW5	180	UMC® Flat Nose Enclosed Base	5 ½	985	936	893	388	350	31
	R40SW2	180	Jacketed Hollow Point	5 ½	1015	960	914	412	368	33
41 Rem Mag*	R41MG1	210	Soft Point	2 1/2	1300	1162	1062	788	630	52
44 Rem Mag*	L44MG7	180	Jacketed Soft Point	2 1/2	1610	1365	1175	1036	745	55
	R44MG2	240	Soft Point	2 1/2	1180	1081	1010	741	623	54
	R44MG3	240	Semi-Jacketed Hollow Point	2 1/2	1180	1081	1010	741	623	54
44 S&W Special*	R44SW	246	Lead Round Nose	2 1/2	755	725	695	310	285	26
45 Auto	GS45APA	185	Golden Saber™ HPJ	2 1/2	1015	951	899	423	372	33
	GS45APC (+P)	185	Golden Saber™ HPJ	2 1/2	1140	1042	971	534	446	38
	L45AP1	185	UMC® Metal Case	2 1/2	1015	955	907	423	375	33
	R45AP2	185	Jacketed Hollow Point	2 1/2	1000	939	889	411	362	32
	GS45APB	230	Golden Saber™ HPJ	2 1/2	875	833	795	391	355	32
	L45AP4	230	UMC® Metal Case	2 1/2	835	800	767	356	326	30
	L45AP7	230	UMC® Jacketed Hollow Point	2 1/2	835	800	767	356	326	30
	LL45AP8	230	UMC® Flat Nose Enclosed Base	2 1/2	835	800	767	356	326	30
	R45AP4	230	Metal Case	2 1/2	835	800	767	356	326	30
	R45AP7	230	Jacketed Hollow Point (Subsonic)	2 1/2	835	800	767	356	326	30
45 Colt*	R45C1	225	Semi-Wadcutter	2 1/2	960	890	832	460	395	34
	R45C 250 Lead Round Nose		Lead Round Nose	2 1/2	860	820	780	410	375	34
45 GAP	L45GAP4	230	UMC® Metal Case	2 1/2	880	841	805	395	361	33
	L45GAP7	230	UMC® Jacketed Hollow Point	2 1/2	880	841	805	395	361	33

NEW

Perfect Perf								`	
Part	CALIBED	INDEX/EDI	WL (or)	RIII I FT STVI F	PRIMER	VELOCITY (fps)	ENERGY (ft-lb)	SHORT-RANGE ¹ Trajectory*	LONG-RANGE ² TRAJECTORY* BALLISTIC
Part		PRA17FR			71/2				
Methods				-					
Part	17 Neillington								
Mathematical Registration	004.0								
Part	204 Ruger								
Part				AccuTip**-V Boat Tail	7 1/2	3900 3451 3046 2677 2336 2021	1351 1058 824 636 485 363	-0.3 0.2 zero -1.0 -2.9 -5.8	
Marche M	22 Hornet	PRA22HNA	35	AccuTip [™] -V	6 ½	3100 2271 1591 1127 924 806	747 401 197 99 66 51	-1.5 zero -1.6 -5.5 -13 -25.5	-1.5 zero -3.5 -10.4 -22.3 -68.4 -155.3 0.109
Part		R22HN1	45	Pointed Soft Point	6 ½	2690 2042 1502 1128 948 840	723 417 225 127 90 70	0.0 zero -2.1 -7.1 -16.0 -30.0	1.4 zero -4.3 -12.4 -25.8 -74.2 -162.0 0.130
Section Marcia		R22HN2	45	Hollow Point	6 1/2	2690 2042 1502 1128 948 840	723 417 225 127 90 70	0.0 zero -2.1 -7.1 -16.0 -30.0	1.4 zero -4.3 -12.4 -25.8 -74.2 -162.0 0.130
Part	220 Swift	R220S1	50	Pointed Soft Point	9 1/2	3780 3158 2617 2135 1710 1357	1586 1107 760 506 325 204	0.0 0.3 zero -1.4 -4.0 -8.2	0.4 1.0 zero -2.3 -6.2 -20.1 -46.1 0.175
Part	221 Rem. Fireball	PRA221FB	50	AccuTip™-V Boat Tail	7 ¹ /2	2995 2605 2247 1918 1622 1368	996 753 560 408 292 208	0.2 0.7 zero -2.2 -6.1 -12.1	1.8 1.7 zero -3.4 -8.8 -27.1 -58.8 0.238
Part	222 Remington	R222R1	50	Pointed Soft Point	7 1/2	3140 2602 2123 1700 1350 1107	1094 752 500 321 202 136	0.1 0.7 zero -2.3 -6.5 -13.1	1.9 1.7 zero -3.6 -9.7 -31.7 -72.8 0.175
Part		R222R3	50	Power-Lokt® Hollow Point	7 1/2	3140 2635 2182 1777 1432 1172	1094 771 529 351 228 152	0.1 0.7 zero -2.2 -6.2 -12.5	1.8 1.6 zero -3.5 -9.2 -29.6 -67.1 0.188
Part		PRA222RB	50	AccuTip™-V Boat Tail	7 1/2	3140 2744 2380 2045 1740 1471	1094 836 629 464 336 240	0.1 0.6 zero -1.9 -5.4 -10.7	1.6 1.5 zero -3.0 -7.8 -23.9 -51.7 0.242
Part	223 Remington	L223R3	55	UMC® Metal Case	7 1/2	3240 2759 2326 1933 1587 1301	1282 929 660 456 307 207	0.0 0.6 zero -1.9 -5.5 -11.0	1.6 1.5 zero -3.1 -8.1 -25.5 -57.0 0.202
Part		L223R7	45	UMC® Jacketed Hollow Point	7 1/2	3550 2953 2430 1964 1559 1241	1259 871 590 385 243 154	-0.1 0.4 zero -1.7 -4.8 -9.7	2.4 2.9 2.2 zero -4.0 -19.3 -49.3 0.173
Part		L223R8	50	UMC® Jacketed Hollow Point	7 1/2	3425 2899 2430 2007 1633 1324	1302 933 655 447 296 195	-0.1 0.5 zero -1.7 -4.9 -9.9	1.3 1.3 zero -2.8 -7.3 -23.4 -52.7 0.192
Part		PRA223RB	50	AccuTip "-V Boat Tail		3410 2989 2605 2252 1928 1635	1291 992 753 563 413 297	-0.1 0.4 zero -1.5 -4.4 -8.7	2.2 2.6 2.0 zero -3.4 -15.7 -37.5 0.242
Part									
Part									
Part					_				
Part									
2.2. Properties with the properties of the series of the properties of the propertie					-				
Properties Pro									
Property of the property of		RM223R1		MatchKing® BTHP	7 1/2	3000 2720 2457 2209 1975 1758	1379 1133 925 747 598 473	0.1 0.6 zero -1.9 -5.3 -10.3	1.6 1.5 zero -2.9 -7.4 -21.9 -45.4 0.336
Minimary	22-250 Remington	L22503	45	UMC® Jacketed Hollow Point	9 1/2	4000 3340 2770 2266 1819 1440	1598 1114 767 513 331 207	-0.3 0.2 zero -1.2 -3.5 -7.2	1.6 2.1 1.6 zero -3.0 -14.5 -36.7 0.173
Part		L22504	50	UMC® Jacketed Hollow Point	9 ¹ / ₂	3820 3245 2739 2286 1878 1523	1620 1169 833 580 392 258	0.1 0.9 0.9 zero -2.1 -5.6	1.8 2.2 1.7 zero -3.1 -14.6 -36.1 0.192
Minimary		PRA2250RB	50	AccuTip~-V Boat Tail	9 1/2	3800 3339 2925 2546 2198 1878	1603 1238 949 720 536 392	0.0 0.8 0.9 0.0 -1.9 -4.9	1.6 2.0 1.5 zero -2.7 -12.2 -29.1 0.242
Minimipari Min		R22501	55	Pointed Soft Point	9 1/2	3680 3137 2656 2222 1832 1493	1654 1201 861 603 410 272	0.0 0.3 zero -1.4 -4.0 -8.1	1.9 2.4 1.8 zero -3.3 -15.5 -38.3 0.197
Properties Pro		R22502	55	Power-Lokt® Hollow Point	9 ¹ / ₂	3680 3209 2785 2400 2046 1725	1654 1257 947 703 511 363	0.0 0.3 zero -1.3 -3.7 -7.4	1.8 2.2 1.7 zero -3.0 -13.7 -32.8 0.230
Part	6mm Remington [‡]	R6MM4	100	Core-Lokt® Pointed Soft Point	9 ½	3100 2829 2573 2332 2104 1889	2133 1777 1470 1207 983 792	0.0 0.6 zero -1.8 -4.8 -9.3	1.4 1.3 zero -2.6 -6.7 -19.8 -40.8 0.356
Processes Proc	243 Win.	PRA243WB	75	AccuTip~-V Boat Tail	9 1/2	3375 3065 2775 2504 2248 2008	1897 1564 1282 1044 842 671	0.0 0.4 zero -1.4 -4.0 -7.8	2.0 2.4 1.8 zero -3.0 -13.3 -30.6 0.330
Ministry		R243W1	80	Pointed Soft Point	9 1/2	3350 2955 2593 2259 1951 1670	1993 1551 1194 906 676 495	0.0 0.5 zero -1.6 -4.5 -8.8	2.2 2.7 2.0 zero -3.5 -15.8 -37.3 0.255
Procession Pro		R243W2	80	Power-Lokt® Hollow Point	9 ¹ / ₂	3350 2955 2593 2259 1951 1670	1993 1551 1194 906 676 495	0.0 0.5 zero -1.6 -4.5 -8.8	2.2 2.7 2.0 zero -3.5 -15.8 -37.3 0.255
Procession Pro		PRSC243WA	90	Swift Scirocco™ Bonded	9 1/2	3120 2871 2635 2411 2199 1997	1946 1647 1388 1162 966 797	0.0 0.5 zero -1.7 -4.5 -8.9	1.4 1.3 zero -2.5 -6.4 -18.8 -38.3 0.390
Professional Pro		PRA243WA	95	AccuTip™		3120 2847 2590 2347 2118 1902	2053 1710 1415 1162 946 763	0.0 0.5 zero -1.7 -4.6 -9.2	0.5 1.3 zero -2.7 -6.6 -19.5 -40.2 0.355
24 Min									
Expose the series of the serie									
Part	25 06 Pomington				-				
25 Min	25-00 Nerriington								
25 Normale Residual R									
257 Roberts	25 22 115								
Expression of Ex									
6.55 Seef-shelf Resisted Resistant Resisted Resisted Resisted Resisted Resistant Resisted Resisted Resistant Resista									
6.5mm Reminignor Mag								-	
PMC-SORM			140	Core-Lokt® Pointed Soft Point		2550 2353 2164 1984 1814 1654	2021 1720 1456 1224 1023 850	0.0 zero -1.5 -4.8 -9.9 -17.0	
PRCSORN 140 Core-lock* Pointed Soft Po	6.5mm Remington Mag	R65MM2	120	Core-Lokt® Pointed Soft Point	9 ½ M		2745 2248 1830 1475 1177 929	0.4 0.7 zero -1.8 -4.9 -9.5	2.7 3.0 2.1 zero -3.5 -15.5 -35.3 0.323
Procedure Proc	260 Remington	PRA260RA	120	AccuTip" Boat Tail	9 1/2		2392 2083 1807 1560 1340 1146	0.1 0.7 zero -1.8 -4.9 -9.5	1.6 1.5 zero -2.8 -7.2 -20.7 -41.7 0.480
264 Win Mag Rem. SPC R68R1 15 Open Tip Match (OTM) 9½ 2625 232 233 233 191 170 2151 1759 1363 17		R260R1	140	Core-Lokt® Pointed Soft Point	9 1/2	2750 2544 2347 2158 1979 1812	2351 2011 1712 1448 1217 1021	0.3 0.8 zero -2.3 -6.1 -11.7	1.9 1.7 zero -3.3 -8.3 -24.0 -47.2 0.435
68mm Rem. SPC R68R1 115 Open Tip Match (OTM) 9 ½ 2625 237 2135 191 1702 1513 1709 1385 1709 1385 1709 1385 1709 1385 1709 1385 1709 1385 1709 1385 1709 1385 1709 1385 1709 1385 1709 1385 1709 1389 1879 1879 1879 1879 1879 1879 1879 18		PRC260RB	140	Core-Lokt [®] Ultra Bonded [™]	9 ¹ / ₂	2750 2554 2365 2185 2013 1849	2351 2027 1739 1484 1260 1063	0.3 0.8 zero -2.2 -6.0 -11.5	1.9 1.7 zero -3.2 -8.1 -23.6 -47.6 0.457
R68R2 115 Metal Case 9½ 2625 232 2635 179 1565 1363 179 1565 1363 179 1565 1363 179 1385 170 1505 1363 179 1385 170 1505 170 170 170 170 170 170 170 170 170 170	264 Win. Mag.	R264W2	140	Core-Lokt® Pointed Soft Point	9 ½ M	3030 2782 2548 2326 2114 1914	2854 2406 2018 1682 1389 1139	0.1 0.6 zero -1.8 -5.0 -9.6	1.5 1.4 zero -2.7 -6.9 -20.2 -41.3 0.384
RMGRRI 115 MatchKing* BTHP 9½ 2625 2365 219 180 1676 1484 1759 1428 1147 911 717 562 0.5 1.0 2ero -2.7 -7.4 -14.3 2.4 2.1 2ero -4.0 -10.1 -30.1 -30.2 -52.5 0.33 0.5 -52.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0	6.8mm Rem. SPC	R68R1	115	Open Tip Match (OTM)	9 1/2	2625 2373 2135 1911 1702 1513	1759 1437 1163 932 740 584	0.4 1.0 zero -2.7 -7.3 -14.1	2.3 2.0 zero -3.9 -10.0 -29.6 -61.2 0.344
PRCSBR4 115 Core-Lokt* Ultra Bonded*** 9½ 232 233 268 180 1574 1372 1759 1389 1082 832 633 481 0.5 1.0 2ero -1.6 -1.6 -1.6 -1.6 -1.6 -1.6 -1.6 -1.6		R68R2	115	Metal Case	9 1/2	2625 2329 2053 1797 1565 1363	1759 1385 1076 825 625 474	0.5 1.0 zero -2.9 -7.8 -15.1	2.5 2.1 zero -4.2 -10.6 -32.4 -68.3 0.292
PRCSBR4 115 Core-Lokt* Ultra Bonded*** 9½ 232 233 268 180 1574 1372 1759 1389 1082 832 633 481 0.5 1.0 2ero -1.6 -1.6 -1.6 -1.6 -1.6 -1.6 -1.6 -1.6		RM68R1	115	MatchKing® BTHP	9 ¹ / ₂	2625 2365 2119 1889 1676 1484	1759 1428 1147 911 717 562	0.5 1.0 zero -2.7 -7.4 -14.3	2.4 2.1 zero -4.0 -10.1 -30.1 -62.5 0.333
R70WIL 100 Pointed Soft Point 9½ 320 224 256 225 196 1636 248 1898 1456 1998 185 594 0.0 0.5 2ero -1.6 -4.6 -9.1 2.3 2.8 2.0 2ero -2.7 -7.4 -1.42 35.6 -7.01 0.295 R1270W2 115 Core-Lokte Pointed Soft Point 9½ 3060 2845 2639 242 2254 2760 2254 2760 2702 235 209 1721 1467 1243 1.01 2ero -1.6 -4.8 -1.00 -1.78 1.0 2ero -2.7 -7.4 -1.42 35.6 -7.01 0.295 R270WA 130 Swift Science Bonded 9½ 3060 2845 2839 242 2254 2760 2702 235 291 1875 1885				-					
RLZ70W2 115 Core-Lokt* Pointed Soft Point 9 \(\frac{1}{2} \) 210 2412 213 1873 1636 1425 1875 1485 14	270 Win.								
PRAZTOWA 130 Accuttor Board Fail 9 ½ 3060 2845 2639 2442 2254 2076 2702 2335 209 1721 1467 1243 0.0 0.5 zero -1.7 -4.7 -9.0 1.4 1.3 zero -2.4 -6.4 -18.6 -3.7.7 0.447 PRSC270WA 130 Swift Sciroccos Bonded 9 ½ 3060 2838 2627 2425 2232 2048 2702 2325 1991 1697 1438 1211 0.0 0.6 zero -1.7 -4.7 -9.0 1.4 1.3 zero -2.5 -6.5 -18.8 -38.2 0.433 R270W2 130 Core-Lokte Pointed Soft Point 9 ½ 3060 2776 2510 2259 2022 1801 2702 2225 1818 1472 1180 9.0 0.1 0.5 zero -1.8 -5.1 -9.8 1.5 1.4 zero -2.8 -7.0 -20.9									
PRSC270WA 130 Swift Scirococo* Bonded 9½ 3060 2838 2627 2425 2232 2048 2702 2325 191 1697 1438 1211 0.0 0.6 zero -1.7 -4.7 -9.0 1.4 1.3 zero -2.5 -6.5 -1.88 -3.82 0.433 R270W2 130 Core-Lokt** Primted Soft Primt 9½ 3060 2776 2510 2259 2022 1801 2702 2225 1818 1472 1180 936 0.1 0.6 zero -1.8 -5.1 -9.8 1.5 1.4 zero -2.8 -7.0 -20.9 -43.3 0.336 R270W3 130 Bronze Point** 9½ 3060 2802 259 2322 211 1904 2702 2267 1890 1565 1285 1046 0.0 0.6 zero -1.8 -4.9 -9.5 1.5 1.3 zero -2.7 -6.8 -20.0 -4									
R270W2 130 Core-Lokt® Pointed Soft Point 9 ½ 2 306 2776 2510 259 2022 1801 2702 2225 181 1472 180 936 0.1 0.6 zero -1.8 -5.1 -9.8 1.5 1.4 zero -2.8 -7.0 -2.09 -43.3 0.336 R270W3 130 Bronze Point™ 9 ½ 3060 2802 259 2329 2110 1904 2702 2267 1890 1565 1285 1046 0.0 0.6 zero -1.8 -4.9 -9.5 1.5 1.3 zero -2.7 -6.8 -2.0 -41.1 0.372 PRC270WB 140 Core-Lokt® Ultra Bonded™ 9 ½ 2925 2667 2424 2193 1975 1771 2659 2211 1826 1495 1212 975 0.1 0.7 zero -2.0 -5.5 -1.0.7 1.7 1.5 zero -3.0 -7.6 -22.5 -46.4 0.360 RS270WA 140 Swift A-Frame® PSP 9 ½ 2925 2652 2394 2152 1923 1711 2659 2186 1782 1439 1150 910 0.2 0.7 zero -2.1 -5.6 -1.0.9 1.7 1.5 zero -3.1 -7.8 -23.2 -48.0 0.339									
R270W3 130 Bronze Point" 9 ½ 3060 2802 2559 2329 2110 1904 2702 2267 1890 1565 1285 1046 0.0 0.6 zero -1.8 -4.9 -9.5 1.5 1.3 zero -2.7 -6.8 -20.0 -41.1 0.372 PRC270WB 140 Core-Lokt* Ultra Bonded™ 9 ½ 2925 2667 2424 2193 1975 1771 2659 2211 1826 1495 1212 975 0.1 0.7 zero -2.0 -5.5 -10.7 1.7 1.5 zero -3.0 -7.6 -22.5 -46.4 0.360 RS270WA 140 Swift A-Frame* PSP 9 ½ 2925 2662 2394 2152 1923 1711 2659 2186 1782 1439 1150 910 0.2 0.7 zero -2.1 -5.6 -10.9 1.7 1.5 zero -3.1 -7.8 -23.2 -48.0 0.339									
PRC270WB 140 Core-Lokt® Ultra Bonded™ 9½ 2925 2667 2424 2193 1975 1771 2659 2211 1826 1495 1212 975 0.1 0.7 zero -2.0 -5.5 -10.7 1.7 1.5 zero -3.0 -7.6 -22.5 -46.4 0.360 RS270WA 140 Swift A-Frame® PSP 9½ 2925 2652 2394 2152 1923 1711 2659 2186 1782 1439 1150 910 0.2 0.7 zero -2.1 -5.6 -10.9 1.7 1.5 zero -3.1 -7.8 -23.2 -48.0 0.339									
RS270WA 140 Swift A-Frame "PSP 91/2 2925 2652 2394 2152 1923 1711 2659 2186 1782 1439 1150 910 0.2 0.7 zero -2.1 -5.6 -10.9 1.7 1.5 zero -3.1 -7.8 -23.2 -48.0 0.339									
R270W4 150 Core-Lokt* Soft Point 9 ½ 2850 2504 2183 1886 1618 1385 2705 2087 1587 1185 872 639 0.3 0.8 zero -2.4 -6.7 -13.0 2.0 1.8 zero -3.6 -9.4 -28.6 -6.1.2 0.261									
		R270W4	150	Core-Lokt® Soft Point	9 1/2	2850 2504 2183 1886 1618 1385	2705 2087 1587 1185 872 639	0.3 0.8 zero -2.4 -6.7 -13.0	2.0 1.8 zero -3.6 -9.4 -28.6 -61.2 0.261

Note: These ballistics reflected a test barrel length of 24" except those for 30 Carbine and 44 Remington Magnum which are 20" barrels. Specifications are nominal. Ballistics figures established in test barrels. Individual rifles may vary from test barrel results. "zero" indicates yardage at which rifle was sighted in.

Managed-Recoil[™] (pages 68-69)

Premier® Core-Lokt® Ultra Bonded™ (pages 60-61)

Premier [®] **AccuTip** [™] (pages 62-63)

Premier® Scirocco™ Bonded (page 64)

Swift A-Frame[™] PSP (page 65)

UMC® (page 71)

^{*} Inches above or below line of sight. Hold low for positive numbers, high for negative numbers.

† 280 Remington and 7mm Express, Remington are interchangeable.

‡ 6mm Remington and 244 Remington are interchangeable.

Bullet does not rise more than 1" above line of sight from muzzle to sighting-in range.
 Bullet does not rise more than 3" above line of sight from muzzle to sighting-in range.

RIF L.	<u> </u>		NIERF	110		DALLIS	1105		(21	O WI	31VI -	- 300	44 114	MAG)
CALIBER	INDEX/EDI	WI. (gr)	BULLET STYLE	PRIMER	MU77LE	VELOCITY (fps) 100 200 300 400 500	ENERGY (ft-lb) MUZZLE 100 200 300 400 500	SHORT-RANGE ¹ Trajectory* 50 100 150 200 250 300	100	LONG-R .50 200	ANGE ² Tra 250	JECTORY*	500	BALLISTIC
	NUMBER DOZOWOM1	13.7	Core-Lokt® Soft Point	O 1/ M			3114 2573 2114 1724 1392 1112							O 22C
270 WSM	R270WSM1	130 150		9 ½ M 9 ½ M	3285	2986 2707 2444 2196 1963	3325 2941 2595 2283 2002 1748	-0.1 0.4 zero -1.5 -4.2 -8.2 -0.1 0.5 zero -1.5 -4.1 -8.0		2.5 1.9 2.5 1.8	zero	-3.2 -14 -3.0 -12		0.336
200 Damington T	PRA270WSMB PRA280RA	140	Accutip" Boat Tail	9 ½ W		2972 2792 2618 2452 2291 2804 2617 2437 2265 2099	2797 2444 2129 1846 1594 1369			2.9 2.1	zero	-3.4 -14		0.323
280 Remington ¹	R280R3	140	AccuTip* Core-Lokt® Pointed Soft Point	9 1/2	3000	2758 2528 2309 2102 1905	2797 2363 1986 1657 1373 1128	0.1 0.6 zero -1.8 -4.8 -9.2 0.1 0.6 zero -1.9 -5.1 -9.8		1.4 zero		-7.0 -20		0.390
ı	R280R1	150	Core-Lokt® Pointed Soft Point	91/2	2890	2624 2373 2135 1912 1705	2781 2293 1875 1518 1217 968	0.1 0.0 Zero -1.3 -5.1 -5.8 -11.2		1.6 zero	-3.1	-8.0 -23		0.346
ı	R280R2	165	Core-Lokt® Soft Point	91/2	2820	2510 2220 1950 1701 1479	2913 2308 1805 1393 1060 801	0.0 zero -1.3 -4.1 -8.6 -15.2		1.8 zero	-3.6	-9.1 -27		0.290
7mm-08 Remington	R7M082	120	Hollow Point	91/2	3000	2725 2467 2223 1992 1778	2398 1979 1621 1316 1058 842	0.1 0.6 zero -1.9 -5.3 -10.2		1.4 zero	-2.9	-7.3 -21		0.343
7 Till GO Rollington	R7M081	140	Core-Lokt® Pointed Soft Point	91/2	2860	2625 2402 2189 1988 1798	2542 2142 1793 1490 1228 1005	0.2 0.7 zero -2.1 -5.7 -11.0		1.6 zero		-7.8 -22		0.390
ı	PRA7M08RB	140	AccuTip" Boat Tail	91/2	2860	2670 2489 2314 2146 1986	2542 2216 1925 1664 1432 1225	0.2 0.7 zero -2.0 -5.4 -10.3		1.5 zero		-7.3 -21		0.486
7mm Rem Magnum	PRC7MMRA	140	Core-Lokt® Ultra Bonded™	9 ½ M	3175	2934 2707 2490 2283 2086	3133 2676 2277 1927 1620 1353	0.1 0.5 zero -1.6 -4.3 -8.4		1.2 zero		-6.0 -17		0.409
_	R7MM4	140	Core-Lokt® Pointed Soft Point	9 ½ M	3175	2923 2684 2458 2243 2039	3133 2655 2240 1878 1564 1292	0.0 0.5 zero -1.6 -4.4 -8.5	2.2	2.6 1.9	zero	-3.2 -14	.2 -32.0	0.390
ı	RL7MM4	140	Core-Lokt® Pointed Soft Point	9 ½ M	2710	2482 2265 2059 1865 1683	2283 1915 1595 1318 1081 880	-0.1 zero -1.3 -4.2 -8.7 -15.1	0.9	ero -2.4	-6.5	-12.5 -30	.8 -59.2	0.388
ı	PRSC7MMB	150	Swift Scirocco Bonded	9 ½ M	3110	2927 2751 2582 2419 2262	3221 2852 2520 2220 1948 1704	0.0 0.5 zero -1.6 -4.3 -8.2	1.3	1.2 zero	-2.3	-5.9 -17	.0 -34.0	0.533
ı	PRA7MMRA	140	AccuTip~ Boat Tail	9 ½ M	3175	2971 2777 2591 2412 2241	3133 2744 2397 2086 1808 1560	-0.1 0.5 zero -1.5 -4.2 -8.0	2.1	2.5 1.8	zero	-3.0 -13	.0 -29.0	0.486
ı	PRA7MMRB	150	AccuTip" Boat Tail	9 ½ M	3110	2926 2749 2579 2415 2258	3221 2850 2516 2215 1943 1697	0.0 0.5 zero -1.6 -4.3 -8.2	1.3	1.2 zero	-2.3	-5.9 -1	7 -34.1	0.530
ı	R7MM2	150	Core-Lokt® Pointed Soft Point	9 ½ M	3110	2830 2568 2320 2085 1866	3221 2667 2196 1792 1448 1160	0.0 0.6 zero -1.7 -4.8 -9.3	1.4	1.3 zero	-2.6	-6.7 -19	.9 -41.1	0.346
ı	PRC7MMRC	160	Core-Lokt [®] Ultra Bonded [™]	9 ½ M	2950	2724 2510 2305 2109 1924	3091 2636 2237 1887 1581 1315	0.1 0.6 zero -1.9 -5.2 -10.0	1.6	1.4 zero	-2.8	-7.1 -20	.8 -42.4	0.415
ı	RS7MMA	160	Swift A-Frame ^{**} PSP	9 ½ M	2900	2659 2430 2212 2006 1812	2987 2511 2097 1739 1430 1166	0.2 0.7 zero -2.0 -5.5 -10.7	1.7	1.5 zero	-3.0	-7.6 -22	.4 -45.8	0.382
	R7MM3	175	Core-Lokt® Pointed Soft Point	9 ½ M	2860	2645 2440 2244 2057 1879	3178 2718 2313 1956 1644 1372	0.2 0.7 zero -2.1 -5.6 -10.7	1.7	1.5 zero	-3.0	-7.6 -22	.1 -44.8	0.427
7mm STW	RS7MSTWA	140	Swift A-Frame" PSP	9 ½ M	3325	3020 2735 2467 2215 1978	3436 2834 2324 1892 1525 1215	0.0 0.4 zero -1.5 -4.1 -8.0	2.1	2.5 1.8	zero	-3.1 -13	.8 -31.5	0.332
	R7MSTW1	140	Core-Lokt® Pointed Soft Point	9 ½ M	3325	3064 2818 2585 2364 2153	3436 2918 2468 2077 1737 1441	0.0 0.4 zero -1.4 -3.9 -7.6	2.0	2.4 1.7	zero	-2.9 -12	.8 -28.8	0.390
7mm Mauser (7x57)	R7MSR1	140	Core-Lokt® Pointed Soft Point	9 1/2	2660	2435 2221 2018 1827 1648	2199 1843 1533 1266 1037 844	0.0 zero -1.4 -4.4 -9.1 -15.8		1.9 zero	-3.6	-9.2 -27		0.390
7mm Remington SA Ultra Mag	PR7SM1	140	Core-Lokt® Ultra Bonded™	9 ½ M		2934 2707 2490 2283 2086	3133 2676 2277 1927 1620 1353	0.1 0.5 zero -1.6 -4.3 -8.4		1.2 zero		-6.0 -17		0.409
ı	PR7SM2	150	Core-Lokt® Pointed Soft Point	9 ½ M	3110	2831 2568 2321 2087 1867	3221 2669 2197 1793 1450 1161	0.0 0.6 zero -1.7 -4.8 -9.3		2.9 2.1	zero	-3.6 -15		0.346
	PR7SM4	160	Core-Lokt® Ultra Bonded™	9 ½ M	2960	2733 2518 2313 2117 1931	3112 2654 2252 1900 1592 1323	0.1 0.6 zero -1.9 -5.2 -9.9		3.1 2.2	zero	-3.7 -16		0.414
7mm Rem Ultra Mag"	PR7UM1	140	Core-Lokt® Ultra Bonded™	9 ½ M	3425	3170 2929 2701 2485 2278	3646 3123 2667 2268 1919 1613	-0.2 0.3 zero -1.3 -3.6 -7.0		2.2 1.6	zero	-2.7 -11		0.409
ı	PRSC7UM1	150	Swift Scirocco Bonded	9 ½ M		3132 2948 2771 2602 2438	3682 3267 2894 2558 2254 1979	-0.1 0.4 zero -1.3 -3.6 -7.0		2.2 1.6		-2.6 -11		0.533
20.0-1:	PR7UM5	175	Swift A-Frame" PSP	9 ½ M		2831 2645 2467 2296 2212	3555 3114 2718 2364 2047 1764	0.0 0.6 zero -1.7 -4.7 -9.0		2.8 2.0		-3.4 -14		0.493
30 Carbine	L30CR1	110	UMC® Metal Case	6 1/2	1990	1567 1236 1035 923 842	967 600 373 262 208 173	0.6 zero -4.2 -12.9 -27.2 -48.6		ero -7.3		-40.3 -105		0.166
20 20 Win Assolutation®	R30CAR	110	Soft Point	61/2	1990	1567 1236 1035 923 842	967 600 373 262 208 173	0.6 zero -4.2 -12.9 -27.2 -48.6				-48.6 -117		0.166
30-30 Win. Accelerator® 30-30 Win.	R3030A RL30301	55 125	Pointed Soft Point Core-Lokt® Pointed Soft Point	9 1/2	3400	2693 2085 1570 1187 986 1820 1508 1255 1082 975	1412 886 531 301 172 119 1313 919 631 437 325 264	0.0 0.6 zero -2.2 -6.2 -13.2 0.3 zero -3.0 -9.1 -19.1 -33.7		1.6 zero ero -5.2	-3.5 -14.1	-9.9 -34 -27.8 -72		0.139
30-30 WIII.	R30301	150	Core-Lokt® Soft Point	91/2	2390	1973 1605 1303 1095 974	1902 1296 858 565 399 316	0.3 zero -3.0 -3.1 -13.1 -33.7 0.2 zero -2.4 -7.6 -16.1 -28.8		ero -4.3				0.193
ı	R30302	170	Core-Lokt® Soft Point	91/2	2200	1895 1619 1381 1191 1061	1827 1355 989 720 535 425	0.3 zero -2.7 -8.3 -17.1 -29.9	4.0	ero -4.6		-24.5 -62		0.254
ı	R30303	170	Core-Lokt® Hollow Point	91/2	2200	1895 1619 1381 1191 1061	1827 1355 989 720 535 425	0.3 zero -2.7 -8.3 -17.1 -29.9		ero -4.6				0.254
30-40 Krag	R30402	180	Core-Lokt® Pointed Soft Point	91/2	2430	2213 2007 1813 1632 1468	2360 1957 1610 1314 1064 861	0.1 zero -1.8 -5.6 -11.6 -19.9		ero -3.2		-16.2 -39		0.383
30-06 Sprg. Accelerator®	R30069	55	Pointed Soft Point	91/2	4080	3484 2964 2499 2080 1706	2033 1482 1073 763 528 355	-0.4 0.2 zero -1.0 -3.0 -6.2	1.4	1.8 1.4	zero	-2.6 -12	.2 -30.0	0.197
30-06 Springfield	R30061	125	Pointed Soft Point	9 1/2	3140	2780 2447 2138 1853 1595	2736 2145 1662 1269 953 706	0.0 0.6 zero -1.9 -5.2 -10.1	1.5	1.4 zero	-2.8	-7.4 -22	.4 -47.6	0.268
ı	RL30062	125	Core-Lokt® Pointed Soft Point	91/2	2660	2335 2034 1757 1509 1300	1964 1513 1148 856 632 469	-0.1 zero -1.5 -4.9 -10.4 -18.3	1.0	ero -2.9	-7.8	-15.2 -38	.9 -78.0	0.267
ı	L30062	150	UMC® Metal Case	91/2	2910	2617 2342 2084 1843 1622	2820 2281 1827 1446 1131 876	-0.2 zero -1.1 -3.6 -7.7 -13.6	1.6	1.6 zero	-3.2	-8.2 -24	.4 -50.9	0.314
ı	PRSC3006C	150	Swift Scirocco Bonded	9 1/2	2910	2696 2492 2298 2111 1934	2820 2421 2069 1758 1485 1246	0.1 0.7 zero -2.0 -5.3 -10.2	1.6	1.5 zero	-2.9	-7.3 -21	.1 -42.3	0.435
ı	PRA3006A	150	AccuTip" Boat Tail	9 1/2	2910	2686 2473 2270 2077 1893	2820 2403 2037 1716 1436 1193	0.1 0.7 zero -2.0 -5.4 -10.3	1.7	1.5 zero	-2.9	-7.4 -21	.5 -43.7	0.415
ı	R30062	150	Core-Lokt® Pointed Soft Point	9 1/2	2910	2617 2342 2083 1843 1622	2820 2281 1827 1445 1131 876	0.2 0.7 zero -2.2 -5.9 -11.4	1.8	1.6 zero	-3.2	-8.2 -24	.4 -50.9	0.314
ı	R30063	150	Bronze Point"	9 1/2	2910	2656 2416 2189 1974 1773	2820 2349 1944 1596 1298 1047	0.2 0.7 zero -2.0 -5.6 -10.8	1.7	1.5 zero	-3.0	-7.7 -22	.7 -46.6	0.365
ı	PRC3006A	150	Core-Lokt [®] Ultra Bonded [™]	9 1/2	2910	2631 2368 2121 1889 1674	2820 2305 1868 1498 1188 933	0.2 0.7 zero -2.1 -5.8 -11.2	1.8	1.6 zero	-3.1	-8.0 -23	.8 -49.3	0.331
ı	PRA3006B	165	AccuTip" Boat Tail	9 1/2	2800	2597 2403 2217 2039 1870	2872 2470 2115 1800 1523 1281	0.2 0.8 zero -2.1 -5.9 -11.1	1.8	1.6 zero	-3.2	-7.9 -22	.8 -46.2	0.447
ı	R3006B	165	Core-Lokt® Pointed Soft Point	9 1/2	2800	2534 2283 2047 1825 1621	2872 2352 1909 1534 1220 963	0.3 0.8 zero -2.3 -6.3 -12.1	2.0	1.7 zero	-3.4	-8.7 -25	.9 -53.2	0.339
ı	PRC3006B	168	Core-Lokt® Ultra Bonded™	9 1/2		2546 2306 2079 1866 1668	2924 2418 1984 1613 1299 1037	0.3 0.8 zero -2.3 -6.2 -11.9		1.7 zero		-8.5 -25		0.356
ı	PRA3006C	180	AccuTip" Boat Tail	9 1/2		2539 2360 2188 2024 1867	2967 2576 2226 1914 1637 1393	0.3 0.8 zero -2.3 -6.1 -11.6		2.0 zero				0.480
ı	RS3006A	180	Swift A-Frame" PSP	91/2		2465 2243 2032 1833 1648	2913 2429 2010 1650 1343 1085	0.0 zero -1.3 -4.2 -8.9 -15.4		1.8 zero				0.377
ı	PRC3006C	180	Core-Lokt® Ultra Bonded™	91/2	2700		2913 2457 2059 1713 1415 1161	0.0 zero -1.3 -4.2 -8.7 -15.1		1.8 zero		-8.9 -25		0.402
ı	PRSC3006B	180	Swift Scirocco Bonded Core Lokes Soft Point	91/2	2700		2913 2542 2208 1910 1644 1409	0.0 zero -1.3 -4.0 -8.3 -14.2		1.7 zero				0.500
ı	R30064 R30065	180	Core-Lokt® Soft Point Core-Lokt® Pointed Soft Point	9 ½ 9 ½	2700	2348 2023 1727 1466 1251 2469 2250 2042 1846 1663	2913 2203 1635 1192 859 625 2913 2436 2023 1666 1362 1105	0.0 zero -1.5 -4.9 -10.3 -18.3 0.0 zero -1.3 -4.2 -8.8 -15.4		2.1 zero 1.8 zero		-11.0 -33 -9.0 -26		0.248
ı	R30066	180	Bronze Point	9 1/2	2700	2485 2280 2084 1899 1725	2913 2436 2023 1666 1362 1105 2913 2468 2077 1736 1441 1189	0.0 zero -1.3 -4.2 -8.8 -15.4 0.0 zero -1.3 -4.2 -8.7 -15.0		1.8 zero 1.8 zero	-3.5	-9.0 -26 -8.8 -25		0.383
ı	R30067	220	Core-Lokt® Soft Point	9 1/2	2410		2837 2216 1708 1301 988 758	0.0 Zero -1.3 -4.2 -6.7 -13.0 0.1 Zero -2.0 -6.2 -12.9 -22.4		ero -3.5				0.412
300 Savage	R30SV2	150	Core-Lokt® Pointed Soft Point	9 1/2	2630	2354 2095 1853 1631 1432	2303 1845 1462 1143 886 685	0.0 zero -1.5 -4.8 -10.1 -17.6		2.1 zero				0.234
	R30SV3	180	Core-Lokt® Soft Point	91/2		2025 1728 1467 1252 1098	2207 1639 1193 860 626 482	0.0 zero -2.3 -7.1 -14.7 -25.9			-10.9			0.248
300 Win. Mag.	R300W1	150	Core-Lokt® Pointed Soft Point	9 ½ M	3290		3605 2897 2311 1823 1420 1091	0.0 0.5 zero -1.6 -4.4 -8.7		1.2 zero		-6.3 -18		0.294
	RL300W1	150	Core-Lokt® Pointed Soft Point	91/2		2373 2113 1870 1646 1446	2339 1875 1486 1164 902 696	-0.1 zero -1.5 -4.7 -9.9 -17.2				-14.3 -35		0.314
ı	PRC300WA	150	Core-Lokt® Ultra Bonded™	9 ½ M	3290		3605 2931 2366 1893 1496 1168	-0.1 0.5 zero -1.6 -4.3 -8.5		1.2 zero				0.310
ı	PRSC300WB	180	Swift Scirocco Bonded	9 ½ M		2274 2595 2424 2259 2100	3501 3075 2692 2348 2039 1762	0.1 0.6 zero -1.8 -4.9 -9.4			-2.6			0.507
ı	PRC300WC	180	Core-Lokt® Ultra Bonded™	9 ½ M		2774 2505 2294 2093 1903	3501 2971 2508 2103 1751 1448	0.1 0.6 zero -1.9 -5.2 -10.0	2.7	3.1 2.2		-3.8 -16	.4 -37.0	0.402
ı	PRA300WC	180	AccuTip™ Boat Tail	9 ½ M	2960	2764 2577 2397 2224 2058	3501 3053 2653 2295 1976 1693	0.1 0.6 zero -1.8 -4.9 -9.5	1.5	1.4 zero	-2.7	-6.8 -19	.6 -39.5	0.481
ı	R300W2	180	Core-Lokt® Pointed Soft Point	9 ½ M	2960	2715 2482 2262 2052 1856	3501 2945 2463 2044 1683 1375	0.1 0.6 zero -1.9 -5.3 -10.2	1.7	1.5 zero	-2.9	-7.4 -21	.3 -43.7	0.383
	RM300W7	190	MatchKing® BTHP	9 ½ M	2900	2725 2557 2395 2239 2089	3547 3133 2758 2420 2115 1840	0.1 0.6 zero -1.9 -5.1 -9.8	1.6	1.4 zero	-2.7	-6.9 -19	.9 -39.8	0.533
ı	TUNOUTY/													

CALIBER	INDEX/EDI Number	WT. (gr)	BULLET STYLE	PRIMER NUMBER	VELOCITY (fps) Muzzle 100 200 300 400	500	ENERGY (ft-lb) MUZZLE 100 200 300 400 500	SHORT-RANGE ¹ TRAJECTORY* 50 100 150 200 250 300	100	LONG-RANGE ² trajectory* 150 200 250 300 400	500	BALLISTIC COEFFICIENT
300 WSM	R300WSM1	150	Core-Lokt® Pointed Soft Point	9 ½ M	3320 2977 2660 2364 2087	1830	3671 2952 2356 1861 1451 1116	-0.1 0.4 zero -1.5 -4.3 -8.5	1.2	1.2 zero -2.4 -6.2 -18.6	-39.0	0.294
	PRA300WSMB	180	AccuTip™ Boat Tail	9 ½ M	3010 2812 2622 2440 2265	2097	3621 3159 2746 2378 2050 1757	0.1 0.6 zero -1.8 -4.8 -9.1	2.5	2.9 2.1 zero -3.4 -14.8	-32.9	0.480
	PRSC300WSMB	180	Swift Scirocco Bonded	9 ½ M	2980 2793 2614 2442 2276	2116	3549 3118 2730 2382 2070 1790	0.1 0.6 zero -1.8 -4.8 -9.2	1.5	1.3 zero -2.6 -6.6 -19.0	-38.1	0.507
308 Win.	RL308W1	125	Core-Lokt® Pointed Soft Point	9 1/2	2660 2382 2121 1878 1653	1453	1964 1575 1249 978 759 586	-0.1 zero -1.5 -4.7 -9.8 -17.1	1.0	zero -2.7 -7.3 -14.1 -35.5	-69.6	0.314
	L308W4	150	UMC® Metal Case	9 1/2	2820 2533 2263 2010 1775	1561	2648 2137 1705 1345 1049 811	-0.1 zero -1.2 -3.9 -8.4 -14.7	2.0	1.7 zero -3.4 -8.8 -26.2	-54.8	0.314
	PRSC308WA	150	Swift Scirocco [™] Bonded	9 1/2	2820 2611 2410 2219 2037	1863	2648 2269 1935 1640 1381 1156	0.0 zero -1.1 -3.6 -7.6 -13.2	1.8	1.6 zero -3.1 -7.8 -22.7	-46.0	0.435
	PRC308WA	150	Core-Lokt® Ultra Bonded™	9 1/2	2820 2546 2288 2046 1819	1611	2648 2159 1744 1394 1102 864	0.2 zero -1.2 -3.9 -8.2 -14.4	1.9	1.7 zero -3.4 -8.6 -25.5	-53.1	0.331
	R308W1	150	Core-Lokt® Pointed Soft Point	9 1/2	2820 2533 2263 2009 1774	1560	2648 2137 1705 1344 1048 810	0.0 zero -1.2 -3.9 -8.4 -14.7	2.0	1.7 zero -3.4 -8.8 -26.2	-54.8	0.314
	PRSC308WB	165	Swift Scirocco™ Bonded	9 1/2	2700 2513 2333 2161 1996	1839	2670 2313 1994 1711 1459 1239	0.0 zero -1.3 -4.0 -8.4 -14.4	2.0	1.7 zero -3.3 -8.4 -24.3	-48.9	0.475
	PRA308WB	165	AccuTip™ Boat Tail	9 1/2	2700 2501 2311 2129 1956	1792	2670 2292 1957 1661 1401 1176	-0.1 zero -1.3 -4.1 -8.5 -14.7	2.0	1.8 zero -3.4 -8.6 -24.8	-50.1	0.447
	RM308W1	168	MatchKing® BTHP	9 1/2	2680 2493 2314 2143 1979	1823	2678 2318 1998 1713 1460 1239	0.0 zero -1.3 -4.1 -8.5 -14.7	2.1	1.8 zero -3.4 -8.6 -24.7	-49.9	0.475
	PRC308WC	180	Core-Lokt® Ultra Bonded™	9 1/2	2620 2404 2198 2002 1818	1644	2743 2309 1930 1601 1320 1080	0.0 zero -1.4 -4.5 -9.4 -16.3	2.3	2 zero -3.8 -9.5 -27.7	-56.4	0.402
	R308W2	180	Core-Lokt® Soft Point	9 ¹ / ₂	2620 2274 1955 1666 1414	1212	2743 2066 1527 1109 799 587	0.0 zero -1.7 -5.3 -11.2 -19.7	2.6	2.3 zero -4.6 -11.8 -36.3	-78.2	0.248
	R308W3	180	Core-Lokt® Pointed Soft Point	9 ¹ / ₂	2620 2393 2178 1974 1782	1604	2743 2288 1896 1557 1269 1028	0.0 zero -1.5 -4.6 -9.5 -16.5	2.3	2.0 zero -3.8 -9.7 -28.3	-57.8	0.383
300 Wby. Mag.	R300WB1	180	Core-Lokt® Pointed Soft Point	9 ½ M	3120 2866 2626 2398 2181	1976	3890 3282 2755 2298 1902 1561	0.0 0.5 zero -1.7 -4.6 -9.0	1.4	1.3 zero -2.5 -6.4 -18.9	-38.7	0.383
303 British	L303B1	174	UMC® Metal Case	9 1/2	2475 2209 1960 1729 1520	1338	2366 1885 1484 1155 893 692	0.1 zero -1.9 -5.9 -12.2 -21.4	2.8	2.4 zero -4.7 -11.9 -35.6	-74.3	0.315
	R303B1	180	Core-Lokt® Soft Point	9 1/2	2460 2124 1817 1542 1311	1137	2418 1803 1319 950 687 517	0.1 zero -2.0 -6.3 -13.2 -23.1	1.3	zero -3.6 -9.8 -19.1 -49.4	-99.9	0.247
7.62x39mm	L762391	123	UMC® Metal Case	7 1/2	2365 2060 1780 1529 1315	1150	1527 1159 865 638 472 361	0.1 zero -2.2 -6.8 -14.1 -24.5	1.5	zero -3.8 -10.4 -20.2 -51.5	-103.0	0.266
	R762391	125	Pointed Soft Point	7 1/2	2365 2062 1783 1533 1320	1154	1552 1180 882 652 483 370	0.1 zero -2.2 -6.7 -14.0 -24.5	1.5	zero -3.8 -10.4 -20.1 -51.3	-102.5	0.267
300 Remington	PR300SM1	150	Core-Lokt® Ultra Bonded™	9 ½ M	3200 2901 2622 2359 2112	1880	3410 2803 2290 1854 1485 1177	0.1 0.5 zero -1.6 -4.6 -8.9	1.3	1.2 zero -2.5 -6.4 -19.1	-39.6	0.330
Short Action Ultra Mag	PR300SM2	165	Core-Lokt® Poined Soft Point	9 ½ M	3075 2792 2527 2276 2040	1819	3464 2856 2339 1898 1525 1213	0.1 0.6 zero -1.8 -5.0 -9.7	1.5	1.4 zero -2.7 -7.0 -20.7	-42.1	0.339
	PR300SM4	180	Core-Lokt® Ultra Bonded™	9 ½ M	2960 2727 2506 2295 2094	1904	3501 2972 2509 2105 1753 1449	0.1 0.6 zero -1.9 -5.2 -10.0	1.6	1.4 zero -2.8 -7.1 -20.9	-42.6	0.403
	RM300SM7	190	MatchKing® BTHP	9 ½ M	2900 2725 2557 2395 2239	2089	3547 3133 2758 2420 2115 1840	0.1 0.6 zero -1.9 -5.1 -9.8	1.6	1.4 zero -2.7 -6.9 -19.9	-39.8	0.533
300 Remington	PR300UM5	150	Swift Scirocco Bonded	9 ½ M	3450 3208 2980 2762 2556	2358	3964 3427 2956 2541 2175 1852	0.0 0.3 zero -1.2 -3.4 -6.7	1.7	2.1 1.5 zero -2.6 -11.2	-25.3	0.435
Ultra Mag" POWER	PR300UM3	180	Swift Scirocco™ Bonded	9 ½ M	3250 3048 2856 2672 2495	2325	4221 3714 3260 2853 2487 2160	0.0 0.4 zero -1.4 -3.9 -7.5	2.0	2.3 1.7 zero -2.8 -12.3	-27.3	0.500
LEVEL III	PR300UM4	180	Core-Lokt® Ultra Bonded™	9 ½ M	3250 2988 2742 2508 2287	2076	4221 3568 3003 2513 2088 1721	0.0 0.4 zero -1.5 -4.2 -8.1	2.1	2.5 1.8 zero -3.1 -13.6	-30.7	0.382
	RS300UM2	200	Swift A-Frame™ PSP	9 ½ M	3032 2791 2562 2345 2138	1942	4083 3459 2916 2442 2030 1675	0.1 0.6 zero -1.8 -4.9 -9.5	1.5	1.4 zero -2.7 -6.8 -19.9	-40.7	0.395
POWER	PR300UM2-P2	180	Core-Lokt® Ultra Bonded™	9 ½ M	2960 2774 2505 2294 2093	1903	3501 2971 2508 2103 1751 1448	0.1 0.6 zero -1.9 -5.2 -10.0	2.7	3.1 2.2 zero -3.8 -16.4	-37.0	0.402
LEVEL II	PR300UM3-P2	180	Swift Scirocco "Bonded	9 ½ M	2960 2274 2595 2424 2259	2100	3501 3075 2692 2348 2039 1762	0.1 0.6 zero -1.8 -4.9 -9.4	1.5	1.4 zero -2.6 -6.7 -19.3	-38.7	0.507
POWER	PRA300UM1-P1	150	AccuTip" Boat Tail	9 ½ M	2910 2686 2473 2270 2077	1893	2820 2403 2037 1716 1436 1193	0.1 0.7 zero -2.0 -5.4 -10.3	1.7	1.5 zero -2.9 -7.4 -21.5	-43.7	0.415
LEVEL	R300UM1-P1	150	Core-Lokt® Pointed Soft Point	9 ½ M	2910 2617 2342 2083 1843	1622	2820 2281 1827 1445 1131 876	0.2 0.7 zero -2.2 -5.9 -11.4	1.8	1.6 zero -3.2 -8.2 -24.4	-50.9	0.314
32-20 Win.	R32201	100	Lead	6 ½	1210 1021 913 834 769	712	325 231 185 154 131 113	zero -5.7 -19.7 -43.1 -76.9 -122.2	zero -	11.2 -31.7 -62.7 -105.2 -228.5	-410.8	0.166
32 Win. Special	R32WS2	170	Core-Lokt® Soft Point	9 1/2	2250 1921 1626 1372 1175	1044	1911 1393 998 710 521 411	0.3 zero -2.6 -8.0 -16.7 -29.3	1.7	zero -4.5 -12.4 -24.1 -62.1	-125.3	0.239
8mm Rem. Magnum	RS8MMRA	200	Swift A-Frame PSP	9 ½ M	2900 2623 2361 2115 1885	1672	3734 3054 2476 1987 1577 1241	0.2 0.7 zero -2.1 -5.8 -11.2	1.8	1.6 zero -3.1 -8.0 -23.9	-49.6	0.332
8mm Mauser	R8MSR	170	Core-Lokt® Soft Point	9 1/2	2360 1969 1622 1333 1123	997	2102 1463 993 671 476 375	0.2 zero -2.4 -7.6 -16.1 -28.6	1.6	zero -4.4 -12.0 -23.7 -62.8	-128.9	0.205
338 Win. Mag.	RS338WA	225	Swift A-Frame " PSP	9 ½ M	2785 2517 2266 2029 1808	1605	3871 3165 2565 2057 1633 1286	0.0 zero -1.2 -4.0 -8.5 -14.8	2.0	1.8 zero -3.5 -8.8 -26.1	-54.1	0.337
	R338W1	225	Core-Lokt® Pointed Soft Point	9 ½ M	2780 2572 2374 2184 2003	1832	3860 3305 2815 2383 2004 1676	0.0 0.8 zero -2.2 -5.9 -11.4	1.9	1.7 zero -3.2 -8.1 -23.4	-47.5	0.435
	PRC338WA	225	Core-Lokt® Ultra Bonded™	9 ½ M	2780 2582 2392 2210 2036	1871	3860 3329 2858 2440 2071 1748	0.2 0.8 zero -2.2 -5.9 -11.2	1.9	1.6 zero -3.2 -7.9 -23.0	-46.5	0.456
	R338W2	250	Core-Lokt® Pointed Soft Point	9 ½ M	2660 2456 2261 2075 1898	1731	3927 3348 2837 2389 1999 1663	0.0 zero -1.4 -4.3 -8.9 -15.4	2.1	1.9 zero -3.5 -8.9 -26.0	-52.7	0.431
338 Remington	PR338UM2	250	Core-Lokt® Pointed Soft Point	9 ½ M	2860 2647 2443 2249 2064	1887	4540 3888 3314 2807 2363 1977	0.2 0.7 zero -2.1 -5.6 -10.6	1.7	1.5 zero -3.0 -7.6 -22.0	-44.7	0.431
Ultra Mag"	PR338UM1	250	Swift A-Frame" PSP	9 ½ M	2860 2645 2440 2244 2057	1879	4540 3882 3303 2794 2347 1960	0.2 0.7 zero -2.0 -5.6 -10.7	1.7	1.5 zero -3.0 -7.6 -22.1	-44.9	0.427
35 Remington	R35R1	150	Core-Lokt® Pointed Soft Point	9 1/2	2300 1874 1506 1218 1039	934	1762 1169 755 494 359 291	0.3 zero -2.7 -8.6 -18.2 -32.6	1.8	zero -4.9 -13.7 -27.1 -73.0	-150.8	0.184
	R35R2	200	Core-Lokt® Soft Point	9 ¹ / ₂	2080 1698 1376 1140 1001	911	1921 1280 841 577 445 369	0.5 zero -3.5 -10.7 -22.6 -40.1	2.3	zero -6.1 -16.7 -33.0 -86.6	-174.8	0.192
35 Whelen	R35WH1	200	Core-Lokt® Pointed Soft Point	9 ½ M	2675 2378 2100 1842 1606	1399	3177 2510 1958 1506 1145 869	0.0 zero -1.5 -4.7 -9.9 -17.3		2.0 zero -16.8 -33.1 -86.9	-175.4	0.294
	R35WH3	250	Pointed Soft Point	9 ½ M	2400 2197 2005 1823 1652		3197 2680 2230 1844 1515 1242	0.1 zero -1.9 -5.7 -11.8 -20.4		zero -3.2 -8.6 -16.6 -40.0		0.409
350 Remington Mag	R350M1	200	Core-Lokt® Pointed Soft Point	9 ½ M	2775 2471 2186 1921 1678	1461	3419 2711 2122 1639 1250 947	-0.1 zero -1.3 -4.2 -9.0 -15.8	2.1	1.8 zero -3.6 -9.4 -28.3	-59.7	0.293
375 H&H Mag.	R375M1	270	Soft Point	9 ½ M	2690 2363 2060 1780 1530	1317	4338 3347 2543 1900 1403 1039	0.4 1.0 zero -2.8 -7.6 -14.8	2.4	2.1 zero -4.1 -10.6 -32.3	-69.0	0.267
-	PR375UM3	300	Swift A-Frame ** PSP	9 ½ M	2522 2280 2051 1836 1637		4238 3462 2802 2245 1786 1415	0.0 zero -1.7 -5.2 -10.8 -18.7		2.2 zero -4.3 -10.9 -32.2	-66.5	0.350
375 Remington	PR375UM2	270	Soft Point	9 ½ M	2900 2558 2241 1947 1678	1442	5041 3922 3010 2272 1689 1246	0.0 0.8 zero -2.3 -6.3 -12.3	1.9	1.7 zero -3.5 -8.9 -27.0	-57.6	0.267
Ultra Mag"	PR375UM3	300	Swift A-Frame™ PSP	9 ½ M	2760 2505 2263 2035 1822		5073 4178 3412 2759 2210 1757	0.3 0.8 zero -2.4 -6.4 -12.4	2.0	1.8 zero -3.5 -8.8 -26.1	-53.9	0.350
416 Rem. Magnum	RS416RA	400	Swift A-Frame™ PSP	9 ½ M	2400 2175 1962 1763 1579		5115 4201 3419 2760 2214 1775	0.1 zero -1.9 -5.9 -12.1 -20.8		zero -3.3 -8.9 -17.0 -41.9	-80.8	0.367
44-40 Win.	R4440W	200	Soft Point	21/2	1190 1006 900 822 756		629 449 360 300 254 217	zero -5.9 -20.3 -44.5 -79.3 -125.9		-11.5 -32.7 -64.5 -108.2 -235.3		0.161
44 Rem. Magnum	R44MG2	240	Soft Point	21/2		806	1650 1015 661 501 411 346	zero -2.1 -8.7 -21.2 -40.6 -68.2		-5.6 -17.0 -35.4 -61.9 -143.8		0.166
	R44MG3	240	Semi-Jacketed Hollow Point	2 1/2		806	1650 1015 661 501 411 346	zero -2.1 -8.7 -21.2 -40.6 -68.2		-5.6 -17.0 -35.4 - 61.9 - 143.8		0.166
	RH44MGA	275	Core-Lokt® JHP	2 1/2		832	1524 1020 730 582 490 422	1.4 zero -6.6 -19.4 -39.6 -67.9		-6.6 -19.4 -39.6 -67.9 -152.8		0.199
444 Mar.	R444M	240	Soft Point	91/2	2350 1815 1377 1087 941		2942 1755 1010 630 472 381	0.3 zero -2.9 -9.3 -20.4 -37.4		zero -5.4 -15.5 -31.5 -86.8		0.146
45-70 Government	R4570L	300	Semi-Jacketed Hollow Point	9 1/2		895	2182 1492 1031 767 625 533	zero -1.7 -7.3 -17.6 -33.5 -56.0		-4.7 -14.2 -29.2 -50.9 -117.6		0.213
	R4570G	405	Soft Point	9 1/2	1330 1168 1055 977 918		1590 1227 1001 858 758 679	zero -4.1 -14.6 -32.2 -57.6 -91.4		-8.4 -24.0 -47.3 -79.0 -170.4		0.281
	1140700	700	OUIL I UIIIL	J /2	1000 1100 1000 3// 310	JUJ	1000 1227 1001 000 700 0/3	2010 -4.1 -14.0 -02.2 -07.0 -31.4	2010	U.T -24.U -41.J -13.U -1/U.4	T -000.0	0.201

Note: These ballistics reflected a test barrel length of 24" except those for 30 Carbine and 44 Remington Magnum which are 20" barrels. Specifications are nominal. Ballistics figures established in test barrels. Individual rifles may vary from test barrel results. "zero" indicates yardage at which rifle was sighted in.

Managed-Recoil[™] (pages 68-69)

Premier® Core-Lokt® Ultra Bonded™ (pages 60-61)

Premier® AccuTip™ (pages 62-63)

Premier® Scirocco™ Bonded (page 64)

Swift A-Frame[™] PSP (page 65)

UMC® (page 71)

^{*} Inches above or below line of sight. Hold low for positive numbers, high for negative numbers.

† 280 Remington and 7mm Express, Remington are interchangeable.

‡ 6mm Remington and 244 Remington are interchangeable.

Bullet does not rise more than 1" above line of sight from muzzle to sighting-in range.
 Bullet does not rise more than 3" above line of sight from muzzle to sighting-in range.

SHOTGUN SPECIFICATIONS

MODEL 105 CTi [™] SHO	TGUN DII	MENSIONS / AVEF	AGE WEIG	HTS									
MODEL	GAUGE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE ²	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK Material	STOCK FINISH	AVG. WT. (LBS.)
105 CTi	12	4	26"/ 29523 28"/ 29521	Vent Rib, ProBore Choke ¹	Twin Bead	Black TriNyte®	46 1/4" 48 1/4"	14 1/4"	1 ½"	2 1/2"	American Walnut	Satin	6 1/8 7
1 Improved Cylinder, Modified and Full Chok	ke Tubes. 2 Mode	el 105 CTi " shotguns have 3" cham	bers and will handle 2	3/4" and 3" shotshells.									

MODEL 11	00™ G3 SH	HOTGUN DIME	ENSIONS / A	VERAGE WEIGHTS									
MODEL	GAUGE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE ²	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK Material	STOCK FINISH	AVG. WT. (LBS.)
1100 G3	12	4	26"/ 26416 28"/ 26418	Vent Rib, ProBore Choke ¹	Twin Bead	Plated	46 ¹ /4" 48 ¹ /4"	14 1/4"	1 ½"	2 ½"	Realwood™ Semi-Fancy Carbon Fiber Walnut Laminate	Hi-Gloss	8 ½ 8 ¼
1100 G3	20	4	26"/ 27449 28"/ 27451	Vent Rib, Rem Choke ¹	Twin Bead	Plated	46 ½" 48 ½"	14 1/4"	1 ½"	2 ½"	Realwood™ Semi-Fancy Carbon Fiber Walnut Laminate	Hi-Gloss	7 ³ / ₄ 7 ⁷ / ₈
		noke Tubes. 2 Model 1100	.,	chambers and will handle 2 3/4" and 3		riated	48 1/4"	1774	172		Walnut Laminate	TII-UI033	

	MODEL	GAUGE	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	BARREL FINISH	RECEIVER FINISH	OVERALL Length	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK Material	STOCK FINISH	AVG. WT. (LBS.)
w	Premier Ruffed Grouse	20	26"/ 89715	7mm Vent Rib, ProBore Choke ⁷	Ivory Bead Front, Steel Middle	Polished Blue	Nickel	47 1/4"	14 3/8"	1 ½"	2 3/8"	Walnut	Oil	6 3/4
w	Premier Competition STS	12	28"/ 89591 30"/ 89590 32"/ 89592	10mm Vent Rib, ProBore Choke ⁷	Ivory Bead Front, Steel Middle	Polished Blue	Nickel	45 ½" 47 ¼" 49 ¼"	143%"	1 ½"	2 3/8"	Walnut	Satin	7 ½ 7 ¾ 8
w w	Premier Competition STS with Adjustable Comb	12	30"/ 89594 32"/ 89593	10mm Vent Rib, ProBore Choke ⁷	Ivory Bead Front, Steel Middle	Polished Blue	Nickel	47 ½"	14 ³ /8"	1 ½"	2 3/8"	Walnut	Satin	7 ³ / ₄ 8
	Premier Field Grade	12 12 20 20 28 28	26"/ 89582 28"/ 89581 26"/ 89709 28"/ 89708 26"/ 89751 28"/ 89750	7mm Vent Rib, ProBore Choke ⁷	lvory Bead Front, Steel Middle	Polished Blue	Nickel	43 ½" 45 ½" 43 ½" 45 ½" 45 ½" 43 ½"	14 ½"	1½"	2 3/8"	Walnut	Satin	7 7 ½ 6 ½ 6 ½ 6 ½ 6 ½ 6 ¾
	Premier Upland Special	12 12 20 20 28 28	26"/ 89586 28"/ 89585 26"/ 89712 28"/ 89711 26"/ 89755 28"/ 89754	7mm Vent Rib, ProBore Choke ⁷	lvory Bead Front, Steel Middle	Polished Blue	Case-Colored	43 ½" 45 ½" 43 ½" 45 ½" 45 ½" 43 ½"	14 1/4"	1 ½"	2 3/8"	Walnut	Oil	7 7 ½ 6 ½ 6 ¾ 6 ½ 6 ¾

	PREMIER SIDE-BY-	SIDE SI	HOTGUN DI	MENSIONS / AVE	PREMIER SIDE-BY-SIDE SHOTGUN DIMENSIONS / AVERAGE WEIGHTS														
	MODEL	GAUGE/BORE	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	BARREL FINISH	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK Material	STOCK FINISH	AVG. WT. (LBS.)					
NEW NEW NEW	Premier	12 20 28 410 bore	28"/ 89604 28"/ 89713 27"/ 89758 27"/ 89794	Vent Rib, Rem Choke	Single Bead	Polished Blue	Case-Colored	45 ½" 45 ½" 44 ½" 44 ½"	14 1/4"	1 ½"	2 3/8"	Walnut	Oil	7 ½ 6 ¾ 6 ½ 6 ½					
NEW NEW	Premier Upland Special (Straight Grip Stock)	28 410 bore	27"/ 89759 27"/ 89795	Vent Rib, Rem Choke	Single Bead	Polished Blue	Case-Colored	44 ½" 45 ½"	14 ½"	11/2"	2 3/8"	Walnut	Oil	6 ½ 6 ½					

MODEL	GAUGE/BORE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE ⁵	SIGHTS	RECEIVER FINISH	OVERALL Length	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT
1100 Competition	12	4	30"/ 26919	Vent Rib ProBore™ Choke	Twin Bead	Nickel	50 1/4"	14 1/4"	1 1/2"	2 1/4"	Semi-Fancy Amer. Walnut	Hi-Gloss	8 1/8
1100° Competition (w/Adjustable Comb Stock)	12	4	30"/ 26923	Vent Rib ProBore [™] Choke	Twin Bead	Nickel	50 1/4"	14 1/4"	Adj.	2 1/4"	Semi-Fancy Amer. Walnut	Hi-Gloss	8 1/4
870™ Wingmaster® Classic Trap	12	4	30"/ 24857	Lt. Contour Vent Rib Rem Choke 1	Twin Bead	High Polish Blued	50 1/2"	14 1/2"	17/16"	2"	Semi-Fancy Amer. Walnut	Hi-Gloss	8 1/4
1100™ Classic Trap	12	4	30"/ 25333	Lt. Contour Vent Rib Rem - Choke 1	Twin Bead	High Polish Blued	50 1/2"	14 1/2"	1 7/16"	2"	Semi-Fancy Amer. Walnut	Hi-Gloss	8 1/4
1100° Tournament Skeet	12 20	4	26"/ 25241 26"/ 29595	Lt. Contour Vent Rib Rem Choke ⁴	Twin Bead	High Polish Blued	46 3/4"	14"	11/2"	2 1/4"	Semi-Fancy Amer. Walnut	Hi-Gloss	8
1100" Sporting 12	12	4	28"/ 25315	Lt. Contour Vent Rib Rem [™] Choke ²	Twin Bead	High Polish Blued	49"	14 3/16"	1 1/2"	2 1/4"	Semi-Fancy Amer. Walnut	Hi-Gloss	8
1100~ Sporting 20 (LT)	20	4	28"/ 25399	Lt. Contour Vent Rib Rem™ Choke ²	Twin Bead	High Polish Blued	49"	14"	1 1/2"	2 1/2"	Semi-Fancy Amer. Walnut	Hi-Gloss	7
1100~ Sporting 28	28	4	27"/ 29583	Vent Rib Rem™ Choke ²	Twin Bead	High Polish Blued	47 3/4"	14"	1 1/2"	2 1/2"	Semi-Fancy Amer. Walnut	Hi-Gloss	6 1/2
1100~ Sporting 410	410 bore	4	27"/ 29549	Vent Rib Rem™ Choke 2,6	Twin Bead	High Polish Blued	47 3/4"	14"	1 1/2"	2 1/2"	Semi-Fancy Amer. Walnut	Hi-Gloss	6 1/2

1 These guns are supplied with special Rem® Chokes, Mid Handicap (.034*), Singles (.027*), and Long Handicap (.041*). 2 NOTE: Model 1100® Sporting Shotguns are equipped with four extended Briley Rem® Choke tubes (Skeet, Improved Cylinder, Light Modified and Modified).
4 Supplied with extended Briley Rem® Choke tubes (Improved Cylinder and Skeet). 5 Model 1100® shotguns have 2*!,* chambers, unless otherwise noted. 6 Model 1100® Sporting 410 shotguns have 3* chambers and will cycle 2*!,* and 3* shotshells.

MODEL SPR453" SHO	TGUN DI	MENSIONS / AVE	RAGE WEIG	HTS									
MODEL	GAUGE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	СНОКЕ	RIB	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK Material	STOCK FINISH	AVG. WT. (LBS.)
SPR 453~	12	4	28"/ 89460 26"/ 89462 24"/ 89440	SC-4	VT	Matte Black	47 ½" 47 ½" 45 ½"	14 ½"	1 ½"	2 ½"	Synthetic	Matte Black	8 ½ 8 ½ 8
VT = Vent Rib SC-4 = CYL, IC, MD, FL (All t	ubes approved for ste	eel) IC = Improved Cylinder MD =	Modified IM = Improv	ved Modified FL = Full									

MODEL 11-87" SPORTS	MAN [™] M	AGNUM	SHOTGUN	DIMENSIONS / A	VERAGE WEIGHT	S							
MODEL	GAUGE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE ³	SIGHTS	METAL FINISH	OVERALL Length	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK Material	STOCK FINISH	AVG. WT. (LBS.)
11-87" Sportsman" Synthetic	12 12 20 20	4	28"/ 29879 26"/ 29881 28"/ 29825 26"/ 29827	Vent Rib Rem [®] Choke Mod ²	Single Bead	Matte Black, Non-Reflective	48" 46" 48" 46"	14"	1 ½"	2 ½"	Synthetic	Matte Black	8 ½ 8 ½ 7 ½ 7 ½
7 11-87 Sportsman Camo	12 20	4	28"/ 29895 26"/ 29917	Vent Rib Rem™ Choke Mod²	Single Bead	Mossy Oak® New-Breakup®	41"	14"	1 ½"	1 1/8"	Synthetic	Mossy Oak® New-Breakup®	8 ½ 7 ½
11-87" Sportsman" Synthetic Deer	12 20	4	21"/ 29858 ¹ 21"/ 29877 ¹	Fully Rifled	Cantilever Scope Mount	Matte Black, Non-Reflective	41"	14"	1 ½"	1 1/8"	Synthetic	Matte Black	8 ½ 7 ½
11-87" Youth Sportsman" Synthetic	20	4	21"/ 29891	Vent Rib Rem™ Choke Mod ²	Single Bead	Matte Black, Non-Reflective	40 1/4"	13"	1 ½"	2 1/2"	Synthetic	Matte Black	6 ½

ı	MODEL 11-87 [™] SI	PECIA	L PURPOS	E SHOTGU	N DIMENSIONS / A	VERAGE \	WEIGHTS							
	MODEL	GAUGE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK Material	STOCK FINISH	AVG. WT. (LBS.)
	11-87™ SP™ Thumbhole	12	4	21"/ 29919	Fully Rifled	Cantilever	Matte Black Non-Reflective	43"	14"	1 ½"	2 1/2"	Laminate	Satin	8 1/4
	11-87" SP-T" Super Magnum Thumbhole	(3 ½") ¹	3(3 ½") 4(2 ¾" & 3")	23"/ 29517	Rem [™] Choke ^{2,3}	Tru-Glo®	Mossy Oak® Obsession®	43"	14"	1 ½"	2 1/2"	Laminate	Mossy Oak® Obsession®	8
	11-87" SPS-T" Super Magnum	12 (3 ½")	3(3 ½") 4(2 ¾" & 3")	23"/ 29519	Rem [™] Choke ^{2,3}	Twin Bead	Mossy Oak® Obsession®	43"	14"	1 ½"	2 1/2"	Synthetic	Mossy Oak® Obsession®	8
w	11-87" SPS" Super Mag Waterfowl	12 (3 ½")	3 (3 ½") 4(2 ¾" & 3")	30"/ 83600	Vent Rib Rem [™] Choke ⁴	HiViz®	Mossy Oak® Duck Blind ™	50 1/4"	14"	1 ½"	2 1/2"	Synthetic	Mossy Oak [®] Duck Blind™	8 1/4
	11-87" SPS" Super Mag Camo ³	12 (3 ½")	3 (3 ½") 4(2 ¾" & 3")	28"/ 29513	Vent Rib Rem [™] Choke ⁴	Twin Bead	Mossy Oak® Obsession®	48"	14"	1 ½"	2 1/2"	Synthetic	Mossy Oak® Obsession®	8 1/4
	11-87" SPS" Super Mag	12 (3 ½")	3(3 ½") 4(2 ¾" & 3")	28"/ 25337 26"/ 25339	Vent Rib Rem [™] Choke ^{1,5}	Twin Bead	Matte Black, Non-Reflective	48" 45 ³ ⁄4"	14"	1 ½"	2 1/2"	Synthetic	Matte Black	8 ½ 8 ½

1 NOTE: Model 11-87" Super Magnum" shotguns with a Rem" Choke vent rib barrel come equipped with Improved Cylinder, Modfied and Full Rem" Choke tubes.

2 NOTE: Model 11-87" SPS-T and Model 11-87" SPS-T and Model 11-87" SPS-T and Model 11-87" SPS-T and Model 11-87 Super Magnum shave 3 // chambers except Deer barrel which has 3" chamber. Super Magnums can shoot 2 //, 3" and 3 // shells interchangeably.

4 WARNING: Model 11-87 barrels and Model 11-87 Super Magnum shave 3 // chambers except Deer barrel which has 3" chamber. Super Magnums can shoot 2 //, 3" and 3 // shells interchangeably.

1 Model 11-87" Deer barrels are not equipped with a pressure-compensating gas system, and will not function with target or light field loads. 2 NOTE: All Model 11-87" Sportsman" shotguns with a Rem" Choke barrel come equipped with Modfied Rem" Choke tubes.

	MODEL SP-10"	MAGNU	JM AUTOLO	ADING SH	OTGUN DIMENSIO	DNS / AVE	RAGE WEIGHTS							
	MODEL	GAUGE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK Material	STOCK FINISH	AVG. WT. (LBS.)
	SP-10 [~] Magnum ²	10	2	30"/ 24808	Vent Rib Rem [™] Choke ¹	Twin Bead	Matte Black Non Reflect.	51 ½"	14"	1 ½"	2 1/2"	American Walnut	Satin	11
NEW	$\text{SP-10}^{\sim} \text{ Thumbhole Camo}^2$	10	2	23"/ 81000	Rifle Sight Rem® Choke ⁴	FireSights	Mossy Oak® Obsession®	44 1/2"	14 ½"	1 5/8"	13/4"	Laminate	Mossy Oak® Obsession®	11
NEW	SP-10™ Waterfowl Camo ²	10	2	26"/ 81001	Vent Rib Rem [™] Choke ³	HiViz®	Mossy Oak® Duck Blind™	47 1/2"	14"	1 ½"	2 1/2"	Synthetic	Mossy Oak® Duck Blind™	10 1/8
	SP-10™ Camo RC/VT ²	10	2	26"/ 24828	Vent Rib Rem [™] Choke ¹	Twin Bead	Mossy Oak® Obsession®	47 1/2"	14"	1 ½"	2 1/2"	Synthetic	Mossy Oak® Obsession®	103/4

1 Model SP-10° shotguns supplied with Full and Mod Rem[®] Choke tubes. 2 IMPORTANT NOTE: Cirical components — including the barrel, bolt assembly and trigger plate assembly of the Remington Model SP-10[®] and other manufacturers' 10-gauge shotguns — are not interchangeable. 3 NOTE: Supplied with (3) Briley Rem[™] choke waterfowl tubes — decoying, intermediate and pass shooting (ported) non-toxic approved. 4 NOTE: Supplied with Briley Straight Rifled Turkey Tube.

MODEL	GAUGE/BORE ²	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK Material	STOCK FINISH	AVG. WT. (LBS.)
Wingmaster®	12	4	30"/ 26925 28"/ 26927 26"/ 26929	Light Contour Vent Rib Rem Choke 1	Twin Bead	High Polish Blued	50 ½" 48 ½" 46 ½"	14 1/4"	1 ½"	2 1/2"	American Walnut	Hi-Gloss	7 ½ 7 6 ¾
Wingmaster®	20	4	28"/ 26947 26"/ 26949	Vent Rib Rem $^{\sim}$ Choke 1	Twin Bead	High Polish Blued	48 ½" 46 ½"	14"	1 ½"	2 1/2"	American Walnut	Satin (28") Hi-Gloss (26")	6 ½ 6 ¾
Wingmaster®	28 (2 3/4")	4	25"/ 24983	Vent Rib Rem™ Choke ¹	Twin Bead	High Polish Blued	45 1/2"	14"	1 ½"	2 1/2"	American Walnut	Satin	6
Wingmaster®	410 Bore (3")	4	25"/ 24991	Vent Rib Modified	Twin Bead	High Polish Blued	45 1/2"	14"	1 1/2"	2 1/2"	American Walnut	Satin	6

1 NOTE: All Model 870" Wingmaster* and Model 870" Wingmaster* Super Magnum' shotguns with a Rem" Choke barrel come equipped with Improved Cylinder, Modified and Full Rem" Choke tubes.
2 Model 870" Wingmaster* shotguns have 3" chambers, unless otherwise noted, and will cycle 2½" and 3" shotshells. 410 bore will cycle both 2½" and 3" shotshells.

MODEL 870	EXP	RESS® (COMBO SHOTGUN DIME	NSIONS / AVERAGE W	/EIGHTS								
MODEL	gauge ¹	MAG. Capacity	BBL LENGTH/ORDER NO.	BARREL TYPE	SIGHTS	METAL Finish	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK Material	STOCK FINISH	AVG. WT. (LBS.)
870" Express® Turkey-Deer Combo	12 (3")	4 (2 ³ ⁄4" & 3")	21"(Vent Rib)/25663 23"(Fully Rifled Deer)/25663	Vent Rib Rem® Choke (Turkey Extra Full) Fully Rifled Deer	Twin Bead (Vent Rib) Cantilever Scope Mount (Deer BBL)	Matte Black Non-Reflect	42 ½" (Vent Rib) 43 ¼" (Deer BBL)	14"	1 1/2"	2 1/2"	Synthetic	Mossy Oak® Break-Up®	7 1/4 (Vent Rib) 8 (Deer BBL)
870" Express® Combo	12	4	28"(Vent Rib)/20" (Imp. Cyl. Deer)/25571 26"(Vent Rib)/20" (Fully Rifled Deer)/25578	Vent Rib Rem Choke (Mod.) I.C. Deer or Fully Rifled Deer	Single Bead (Vent Rib) Rifle Sights (Deer BBL)	Matte Black Non-Reflect	48 ½", 46 ½" (Vent Rib) 40 ½" (Deer BBL)	14"	1 1/2"	2 1/2"	Laminate	Satin	7 ½ (Vent Rib) 7 ¼ (Deer BBL)
870" Express® Combo	20	4	28"(Vent Rib)/20" (Imp. Cyl. Deer)/25585 26"(Vent Rib)/20" (Fully Rifled Deer)/25597	Vent Rib Rem Choke (Mod.) I.C. Deer or Fully Rifled Deer	Single Bead (Vent Rib) Rifle Sights (Deer BBL)	Matte Black Non-Reflect	48 ½", 46 ½" (Vent Rib) 40 ½" (Deer BBL)	14"	1 1/2"	2 1/2"	Laminate	Satin	6 ½ (Vent Rib) 6 ½ (Deer BBL)
870" Express® Syn. Youth Combo	20	4	21"(Vent Rib)/25659 20"(Fully Rifled)/25659	Vent Rib Rem Choke (Mod.) Fully Rifled	Single Bead (Vent Rib) Rifle Sights (Deer BBL)	Matte Black Non-Reflect	40 ½" (Vent Rib) 39 ½" (Deer BBL)	13"	1 1/2"	2 1/4"	Synthetic	Matte Black	6 (Vent Rib) 6 (Deer BBL)

1 Model 870" Express® shotguns have 3" chambers, unless otherwise noted, and will cycle 2 3/4" and 3" shotshells.

NEW NEW

 ${\it 3 Model 11-87^- Sportsman $^{\circ}$ shotguns have 3° chambers and will cycle $2^{\circ}/4^{\circ}$ and 3° shotshells.}$

SHOTGUN SPECIFICATIONS

MODEL	gauge ¹	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL Length	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK Material	STOCK FINISH	AVG. WT (LBS.)
870° Express®	12	4	28"/ 25568 26"/ 25569	Vent Rib Rem [™] Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 ½" 46 ½"	14"	1 1/2"	2 1/2"	Laminate	Satin	7 ½ 7 ¼
870™ Express®	20	4	28"/ 25583 26"/ 25582	Vent Rib Rem® Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 ½" 46 ½"	14"	1 1/2"	2 1/2"	Laminate	Satin	6 ½ 6 ¼
870" Express® Youth	16 20	4	23"/ 25203 21"/ 25561	Vent Rib Rem® Choke (Mod)	Single Bead	Matte Black Non-Reflect	40 1/2"	13"	1 ½"	2 1/4"	Laminate	Satin	6 1/2
870™ Express® Synthetic	12	4	28"/ 25587 26"/ 25589	Vent Rib Rem® Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 ½" 46 ½"	14"	1 1/2"	2 1/2"	Synthetic	Matte Black	7 ½ 7 ¼
870° Express® Turkey Camo	12	4	21"/ 25152	Vent Rib Rem Č Choke Turkey (Extra Full)	Twin Bead	Matte Black Non-Reflect	42 1/2"	14"	1 1/2"	2 1/2"	Synthetic	Mossy Oak® Break-Up®	7 1/4
870 Express® Jr. Jakes Gun	20	4	18 3/4"/ 26443	Vent Rib Rem ⁻ Choke (Full)	Single Bead	Matte Black Non-Reflect	37 1/4"	12"	1 1/2"	2"	Laminate	Mossy Oak® Break-Up®	6
870" Express® Turkey	12	4	21"/ 25573	Vent Rib Rem™ Choke (Extra Full)	Twin Bead	Matte Black Non-Reflect	42 1/2"	14"	1 1/2"	2 1/2"	Laminate	Satin	7 1/4
870" Express® Turkey Youth	20	4	21"/ 25157	Vent Rib Rem® Choke (Full)	Twin Bead	Matte Black Non-Reflect	40 1/2"	13"	1 1/2"	2 1/4"	Synthetic	Mossy Oak® Break-Up®	6
870" Express® Synthetic Fully Rifled Deer	12	4	20"/ 25097	Fully Rifled	Rifle Sights	Matte Black Non-Reflect	40 1/2"	14"	1 1/2"	1 ⁷ /8"	Monte Carlo Synthetic	Matte Black	7
870° Express® Deer	12	4	20"/ 25565	Fixed Imp. Cyl. Choke	Rifle Sights	Matte Black Non-Reflect	40 ½"	14"	1 1/2"	1 ⁷ /8"	Monte Carlo Laminate	Satin	7 1/4
870™ Express® Deer Youth	20	4	20"/ 25555	Fully Rifled	Rifle Sights	Matte Black Non-Reflect	39 1/2"	13"	1 1/2"	2 1/4"	Laminate	Satin	6
770™ Express® Fully Rifled Deer	12	4	20"/ 25575	Fully Rifled	Rifle Sights	Matte Black Non-Reflect	40 ½"	14"	1 1/2"	1 ⁷ /8"	Monte Carlo Laminate	Satin	7 1/4
870° Express® Synthetic Fully Rifled Cantilever	12 20	4	23"/ 25090 18 ¹ / ₂ "/ 25183	Fully Rifled Heavy Contour Fully Rifled	Cantilever Scope Mount	Matte Black Non-Reflect	43 ½" 38 ¾"	14"	1 1/2"	1 ⁷ /8"	Monte Carlo Synthetic	Matte Black	8 7 ½
370" Express® Left Hand	12	4	28"/ 25577	Vent Rib Rem Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 1/2"	14"	1 1/2"	2 1/2"	Laminate	Satin	7 1/2
70° Express® Synthetic 18"	12	4	18"/ 25549	Fixed Cylinder Choke	Single Bead	Matte Black Non-Reflect	38 1/2"	14"	1 1/2"	2 1/2"	Synthetic	Matte Black	7 1/4
870 ⁻ Express® Synthetic with 7-Round Capacity ²	12 20	6	18"/ 25077 18"/ 81100	Fixed Cylinder Choke	Single Bead	Matte Black Non-Reflect	38 ½"	14"	1 ½"	2 1/2"	Synthetic	Matte Black	7 ½ 6 ³/s

1 Model 870" Express® shotguns have 3" chambers, unless otherwise noted, and will cycle 2 3/4" and 3" shotshells. 2 Supplied with sling swivel studs.

MODEL	GAUGE ²	MAG. Capacity	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK Material	STOCK FINISH	AVG.WT. (LBS.)
870" Express® Super Mag Turkey	12 (3 ½")	3 (3 ½") 4 (2 ¾" & 3")	23"/ 25106	Vent Rib Rem [™] Choke (Turkey Extra Full)	Twin Bead	Matte Black Non-Reflect	44 1/2"	14"	1 1/2"	2 1/2"	Synthetic	Matte Black	`7 1/4
870" Express® Super Mag Turkey Camo	12 (3 ½")	3 (3 ½2") 4 (2 3/4" & 3")	23"/ 25131	Vent Rib Rem [®] Choke (Turkey Extra Full)	Twin Bead	Mossy Oak® Break-Up®	44 1/2"	14"	1 1/2"	2 1/2"	Synthetic	Mossy Oak® Break-Up®	7 1/4
870" Express® Super Mag Waterfowl Camo ³	12 (3 ½")	3 (3 ½") 4 (2 ¾" & 3")	30"/ 81101	Vent Rib Rem Choke (Turkey Extra Full)	Twin Bead	Mossy Oak® Duck Blind™	50"	14"	1 1/2"	2 1/2"	Synthetic	Mossy Oak® Duck Blind™	7 5/8
870™ Express® Super Mag	12 (3 ½")	3 (3 ½') 4 (2 ¾' & 3")	28"/ 25100	Vent Rib Rem Choke (Mod)	Single Bead	Matte Black Non-Reflect	48"	14"	1 1/2"	2 1/2"	Laminate	Satin	7 1/2
870" Express® Super Mag Synthetic	12 (3 ½")	3 (3 ½") 4 (2 ¾" & 3")	26"/ 25102 28"/ 25103	Vent Rib Rem ⁻ Choke (Mod)	Single Bead	Matte Black Non-Reflect	46" 48"	14"	1 1/2"	2 1/2"	Synthetic	Matte Black	7 ½ 7 ½
870" Express® Super Mag Combo	12 (3 ½") ¹	3 (3 ½") 4 (2 ¾" & 3")	26"/ 25114 20"/	Vent Rib Rem [®] Choke (Mod) Fully Rifled (Deer)	Single Bead (Vent Rib) Rifle Sights (Deer)	Matte Black Non-Reflect	46" (VR) 40 ½" (Deer)	14"	1 1/2"	2 1/2"	Laminate	Satin	7 1/4

MODEL 870" SPECIAL	- PURPOS	E SHOTGUN DIM	ENSIONS /	AVERAGE WEIGH	TS								
MODEL	GAUGE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL Length	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK Material	STOCK FINISH	AVG. WT. (LBS.)
870" SP-T" Super Mag Thumbhole ³	12 (3 ½") ¹	3 (3 ½"), 4 (2 ¾" & 3")	23"/ 25189	Rifle Sight Rem [™] Choke ²	Tru-Glo®	Mossy Oak® Obsession®	44 ½"	14 ½"	1 5/8"	23/4"	Laminate	Mossy Oak® Obsession®	81/8
870" SP" Thumbhole	12 (3") ¹	4(23/4" & 3")	23"/ 25005	Fully Rifled	Cantilever Scope	Matte Black, Non-Reflective	44 ½"	14 ½"	1 5/8"	23/4"	Laminate	Satin	8 1/8
870" SPS Super Mag Camo ³ MAX Gobbler"	12 (3 ½") ¹	3 (3 ½"), 4 (2 ¾ & 3")	23"/ 81060	Rifle Sight Rem ^{**} Choke ²	Fire Sights	Realtree® APG™ HD™	44 1/2"	Adj.	1 ½"	2 1/2"	Synthetic	Realtree® APG~ HD~	7 1/4
870" SPS-T Super Mag Camo ³	12 (3 ½") ¹	3 (3 ½"), 4 (2 ¾ & 3")	23"/ 25007	Vent Rib Rem [™] Choke ²	Twin Bead	Mossy Oak® Obsession®	44 1/2"	14"	1 ½"	2 1/2"	Synthetic	Mossy Oak® Obsession®	7 1/4
870" Special Purpose Super Mag Synthetic Camo ³	12 (3 ½") ¹	3 (3 ½"), 4 (2 ¾" & 3")	26"/ 24953 28"/ 24955	Vent Rib Rem [™] Choke ⁴	Twin Bead	Mossy Oak® Obsession®	44 ½"	14"	1 ½"	2 1/2"	Synthetic	Mossy Oak® Obsession®	7 ½

1 All 3" and 3 ½" chambers also handle 2½" shells. 2 Note: Supplied with Turkey Super Full choke tube. 3 Note: All Model 870" Super Magnums have 3½" chambers except Deer barrel which has 3" chamber. Super Magnums can shoot 2½", 3" and 3½" shells interchangeably. 4 Note: Supplies with Modified, Improved Cylinder and Full Rem™ Choke Tubes.

MODEL 870 [™] SPECIA	L PURP	OSE MAR	INE MAGNU	JM" SHOTGUN	DIMENSION	S / AVERAGE WEIGHTS	3						
MODEL	GAUGE	MAG. Capacity	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL Length	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK Material	STOCK FINISH	AVG.WT. (LBS.)
870~ Marine Magnum® ²	12 1	6	18"/ 25012	Cylinder Choke	Single Bead	Electroless Nickel-Plated	38 ½"	14"	1 ½"	2 1/2"	Synthetic	Matte Black	7 ½
1 Model 870" Marine Magnum® shotguns	have 3" chamb	ers and will cycle 2	3/4" and 3" shotshells o	nly. 2 Will not accept law e	enforcement accessories.	-							

MODEL 870° XCS MA	ARINE M	IAGNUM"	SHOTGUN	DIMENSIONS ,	/ AVERAGE WI	EIGHTS							
MODEL	GAUGE	MAG. Capacity	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK Material	STOCK FINISH	AVG.WT. (LBS.)
870™ XCS Marine Magnum®	12 1	6	18"/ 81308	Cylinder Choke	Single Bead	Black TriNyte	38 ½"	14"	1 ½"	2 1/2"	Synthetic	Matte Black	7 ½
1 Model 870" Marine Magnum® shotguns	have 3" chamb	ers and will cycle 2	3/4" and 3" shotshells o	nly.									

MODEL SI	PR310 [™] OV	ER & UN	IDER SHO	TGUN DIME	ENSIONS	/ AVERAG	E WEIGH	TS								
MODEL	ORDER NO.	GAUGE	CHAMBER	BBL Length	TRIGGER	EJECTOR EXTRACTOR	RECEIVER	RIB	STOCK/ Fore-end	BUTT	CHOKE	OA LENGTH	LOP	DC	DH	WT (LBS.)
	89566	12	3"	26"			Nickel				SC-4	43 1/2"				7 1/2
	89560	12	3"	28"			Blue				SC-4	45 1/2"				7 1/2
	89576	12	3"	28"			Nickel				SC-4	45 1/2"				7 1/2
SPR310	89700	20	3"	26"	SST	ASE	Blue	VT	Walnut	Pad	SC-4	43 1/2"	14 1/2"	1 1/2"	2 1/2"	7 1/2
31 1/310	89716	20	3"	26"	331	ASL	Nickel	VI.	wantut	1 au	SC-4	43 1/2"	14 /2	1 /2	2 /2	7 1/2
	89704	20	3"	28"			Nickel				SC-4	45 1/2"				7 1/2
	89744	28	2 3/4"	26"			Blue				IC/MD	43 1/2"				7 1/4
	89784	410	3"	26"			Blue				IM/FL	43 1/2"				7 1/4
SPR310S	89570	12	211	29 1/2" Ported	SST	ASE	Nickel	VT	Walnut	Pad	SC-4	47"	14 1/2"	1 1/2"	2 1/2"	7 1/2
9LK9102	89702	20	3	28 1/2" Ported	331	WOE	INICKEI	VI	walliut	rau	36-4	46"	14 '/2	1 '/2	L 1/2	1 -/2

SST = Single Selective Tingger VT = Vent Rib SC-4 = CYL, IC, MD, FL (CYL and IC are approved for steel) IC = Improved Cylinder MD = Modified IM = Improved Modified FL = Full ASE = Automatic Selective Ejector EXT = Extractor 310S = Sporting Model with Ported Barrels, Right-Hand Palm Swell, Target Fore-end, Wide Rib

MODEL	ORDER NO.	GAUGE	CHAMBER	BBL LENGTH	TRIGGER	EJECTOR Extractor	RECEIVER	RIB	STOCK/ Fore-end	BUTT	СНОКЕ	OA LENGTH	LOP	DC	DH	WT (LBS.)
SINGLE TRIGGER																
	89524	12	3"	26"			Nickel				SC-4	41 3/4"				6 3/4
	89522	12	3"	28"			Nickel				SC-4	43 3/4"				7
SPR210	89520	12	3"	28"			Nickel				SC-4	43 3/4"				7
3PK210	89682	20	3"	26"	SST	ASE	Nickel	SR	Walnut	Pad	SC-4	41 3/4"	14"	1 1/2"	2 1/2"	6 3/4
	89680	20	3"	26"			Nickel				SC-4	41 3/4"				6 3/4
	89724	28	2 3/4"	26"			Nickel				IC/MD	41 3/4"				6 3/4
	89774	410	3"	26"			Nickel				IM/FL	41 3/4"				6 3/4
OUBLE TRIGGER																
	89548	12	2 3/4"	20"	DT		Blue		Hardwood	Plate	CYL/CYL	35 3/4"				6 1/2
	89546	12	2 3/4"	20"	DT/FH		Blue		Walnut	Steel	SC-4	35 3/4"				6 1/2
CDD220	89540	12	3"	28"	DT	FVT	Blue	SR	Hardwood	Plate	CYL/CYL	43 3/4"	10 1/11	1 1/2"	0.1/11	7
SPR220	89552	12	2 3/4"	20"	DT	EXT	Nickel	2K	Walnut	Pad	SC-4	35 3/4"	13 1/2"	1 '/2"	2 1/2"	6 1/2
	89694	20	3"	20"	DT		Nickel		Walnut	Pad	SC-4	35 3/4"				6 1/4
	89690	20	3"	26"	DT		Nickel		Walnut	Pad	SC-4	41 3/4"				6 1/4

MODEL SPR	100° SIN	GLE-SH	OT SHOTO	GUN DIMEN	ISIONS / A	AVERAGE	WEIGHTS									
MODEL	ORDER NO.	GAUGE	CHAMBER	BBL Length	TRIGGER	EJECTOR Extractor	RECEIVER	RIB	STOCK/ Fore-end	BUTT	CHOKE	OA LENGTH	LOP	DC	DH	WT (LBS.)
	89504	12		29 1/2"			Nickel	VT	Walnut	Pad	SC-4	44 1/2"				6 1/2
SPR100	89500	12	3"	28"	ST	EJC/EXT	Blue	BS	Hardwood	Plate	MD	44 1/2"	14"	1"	1 1/2"	6 1/2
	89670	20	3	26"	31	DO/DO	Blue	BS	Hardwood	Plate	MD	43 1/2"	14	1	1 /2	6 1/2
	89790	410		26"			Blue	BS	Hardwood	Pad	IM	43 1/2"				6 1/2
SPR100 (Youth)	89760	410	3"	24"	ST	EJC/EXT	Blue	BS	Hardwood	Pad	IM	43 1/2"	13"	1"	1 1/2"	6 1/4
ST = Single Trigger EJ	IC/EXT = Selective E	Ejector/Extractor	r VT = Vent Rib	BS = Bead Sight Si	C-4 = CYL, IC, MD, I	L (CYL and IC are ap	proved for steel) IC	= Improved Cylin	der MD = Modified	IM = Improved	Modified FL =	Full * Youth mod	el fitted w/rubbei	r recoil pad.		

MODEL	ORDER NO.	GAUGE / CALIBER	CHAMBER	BBL Length	TRIGGER	EJECTOR EXTRACTOR	RECEIVER	STOCK/ Fore-end	BUTT	CHOKE	OA LENGTH	LOP	DC	DH	WT (LBS.)
	89392	410 / 22 LR			SST										7 1/2
CDD04	89394	410 / 22 WMR	3"	24"	SST	EXT	Blue	Walnut	Pad	SC-3	40 1/2"	14 1/4"	1 1/2"	2 1/2"	7 1/2
SPR94	89330	12 / 223 Remington			DT										8
	89942	223 Remington													
	89944	243 Win													
SPR18N	89946	270 Win	_	23 1/2"	ST	EXT	Nickel	Walnut	Pad		39 3/4"	14"	1 1/2"	2 1/4"	6 ³/4
SEKTON	89948	30-06 Sprg		23 /2	31	EAI	MICKEI	walliut	rau	_	39 /4	14	1 /2	Z /4	0 /4
	89950	308 Win													
	89952	7.62x39mm													
	89930	223 Remington													
	89932	243 Win													
SPR18	89918	270 Win	_	23 1/2"	ST	EXT	Nickel	Walnut	Pad	_	39 3/4"	14"	1 1/2"	2 1/4"	63/4
Blued	89922	30-06 Sprg		23 /2	31	EAI	MICKEI	walliut	rau	_	39 /4	14	1 /2	Z /4	0 /4
	89934	308 Win													
	89928	7.62x39mm													

	TACTICAL SHOTGUN	DIMENS	SIONS /	AVERAGE V	VEIGHTS									
	MODEL	GAUGE	MAG. Capacity	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL Finish	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
NEW	870™ TAC-2 SpecOps™ Stock	12	6	18"/ 81400	Fixed Cylinder	Single Bead	Blasted Black Oxide	Adj.	Adj.	1 1/2"	2 1/2"	Synthetic	Matte Black	7
NEW	870" TAC-3 SFIV Stock	12	7	20"/ 81401	Fixed Cylinder	Single Bead	Blasted Black Oxide	38 ½"	14"	1 1/2"	2 1/2"	Synthetic	Matte Black	7 ½
NEW	870" TAC-2 Folding Stock	12	6	18"/ 81402	Adj.	Adj.	_	_	Synthetic	Matte Black	6 1/8			
NEW	870" TAC-3 Folding Stock	12	7	20"/ 81403	Fixed Cylinder	Single Bead	Blasted Black Oxide	Adj.	Adj.	_	_	Synthetic	Matte Black	7
NEW	1100" TAC-2 SFIV Stock	12	6	18"/ 82800	Fixed Imp. Cylinder	Single Bead	Blasted Black Oxide	38 1/2"	14"	1 1/2"	2 1/2"	Synthetic	Matte Black	7 ½
NEW	1100" TAC-4	12	8	22"/ 82801	Rem™ Choke ¹	Single Bead	Blasted Black Oxide	42 1/2"	14"	1 1/2"	2 1/2"	Synthetic	Matte Black	7 3/4
	1 Note: Sunnlies with Modified Improved	Cylinder and Fui	II Rem™ Choke	Tuhes										

NEW

RIFLE SPECIFICATIONS -

MODEL	700" BDL"												
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL Material	BARREL Finish	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
25787	243 Win	4	22"	9 1/8"	41 %"	13 %"	1"	1 5/8"	Carbon Steel	Polished Blue	American Walnut	Gloss	7 1/4
25791	270 Win	4	22"	10"	42 1/2"	13 3/8"	1"	1 5/8"	Carbon Steel	Polished Blue	American Walnut	Gloss	7 3/8
25803	7mm Remington Mag	3	24"	9 1/4"	44 1/2"	13 3/8"	1"	1 %"	Carbon Steel	Polished Blue	American Walnut	Gloss	7 ½
25793	30-06 Springfield	4	22"	10"	44 1/2"	13 3/8"	1"	1 5/8"	Carbon Steel	Polished Blue	American Walnut	Gloss	7 3/8
26410	300 Remington Ultra Mag	3	26"	10"	46 1/2"	13 %"	1"	1 5/8"	Carbon Steel	Polished Blue	American Walnut	Gloss	7 %

MODEL	700° CDL°												
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL Material	BARREL Finish	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
27101 (L)	223 Remington	5	24"	12"	43 %"	13 ½"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 3/8
27007 (R)	243 Win	4	24"	9 1/8"	43 5/8"	13 1/2"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 %
27103 (L)	243 Win	4	24"	9 1/8"	43 5/8"	13 ½"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 %
27009	25-06 Remington	4	24"	10"	44 1/2"	13 ½"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ½
27011 (R)	270 Win	4	24"	10"	44 1/2"	13 ½"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ½
27105 (L)	270 Win	4	24"	10"	44 1/2"	13 1/2"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ½
27015	7mm-08 Remington	4	24"	9 1/4"	43 5/8"	13 ½"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 3/8
27047 (R)	7mm Remington Mag	3	26"	9 1/4"	46 1/2"	13 ½"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 %
27109 (L)	7mm Remington Mag	3	26"	9 1/4"	46 1/2"	13 1/2"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 1/8
27051	7mm Remington Ultra Mag	3	26"	9 ½"	46 1/2"	13 ½"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 1/8
27017 (R)	30-06 Springfield	4	24"	10"	44 1/2"	13 ½"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ½
27107 (L)	30-06 Springfield	4	24"	10"	44 1/2"	13 ½"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ½
27049	300 Remington Mag	3	26"	10"	46 1/2"	13 ½"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 1/8
27053 (R)	300 Remington Ultra Mag	3	26"	10"	46 1/2"	13 ½"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 %
27111 (L)	300 Remington Ultra Mag	3	26"	10"	46 1/2"	13 ½"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 %
27019	35 Whelen	4	24"	16"	44 1/2"	13 ½"	1 1/8"	1 3/8"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ½
(I) Loft bond n	nodel (D) Dight hand model												

(L) Left-hand model. (R) Right-hand model.

	MODEL	700 CDL 3F												
	ORDER NO.	CALIBER	MAG. Capacity	BARREL Length	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL Material	BARREL Finish	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
NEW	84010 *	17 Remington Fireball	4	24"	9"	43 5/8"	13 ½"	1 1/8"	1 3/8"	416 Stainless	Satin Stainless	American Walnut	Satin	7 3/8
NEW	84014	270 Win	4	24"	10"	45 1/2"	13 ½"	1 1/8"	1 3/8"	416 Stainless	Satin Stainless	American Walnut	Satin	7 ½
NEW	84013	270 WSM	3	24"	10"	43 1/8"	13 ½"	1 1/8"	1 3/8"	416 Stainless	Satin Stainless	American Walnut	Satin	7 3/8
NEW	84012	7mm-08 Remington	4	24"	9 1/4"	43 1/8"	13 ½"	1 1/8"	1 3/8"	416 Stainless	Satin Stainless	American Walnut	Satin	7 3/8
NEW	84016	7mm Remington Mag	3	26"	9 1/4"	46 1/2"	13 1/2"	1 1/8"	1 3/8"	416 Stainless	Satin Stainless	American Walnut	Satin	7 %
NEW	84015	30-06 Springfield	4	24"	10"	44 1/2"	13 ½"	1 1/8"	1 3/8"	416 Stainless	Satin Stainless	American Walnut	Satin	7 ½
NEW	84017	300 WSM	3	24"	10"	43 %"	13 1/2"	1 1/8"	1 3/8"	416 Stainless	Satin Stainless	American Walnut	Satin	73/8
	* Model 700 CL	DL SF Limited Edition												

	MODEL :	700" ALASKAN Ti (Titanium	Receiv	er)									
	ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL Material	BARREL Finish	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
NEW	84261	25-06 Remington	4	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Satin Stainless	Carbon-Fiber Synthetic	Matte	6 1/4
NEW	84262	270 Win	4	24"	10"	44 ½"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Satin Stainless	Carbon-Fiber Synthetic	Matte	6 1/4
NEW	84267	270 WSM	3	24"	10"	43 %"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Satin Stainless	Carbon-Fiber Synthetic	Matte	6
NEW	84263	280 Remington	4	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Satin Stainless	Carbon-Fiber Synthetic	Matte	6 1/4
NEW	84260	7mm-08 Remington	4	24"	9 1/4"	43 %"	13 ¾"	1 1/8"	1 3/8"	416 Stainless	Satin Stainless	Carbon-Fiber Synthetic	Matte	6
NEW	84265	7mm Remington Mag	3	24"	9 1/4"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Satin Stainless	Carbon-Fiber Synthetic	Matte	6 1/4
NEW	84264	30-06 Springfield	4	24"	10"	44 ½"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Satin Stainless	Carbon-Fiber Synthetic	Matte	6 1/4
NEW	84266	300 Win Mag	3	24"	12"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Satin Stainless	Carbon-Fiber Synthetic	Matte	6 1/4
NEW	84268	300 WSM	3	24"	10"	43 5/8"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Satin Stainless	Carbon-Fiber Synthetic	Matte	6

	MODEL 7	700° SPS°												
	ORDER NO.	CALIBER	MAG. Capacity	BARREL Length	TWIST — R-H 1 TURN IN	OVERALL Length	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL Material	BARREL Finish	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
NEW	84200	17 Remington Fireball	4	24"	9"	43 5/8"	13 ¾"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 1/4
	27475 Youth	243 Win	4	20"	9 1/8"	39 %"	12 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7
ĺ	27355	243 Win	4	24"	9 1/8"	43 5/8"	13 ¾"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 1/4
l	27361	270 Win	4	24"	10"	44 1/2"	13 ¾"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 3/8
l	27331	270 WSM	3	24"	10"	43 %"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 3/8
NEW	27391 Youth	7mm-08 Remington	4	20"	9 1/4"	39 %"	12 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7
İ	27357	7mm-08 Remington	4	24"	9 1/4"	43 %"	13 ¾"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 1/4
	27385	7mm Remington Mag	3	26"	9 1/4"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 %
l	27363	30-06 Springfield	4	24"	10"	44 1/2"	13 ¾"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 3/8
l	27333	300 WSM	3	24"	10"	43 %"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 3/8
	27387	300 Win Mag	3	26"	10"	46 1/2"	13 ¾"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 5/8
İ	27359	308 Win	4	24"	10"	43 5/8"	13 ¾"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 1/4
	27389	300 Remington Ultra Mag	3	26"	10"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 %

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL Material	BARREL FINISH	STOCK MATERIA	STOCK FINISH	AVG.
27131	204 Ruger	5	24"	12"	43 5/8"	13 ¾"	1 1/8"	1 3/8"	416 Stainless	Matte Stainless	Black Synthet	ic Matte	7 1
27133	223 Remington	5	24"	12"	43 5%"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Matte Stainless	Black Synthet	ic Matte	7 1
27135	22-250 Remington	4	24"	14"	43 5%"	13 ¾"	1 1/8"	1 3/8"	416 Stainless	Matte Stainless	Black Synthet	ic Matte	7 !
27263	243 Win	4	24"	9 1/8"	43 5/8"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Matte Stainless	Black Synthet	ic Matte	7 !
27251	25-06 Remington	4	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Matte Stainless	Black Synthet	ic Matte	73
27267	270 Win	4	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Matte Stainless	Black Synthet	ic Matte	7
27253	270 WSM	3	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Matte Stainless	Black Synthet	ic Matte	7
27135	7mm-08 Remington	4	24"	9 1/4"	43 5%"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Matte Stainless	Black Synthet	ic Matte	7
27271	7mm Remington Mag	3	26"	9 1/4"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Matte Stainless	Black Synthet	ic Matte	7
27269	30-06 Springfield	4	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Matte Stainless	Black Synthet	ic Matte	7
27255	300 WSM	3	24"	10"	44 1/2"	13 ¾"	1 1/8"	1 3/8"	416 Stainless	Matte Stainless	Black Synthet	ic Matte	7
27273	300 Win Mag	3	26"	10"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Matte Stainless	Black Synthet	ic Matte	7
27136	308 Win	4	24"	10"	43 5/8"	13 ¾"	1 1/8"	1 3/8"	416 Stainless	Matte Stainless	Black Synthet	ic Matte	7
27140	300 Remington Ultra Mag	3	26"	10"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Matte Stainless	Black Synthet	ic Matte	7
MODEL :	700" SPS" DM												
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIA	STOCK AL FINISH	AVG (Li
27338	243 Win	4	24"	9 1/8"	43 5/8"	13 %"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthet	ic Matte	7
27335	270 Win	4	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthet	ic Matte	7
27341	7mm-08 Remington	4	24"	9 1/4"	43 5/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthet	ic Matte	7
27343	7mm Remington Mag	3	26"	9 1/4"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthet	ic Matte	7
27337	30-06 Springfield	4	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthet	ic Matte	7
27339	300 Win Mag	3	26"	10"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthet	ic Matte	7
MODEL 3	700" SPS" BUCKN	1ASTERS	® EDITI	ON									
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG (LI
84170	243 Win	4	24"	9 1/8"	43 5/8"	13 %"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Realtree® Hardwoods® HD™	7
84176 Youth	243 Win	4	20"	9 1/8"	39 %"	12 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Realtree® Hardwoods® HD™	
84172	270 Win	4	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Realtree® Hardwoods® HD™	7
84171	7mm-08 Remington	4	24"	9 1/4"	43 5/8"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Realtree® Hardwoods® HD™	7
84174	7mm Remington Mag	4	26"	9 1/4"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Realtree® Hardwoods® HD™	7
84173	30-06 Springfield	4	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Realtree® Hardwoods® HD™	7
84175	300 Win Mag	3	26"	10"	46 1/2"	13 ¾"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic	Realtree® Hardwoods® HD™	7
MODEL :	700" SPS" VARMII	NT											
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL Material	BARREL Finish	STOCK MATER	STOCK RIAL FINISH	AVG (L
84213	17 Remington Fireball	5	26"	9"	46 1/2"	13 %"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synth	etic Matte	8
84214	204 Ruger	5	26"	12"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synth	etic Matte	8
84216	22-250 Remington	4	26"	14"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synth	etic Matte	8
84215	223 Remington	5	26"	12"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synth	etic Matte	8
84217	243 Win	4	26"	9 1/8"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synth	etic Matte	8
84218	308 Win	4	26"	12"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Black Synthe	etic Matte	8

	MODEL	700° MOUNTAIN R	IFLE LSS	S										
	ORDER NO.	CALIBER	MAG. Capacity	BARREL Length	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL Material	BARREL Finish	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
	26281	270 Win	4	22"	10"	42 1/2"	13 ¾"	1 1/8"	1 1/8"	416 Stainless	Satin Stainless	Brown Laminated	Satin	6 5/8
NEW	84270	280 Remington	4	22"	10"	42 1/2"	13 3/8"	1 1/8"	1 1/8"	416 Stainless	Satin Stainless	Brown Laminated	Satin	6 5/8
	26285	7mm-08 Remington	4	22"	9 1/4"	41 5/8"	13 ¾"	1 1/8"	1 1/8"	416 Stainless	Satin Stainless	Brown Laminated	Satin	6 1/2
	26287	30-06 Springfield	4	22"	10"	42 1/2"	13 3/8"	1 1/8"	1 1/8"	416 Stainless	Satin Stainless	Brown Laminated	Satin	6 5/8

MODEL	700" VLS (LAMINA	TED STO	OCK)										
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL Length	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL Material	BARREL Finish	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
27467	204 Ruger	5	26"	12"	45 3/4"	13 ½"	1"	1 3/8"	Carbon Steel	Satin Blue	Brown Laminated	Satin	93/8
27491	223 Remington	5	26"	12"	45 3/4"	13 ½"	1"	1 3/8"	Carbon Steel	Satin Blue	Brown Laminated	Satin	9 3/8
27489	22-250 Remington	4	26"	14"	45 3/4"	13 ½"	1"	1 3/8"	Carbon Steel	Satin Blue	Brown Laminated	Satin	9 3/8
27493	6mm Remington	4	26"	9 1/8"	45 3/4"	13 ½"	1"	1 3/8"	Carbon Steel	Satin Blue	Brown Laminated	Satin	9 3/8
27495	243 Win	4	26"	9 1/8"	45 3/4"	13 ½"	1"	1 3/8"	Carbon Steel	Satin Blue	Brown Laminated	Satin	9 3/8
27499	308 Win	4	26"	12"	45 3/4"	13 ½"	1"	1 3/8"	Carbon Steel	Satin Blue	Brown Laminated	Satin	9 %

	MODEL	700 [™] VLSS THUMB	HOLE											
	ORDER NO.	CALIBER	MAG. Capacity	BARREL Length	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL Material	BARREL Finish	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
NEW	27443	204 Ruger	5	26"	12"	45 3/4"	13 ½"	1 1/4"	2 3/8"	Carbon Steel	Satin Blue	Brown Laminated	Satin	9 1/8
NEW	27447	22-250 Remington	4	26"	14"	45 3/4"	13 ½"	1 1/4"	2 3/8"	Carbon Steel	Satin Blue	Brown Laminated	Satin	9 1/8
NEW	27445	223 Remington	5	26"	12"	45 3/4"	13 ½"	1 1/4"	2 3/8"	Carbon Steel	Satin Blue	Brown Laminated	Satin	9 1/8

RIFLE SPECIFICATIONS —

	MODEL	700" VSF (VARMIN	IT SYNTH	HETIC F	LUTED)									
	ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL Length	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL Material	BARREL Finish	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
ЕW	84360 (R)	17 Remington Fireball	5	26"	9"	45 3/4"	13 %"	1 1/4"	1 ½"	Carbon Steel	Satin Blued	H.S. Precision Tan Amarid Fiber Reinf.	Matte	8 1/2
	27259 (R)	223 Remington	5	26"	12"	45 3/4"	13 3/8"	1 1/4"	1 ½"	Carbon Steel	Satin Blued	H.S. Precision Tan Amarid Fiber Reinf.	Matte	8 ½
27277 (L) 223 Remington 5 26" 12" 45 ¾" 13 ¾" 1 ½" Carbon Steel Satin Blued H.S. Precision Tan Amarid Fiber Reinf. Matte 8 ½														8 ½
	27257 (R)	22-250 Remington	4	26"	14"	45 3/4"	13 %"	1 1/4"	1 1/2"	Carbon Steel	Satin Blued	H.S. Precision Tan Amarid Fiber Reinf.	Matte	8 1/2
	27275 (L)	22-250 Remington	4	26"	14"	45 3/4"	13 3/8"	1 1/4"	1 1/2"	Carbon Steel	Satin Blued	H.S. Precision Tan Amarid Fiber Reinf.	Matte	8 ½
	27261 (R)	308 Win	4	26"	10"	45 3/4"	13 3/8"	1 1/4"	1 1/2"	Carbon Steel	Satin Blued	H.S. Precision Tan Amarid Fiber Reinf.	Matte	8 ½
Ī	27279 (L)	308 Win	4	26"	10"	45 3/4"	13 3/8"	1 1/4"	1 ½"	Carbon Steel	Satin Blued	H.S. Precision Tan Amarid Fiber Reinf.	Matte	8 1/2
	(L) Left-hand me	odel. (R) Right-hand model.												

MODEL	700" VS SF II												
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL Length	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL Material	BARREL Finish	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
26333	204 Ruger	5	26"	12"	45 ¾"	13 1/2"	1 1/4"	1 1/2"	416 Stainless	Polished Stainless	H.S. Precision Black Amarid Fiber Reinf.	Matte	8 ½
26339	220 Swift	4	26"	14"	45 ¾"	13 1/2"	1 1/4"	1 1/2"	416 Stainless	Polished Stainless	H.S. Precision Black Amarid Fiber Reinf.	Matte	8 ½
26337	223 Remington	5	26"	12"	45 ¾"	13 1/2"	1 1/4"	1 ½"	416 Stainless	Polished Stainless	H.S. Precision Black Amarid Fiber Reinf.	Matte	8 ½
26335	22-250 Remington	4	26"	12"	45 ¾"	13 1/2"	1 1/4"	1 1/2"	416 Stainless	Polished Stainless	H.S. Precision Black Amarid Fiber Reinf.	Matte	8 1/2

MODEL	700" SENDERO SF												
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL Material	BARREL Finish	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
27307 264 Win Mag. 3 26" 9" 45 ¾" 13 ¾" 1 ¼" 1 ½" 416 Stainless Polished Stainless H.S. Precision Black Amarid Fiber Reinf. Matte 8 ½													
27311	7mm Remington Mag	3	24"	9 1/4"	45 3/4"	13 3/8"	1 1/4"	1 ½"	416 Stainless	Polished Stainless	H.S. Precision Black Amarid Fiber Reinf.	Matte	8 1/2
27315	7mm Rem Ultra Mag	3	24"	9 1/2"	45 3/4"	13 3/8"	1 1/4"	1 1/2"	416 Stainless	Polished Stainless	H.S. Precision Black Amarid Fiber Reinf.	Matte	8 1/2
27313	300 Win Mag	3	24"	10"	45 3/4"	13 3/8"	1 1/4"	1 ½"	416 Stainless	Polished Stainless	H.S. Precision Black Amarid Fiber Reinf.	Matte	8 1/2
27318	300 Rem Ultra Mag	3	26"	10"	45 3/4"	13 3/8"	1 1/4"	1 1/2"	416 Stainless	Polished Stainless	H.S. Precision Black Amarid Fiber Reinf.	Matte	8 ½

MODEL	700" LV SF												
ORDER NO.	CALIBER	MAG. Capacity	BARREL Length	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH Of Pull	DROP (COMB)	DROP (HEEL)	BARREL Material	BARREL Finish	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
26183	17 Remington	5	22"	9"	41 5/8"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Satin Stainless	Black Composite	Matte	6 3/4
26196	204 Ruger	5	22"	12"	41 %"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Satin Stainless	Black Composite	Matte	6 3/4
26185	221 Remington Fireball	5	22"	14"	41 %"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Satin Stainless	Black Composite	Matte	6 3/4
26187	223 Remington	5	22"	12"	41 5/8"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Satin Stainless	Black Composite	Matte	6 3/4
26189	22-250 Remington	4	22"	14"	41 %"	13 ¾"	1 1/8"	1 3/8"	416 Stainless	Satin Stainless	Black Composite	Matte	6 ¾

	MODEL	700° XCR°												
	ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL Length	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL Material	BARREL Finish	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
NEW	84440	25-06 Remington	4	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	Stainless w/TriNyte®	TriNyte® Satin	Black Synthetic w/Overmold	Matte	7 3/8
	27165	270 Win	4	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	Stainless w/TriNyte®	TriNyte® Satin	Black Synthetic w/Overmold	Matte	7 3/8
	27253	270 WSM	3	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	Stainless w/TriNyte®	TriNyte® Satin	Black Synthetic w/Overmold	Matte	7 %
NEW	84441	7mm-08 Remington	4	24"	9 1/4"	43 %"	13 3/8"	1 1/8"	1 3/8"	Stainless w/TriNyte®	TriNyte® Satin	Black Synthetic w/Overmold	Matte	7 1/4
	27169	7mm Remington Mag	3	26"	9 1/4"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Stainless w/TriNyte®	TriNyte® Satin	Black Synthetic w/Overmold	Matte	7 %
	27179	7mm Remington Ultra Mag	3	26"	9 1/2"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Stainless w/TriNyte®	TriNyte® Satin	Black Synthetic w/Overmold	Matte	7 %
	27167	30-06 Springfield	4	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	Stainless w/TriNyte®	TriNyte® Satin	Black Synthetic w/Overmold	Matte	7 3/8
	27175	300 WSM	3	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	Stainless w/TriNyte®	TriNyte® Satin	Black Synthetic w/Overmold	Matte	7 3/8
	27171	300 Win Mag	3	26"	10"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Stainless w/TriNyte®	TriNyte® Satin	Black Synthetic w/Overmold	Matte	7 %
	27181	300 Remington Ultra Mag	3	26"	10"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Stainless w/TriNyte®	TriNyte® Satin	Black Synthetic w/Overmold	Matte	7 %
NEW	84450 (C)	300 Remington Ultra Mag	3	26"	10"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Stainless w/TriNyte®	TriNyte® Satin	Black Synthetic w/Overmold	Realtree® AP™ HD™	7 %
	27183	338 Remington Ultra Mag	3	26"	10"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Stainless w/TriNyte®	TriNyte® Satin	Black Synthetic w/Overmold	Matte	7 %
	27177	338 Win Mag	3	26"	10"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Stainless w/TriNyte®	TriNyte® Satin	Black Synthetic w/Overmold	Matte	7 %
	27191 [†]	375 H&H	3	24"	12"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Stainless w/TriNyte®	TriNyte® Satin	Black Synthetic w/Overmold	Matte	7 5/8
	27193 [†]	375 Remington Ultra Mag	3	24"	12"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	Stainless w/TriNyte®	TriNyte® Satin	Black Synthetic w/Overmold	Matte	7 %
	† Equipped with	Iron Sights. (C) Camo – RMEF Roc.	ky Mountain Elk F	oundation										

	MODEL	700 [™] XCR TACTICA	L LONG	RANGE												
	ORDER NO.															
NEW																
NEW	84461	308 Win	4	26"	12"	45 ¾"	13 3/8"	1 1/4"	1 ½"	Stainless w/TriNyte®	Black TriNyte®	Amarid Fiber Reinf.	OD Green	8 ½		
NEW	84462	300 Win Mag	3	26"	10"	45 3/4"	13 3/8"	1 1/4"	1 ½"	Stainless w/TriNyte®	Black TriNyte®	Amarid Fiber Reinf.	OD Green	8 1/2		

MODEL	XR-100" RANGEMA	ASTER®											
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL Material	BARREL Finish	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
25839	204 Ruger	_	26"	12"	45 3/8"	13 ½"	1 1/4"	2 3/8"	Carbon Steel	Satin	Black Laminate	Satin	9 1/8
25841	223 Remington	_	26"	12"	45 3/8"	13 ½"	1 1/4"	2 3/8"	Carbon Steel	Satin	Black Laminate	Satin	9 1/8
25843	22-250 Remington	_	26"	14"	45 3/8"	13 ½"	1 1/4"	2 3/8"	Carbon Steel	Satin	Black Laminate	Satin	9 1/8

	MODEL	SEVEN [™] CDL															
	ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARI MATE	REL RIAL	BARREL FINISH		STOCK MATERIAL		STOCK FINISH	AVG. WT. (LBS.)
NEW	85900	17 Remington Fireball	4	20"	9"	39 1/4"	13 3/8"	1 1/4"	1 1/2"	Carbon	Steel	Satin		Walnut		Satin	6 ½
	26411	204 Ruger	4	20"	12"	39 1/4"	13 3/8"	1 1/4"	1 1/2"	Carbon	Steel	Satin		Walnut		Satin	6 1/2
	26415	22-250 Remington	4	20"	14"	39 1/4"	13 3/8"	1 1/4"	1 1/2"	Carbon	Steel	Satin		Walnut		Satin	6 ½
	26413	223 Remington	5	20"	12"	39 1/4"	13 3/8"	1 1/4"	1 1/2"	Carbon	Steel	Satin		Walnut		Satin	6 ½
	26417	243 Win	4	20"	9 1/8"	39 1/4"	13 3/8"	1 1/4"	1 1/2"	Carbon	Steel	Satin		Walnut		Satin	6 1/2
	26419	260 Remington	4	20"	9"	39 1/4"	13 3/8"	1 1/4"	1 1/2"	Carbon	Steel	Satin		Walnut		Satin	6 1/2
	26361	270 WSM	3	20"	10"	39 1/4"	13 3/8"	1 1/4"	1 1/2"	Carbon	Steel	Satin		Walnut		Satin	6 1/2
	26421	7mm-08 Remington	4	20"	9 1/4"	39 1/4"	13 3/8"	1 1/4"	1 1/2"	Carbon	Steel	Satin		Walnut		Satin	6 1/2
	26363	7mm Remington SA Ultra Mag	3	22"	9 1/4"	41 1/4"	13 3/8"	1 1/4"	1 1/2"	Carbon	Steel	Satin		Walnut		Satin	7 3/8
	26367	300 WSM	3	20"	10"	39 1/4"	13 3/8"	1 1/4"	1 1/2"	Carbon	Steel	Satin		Walnut		Satin	6 1/2
	26423	308 Win	4	20"	10"	39 1/4"	13 3/8"	1 1/4"	1 1/2"	Carbon	Steel	Satin		Walnut		Satin	6 1/2
	26367	300 Remington SA Ultra Mag	3	22"	10"	41 1/4"	13 3/8"	1 1/4"	1 1/2"	Carbon	Steel	Satin		Walnut		Satin	7 3/8
	26369	350 Remington Magnum [†]	4	20"	16"	41 1/4"	13 3/8"	1 1/4"	1 1/2"	Carbon	Steel	Satin		Walnut		Satin	7 3/8
	† 350 Remington	n Magnum has 20" barrel with sights. NOT	E: Model Seven N	Nannlicher is ava	ailable from the Rem	ington® Custom Sho	p through your local	l dealer.									
	MODEL	SEVEN" YOUTH															
	ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST — R-H 1 Turn in	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARI MATE	REL RIAL	BARREL Finish		STOCK MATERIAL		STOCK FINISH	AVG. WT. (LBS.)
	29539	223 Remington	4	20"	12"	38 1/4"	13 3/8"	1 1/4"	1 1/2"	Carbon	Steel	Polished Blu	ie	Synthetic		Matte	6 1/4
	29541	243 Win	4	20"	9 1/8"	38 1/4"	13 3/8"	1 1/4"	1 1/2"	Carbon	Steel	Polished Blu	e	Synthetic		Matte	6 1/4
	29545	260 Remington	4	20"	9"	38 1/4"	13 3/8"	1 1/4"	1 1/2"	Carbon	Steel	Polished Blu	e	Synthetic		Matte	6 1/4
	29547	7mm-08 Remington	4	20"	9 1/4"	38 ¼"	13 %"	1 1/4"	1 1/2"	Carbon	Steel	Polished Blu	e	Synthetic		Matte	6 1/4
	MODEL	SEVEN" XCR CAMO															
	ORDER NO.	CALIBER	MAG. Capacity	BARREL Length	TWIST — R-H 1 Turn in	OVERALL Length	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARI MATE		BARREL Finish	STOCK	MATERIAL		OCK NISH	AVG. WT. (LBS.)
NEW	86050	243 Win	4	20"	9 1/8"	39"	13 3/8"	1 1/4"	1 1/2"	416 Stain	ess Steel	TriNyte®	Syr	thetic	Realtree®	AP™ HD™	7
NEW	86053	270 WSM	3	22"	10"	39"	13 3/8"	1 1/4"	1 1/2"	416 Stain	ess Steel	TriNyte®	Syr	thetic	Realtree®	AP™ HD™	7 1/8
NEW	86051	7mm-08 Remington	4	20"	9 1/4"	39"	13 3/8"	1 1/4"	1 1/2"	416 Stainl	ess Steel	TriNyte®	Syr	thetic	Realtree®	AP™ HD™	7
NEW	86054	300 WSM	3	22"	10"	41"	13 3/8"	1 1/4"	1 1/2"	416 Stainl	ess Steel	TriNyte®	Syr	thetic	Realtree®	AP™ HD™	7 1/8
NEW	86052	308 Win	4	20"	10"	39"	13 %"	1 1/4"	1 ½"	416 Stainl	ess Steel	TriNyte®	Syr	thetic	Realtree®	AP™ HD™	7
	MODEL	798°/799°															
	MODEL	ORDER NO.	CALIBER		MAG. CAPACITY	BARREL LENGTH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BAR MATE	REL Erial	BARREL FINISH	STOCK I	MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
NEW	798" Long Act	tion 89820	243 Win		4	22"	42 1/4"	13 3/8"	1 1/8"	1 3/8"	416 Stain	less Steel	Satin	Green L	.aminate	Satin	7 3/4
NEW	798" Long Act	tion 89821	25-06 Re	mington	4	22"	42 1/4"	13 3/8"	1 1/8"	1 3/8"	416 Stain	less Steel	Satin	Green L	aminate	Satin	7 3/4
NEW	798" Long Act		270 Win	-	4	22"	42 1/4"	13 3/8"	1 1/8"	1 3/8"	416 Stain	less Steel	Satin	Green L	aminate	Satin	7 3/4
NEW	798" Long Act	tion 89823	30-06 Sp	ringfield	4	22"	42 1/4"	13 3/8"	1 1/8"	1 3/8"	416 Stain	less Steel	Satin	Green L	aminate	Satin	7 3/4
NEW	798" Long Act	ion 89824	7mm Ren	nington Mag	3	24"	44 1/4"	13 3/8"	1 1/8"	1 3/8"	416 Stain	less Steel	Satin	Green L	aminate	Satin	7 3/4
NEW	798" Long Act	tion 89825	300 Win I	Mag	3	24"	44 1/4"	13 3/8"	1 1/8"	1 3/8"	416 Stain	less Steel	Satin	Green L	.aminate	Satin	7 3/4
NEW	798" Long Act	tion 89826	375 H&H	Mag	3	24"	44 1/4"	13 3/8"	1 1/8"	1 3/8"	416 Stain	less Steel	Satin	Green I	aminate	Satin	8 1/2

	MODEL 798*/799*													
	MODEL	ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	OVERALL Length	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL Material	BARREL Finish	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
NEW	798™ Long Action	89820	243 Win	4	22"	42 1/4"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Satin	Green Laminate	Satin	7 3/4
NEW	798" Long Action	89821	25-06 Remington	4	22"	42 1/4"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Satin	Green Laminate	Satin	7 3/4
NEW	798" Long Action	89822	270 Win	4	22"	42 1/4"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Satin	Green Laminate	Satin	7 3/4
NEW	798™ Long Action	89823	30-06 Springfield	4	22"	42 1/4"	13 ¾"	1 1/8"	1 3/8"	416 Stainless Steel	Satin	Green Laminate	Satin	7 3/4
NEW	798" Long Action	89824	7mm Remington Mag	3	24"	44 1/4"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Satin	Green Laminate	Satin	7 3/4
NEW	798™ Long Action	89825	300 Win Mag	3	24"	44 1/4"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Satin	Green Laminate	Satin	7 3/4
NEW	798" Long Action	89826	375 H&H Mag	3	24"	44 1/4"	13 3/8"	1 1/8"	1 3/8"	416 Stainless Steel	Satin	Green Laminate	Satin	8 1/2
	798™ Long Action	89831	243 Win	4	22"	42 1/4"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Polished Blue	Brown Laminate	Satin	7 3/4
	798™ Long Action	89833	270 Win	4	22"	42 1/4"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Polished Blue	Brown Laminate	Satin	7 3/4
	798™ Long Action	89832	308 Win	4	22"	42 1/4"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Polished Blue	Brown Laminate	Satin	7 3/4
	798™ Long Action	89830	30-06 Springfield	4	22"	42 1/4"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Polished Blue	Brown Laminate	Satin	7 3/4
	798" Long Action	89834	7mm Remington Mag	3	24"	44 1/4"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Polished Blue	Brown Laminate	Satin	7 3/4
	798™ Long Action	89836	375 H&H Mag [†]	3	24"	44 1/4"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Polished Blue	Brown Laminate	Satin	8 ½
	798™ Long Action	89837	458 Win Mag [†]	3	24"	44 1/4"	13 ¾"	1 1/8"	1 3/8"	Carbon Steel	Polished Blue	Brown Laminate	Satin	8 1/2
	798" Long Action	89835	300 Win	3	24"	44 1/4"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Polished Blue	Brown Laminate	Satin	7 3/4
	799™ Short Action	89852	22 Hornet	4	20"	39 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Polished Blue	Brown Laminate	Satin	6 ½
	799" Short Action	89851	222 Remington	4	20"	39 1/2"	13 ¾"	1 1/8"	1 3/8"	Carbon Steel	Polished Blue	Brown Laminate	Satin	6 ½
	799" Short Action	89854	22-250 Remington	4	20"	39 ½"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Polished Blue	Brown Laminate	Satin	6 ½
	799™ Short Action	89850	223 Remington	4	20"	39 1/2"	13 ¾"	1 1/8"	1 3/8"	Carbon Steel	Polished Blue	Brown Laminate	Satin	6 1/2
	799" Short Action	89853	7.62x39mm	4	20"	39 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Polished Blue	Brown Laminate	Satin	6 ½
	† Equipped with iron sights.													

			TWIST — R-H	BARREL	OVERALL	LENGTH	DROP	DROP	BARREL	BARREL		STOCK	AVG. WT.
MODEL	ORDER NO.	CALIBER	1 TURN IN	LENGTH	LENGTH	OF PULL	(COMB)	(HEEL)	MATERIAL	FINISH	STOCK MATERIAL	FINISH	(LBS.)
750" Woodsmaster"	27055	243 Win	9 1/8"	22"	42 %"	13 ½"	1 5/8"	2 1/2"	Carbon Steel	Polished Blue	Walnut	Satin	7 ½
750" Woodsmaster"	27059	270 Win	9 1/8"	22"	42 %"	13 1/2"	1 1/8"	2 1/2"	Carbon Steel	Polished Blue	Walnut	Satin	7 1/2
750" Woodsmaster"	27061	30-06 Springfield	9 1/8"	22"	42 %"	13 ½"	1 5/8"	2 1/2"	Carbon Steel	Polished Blue	Walnut	Satin	7 ½
750" Woodsmaster"	27057	308 Win	10"	22"	42 %"	13 ½"	1 5/8"	2 1/2"	Carbon Steel	Polished Blue	Walnut	Satin	7 1/2
750" Woodsmaster"	27063	35 Whelen	16"	22"	42 %"	13 ½"	1 5/8"	2 1/2"	Carbon Steel	Polished Blue	Walnut	Satin	7 ½
750™ Woodsmaster™ Carbine	27077	30-06 Springfield	10"	18 ½"	39 1/8"	13 ½"	1 5/8"	2 1/2"	Carbon Steel	Polished Blue	Walnut	Satin	7 1/4
750" Woodsmaster" Carbine	27075	308 Win	10"	18 ½"	39 1/8"	13 ½"	1 5/8"	2 1/2"	Carbon Steel	Polished Blue	Walnut	Satin	7 1/4
750™ Woodsmaster™ Carbine	27079	35 Whelen	16"	18 ½"	39 1/8"	13 ½"	1 5/8"	2 1/2"	Carbon Steel	Polished Blue	Walnut	Satin	7 1/4
▼ 750° Synthetic	85682	243 Win	9 1/8"	22"	42 %"	13 ½"	1 5/8"	2 1/2"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 ½
750" Synthetic	85685	270 Win	9 1/8"	22"	42 %"	13 ½"	1 5/8"	2 1/2"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 ½
▼ 750° Synthetic	85686	30-06 Springfield	9 1/8"	22"	42 %"	13 ½"	1 5/8"	2 1/2"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 ½
▼ 750" Synthetic Carbine	85687	30-06 Springfield	10"	18 ½"	39 1/8"	13 ½"	1 5/8"	2 1/2"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 1/4
750" Synthetic	85683	308 Win	10"	22"	42 %"	13 ½"	1 5/8"	2 1/2"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 ½
▼ 750" Synthetic Carbine	85684	308 Win	10"	18 1/2"	39 1/8"	13 ½"	1 5/8"	2 1/2"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 1/4

95

RIFLE SPECIFICATIONS

	MODEL 7	770 [~]														
	ORDER NO.	CALIBER	MAG. Capacity	BARREL Length	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL Material	BARREL Finish	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)†		
NEW	85630	243 Win	4	22"	9"	42 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Black Synthetic	Matte	8 1/2		
NEW	85637 Youth	243 Win	4 20" 9 1/6" 39 1/2" 12 3/6" 1 1/6" 1 3/6" Carbon Steel Matte Black Synthetic Matte 8 1/4													
NEW	85632	270 Win	4 20" 9 1/8" 39 1/2" 12 3/8" 1 1/8" Carbon Steel Matte Black Synthetic Matte 8 1/4 4 22" 10" 42 1/2" 13 3/4" 1 1/8" Carbon Steel Matte Black Synthetic Matte 8 1/2													
NEW	85631	7mm-08 Remington	4	22"	9 1/4"	42 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Black Synthetic	Matte	8 1/2		
NEW	85635	7mm Remington Mag	3	24"	9 1/4"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Black Synthetic	Matte	8 %		
NEW	85633	30-06 Springfield	4	22"	10"	42 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Black Synthetic	Matte	81/2		
NEW	85636	300 Win Mag	3	24"	10"	44 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Black Synthetic	Matte	8 %		
NEW	85634	308 Win	4	22"	10"	42 1/2"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Matte	Black Synthetic	Matte	81/2		
	† Average weight i	includes scope.										·				

	MODEL 7615"/7	′600™													
	MODEL	ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL Material	BARREL Finish	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
NEW	7615" Tactical	86400	223 Remington	10	16 ½"	10"	36 ½"	13 1/2"	1 3/16"	2 1/4"	Carbon Steel	Parkerized	Black Synthetic	Matte	6 1/8
NEW	7615™ Ranch Carbine	86401	223 Remington	10	18 ½"	10"	38 1/2"	13 ½"	1 3/16"	2 1/4"	Carbon Steel	Parkerized	American Walnut	Satin	7
NEW	7615™ Camo Hunter†	86402	223 Remington	10	22"	10"	42"	13 ½"	1 3/16"	2 1/4"	Carbon Steel	Mossy Oak® Brush Camo	Synthetic	Mossy Oak® Brush Camo	7 1/8
	7600~	24653	243 Win	4	22"	9 1/8"	42 1/8"	13 ½"	1 3/16"	2 1/4"	Carbon Steel	Polished Blue	American Walnut	Satin	7 ½
	7600~	24655	270 Win	4	22"	10"	42 1/8"	13 ½"	1 3/16"	2 1/4"	Carbon Steel	Polished Blue	American Walnut	Satin	7 ½
	7600~	24667	270 Win	4	22"	10"	42 1/8"	13 ½"	1 3/16"	2 1/4"	Carbon Steel	Polished Blue	American Walnut	High Gloss	7 ½
	7600° Carbine	24661	30-06 Springfield	4	18 ½"	10"	39 1/8"	13 ½"	1 3/16"	2 1/4"	Carbon Steel	Polished Blue	American Walnut	Satin	7 1/4
	7600~	24657	30-06 Springfield	4	22"	10"	42 1/8"	13 ½"	1 3/16"	2 1/4"	Carbon Steel	Polished Blue	American Walnut	Satin	7 ½
	7600~	24671	30-06 Springfield	4	22"	10"	42 1/8"	13 ½"	1 3/16"	2 1/4"	Carbon Steel	Polished Blue	American Walnut	High Gloss	7 ½
	7600 [~]	24659	308 Win	4	22"	10"	42 5/8"	13 ½"	1 3/16"	2 1/4"	Carbon Steel	Polished Blue	American Walnut	Satin	7 ½
	7600 [™] Synthetic	25143	243 Win	4	22"	9 1/8"	42 1/8"	13 ½"	1 3/16"	2 1/4"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 ½
	7600 [™] Synthetic	25145	270 Win	4	22"	10"	42 1/8"	13 ½"	1 3/16"	2 1/4"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 ½
	7600™ Synthetic	25149	30-06 Springfield	4	22"	10"	42 1/8"	13 ½"	1 3/16"	2 1/4"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 ½
	7600 [™] Synthetic	25151	308 Win	4	22"	10"	42 1/8"	13 ½"	1 3/16"	2 1/4"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 ½
	7600" Synthetic Carbine	25153	30-06 Springfield	4	18 1/5"	10"	39 1/8"	13 1/2"	1 3/16"	2 1/4"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 1/4

	MODEL 59/													
	MODEL	ORDER NO.	ACTION TYPE (CALIBER)	MAG. Capacity	BARREL LENGTH	OVERALL Length	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL Material	BARREL Finish	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
	597~	26550	Auto (22 LR)	10	20"	40"	14"	1 1/2"	2 1/4"	Carbon Steel	Satin Blue	Gray Synthetic	Matte	5 ½
ew	597 Scope Combo	26513	Auto (22 LR)	10	20"	40"	14"	1 1/2"	2 1/4"	Carbon Steel	Satin Blue	Gray Synthetic	Matte	5¾
	597~ LSS	26556	Auto (22 LR)	10	20"	40"	14"	1 ½"	2 1/4"	416 Stainless	Satin Stainless	Brown Laminate	Satin	5 ½
	597" SS	26565	Auto (22 LR)	10	20"	40"	14"	1 ½"	2 1/4"	416 Stainless	Satin Stainless	Gray Synthetic	Matte	5 ½
	597" Magnum	26560	Auto (22 WMR)	8	20"	40"	14"	1 1/2"	2 1/4"	Carbon Steel	Satin Blue	Black Synthetic	Matte	5 1/2
	597~ Magnum	26516	Auto (17 HMR)	8	20"	40"	14"	1 ½"	2 1/4"	Carbon Steel	Satin Blue	Black Synthetic	Matte	5 ½
	597" HB LS	26579	Auto (22 LR)	10	20"	40"	14"	1 1/2"	2 1/4"	Carbon Steel	Satin Blue	Brown Laminate	Satin	6
	597" HB LS Magnum	26581	Auto (22 WMR)	8	20"	40"	14"	1 1/2"	2 1/4"	Carbon Steel	Satin Blue	Brown Laminate	Satin	6
	597∼ HB LS Magnum	26514	Auto (17 HMR)	8	20"	40"	14"	1 1/2"	2 1/4"	Carbon Steel	Satin Blue	Brown Laminate	Satin	6

MODEL	FIVE [™]												
ORDER NO.	CALIBER	MAG. Capacity	BARREL Length	TWIST — R-H 1 TURN IN	OVERALL Length	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL Material	BARREL Finish	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
89913	22 LR	5	22"	16"	40 3/4"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Polished Blue	Brown Laminate	Satin	6 3/4
89914	22 WMR	5	22"	16"	40 3/4"	13 3/8"	1 1/8"	1 3/8"	Carbon Steel	Polished Blue	Brown Laminate	Satin	6 3/4

	MODEL 552"/572"													
	MODEL	ORDER NO.	ACTION TYPE (CALIBER)	MAG. Capacity	BARREL LENGTH	OVERALL Length	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL Material	BARREL Finish	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
	552 BDL Deluxe Speedmaster®	25594	Auto (22, S, L, LR)	15*	21"	40"	13 %"	1 3/8"	2 5/8"	Carbon Steel	Polished Blue	American Walnut	Gloss	5¾
	552" BDL NRA Edition	25972	Auto (22, S, L, LR)	15*	21"	40"	13 %"	1 3/8"	2 1/8"	Carbon Steel	Polished Blue	American Walnut	Gloss	5¾
	572" BDL Deluxe Fieldmaster®	25624	Pump (22, S, L, LR)	15*	21"	40"	13 %"	1 3/8"	2 1/8"	Carbon Steel	Polished Blue	American Walnut	Gloss	5¾
ew	572" BDL Smoothbore	29829	Pump (22, S, L, LR)	15*	21"	40"	13 5/8"	1 3/8"	2 5/8"	Carbon Steel	Polished Blue	American Walnut	Gloss	5¾
	* Canacity is 15 on 22 Long Rifle 17 o	on 22 Long and 20) on 22 Short											

MUZZLELOADER SPECIFICATIONS

	GENESIS™ MUZZLELOADER	DIMENSIO	NS / AVERAGE \	WEIGHTS					
	MODEL	BARREL LENGTH	OVERALL LENGTH	ORDER NO.	STOCK Material	STOCK FINISH	BARREL Material	BARREL Finish	AVG WT. (LBS.)
	Genesis ML	28"	43"	89294	Black Synthetic	Black	Carbon Blue	Matte	7 3/4
	Genesis MLS Overmold	28"	43"	89297	Overmold Synthetic	Black Overmold	Stainless	Satin	7 3/4
	Genesis ML Camo	28"	43"	89295	Mossy Oak® New Break-Up®	Camo	Carbon Blue	Camo	7 3/4
NEW	Genesis ML Camo	28"	43"	89276	Mossy Oak® New Break-Up®	Camo	Carbon Blue	Camo	7 3/4
	Genesis ML SF Synthetic Thumbhole	28"	43"	89286	Black Synthetic	Black	Stainless	Satin	71/2
	Genesis ML SF Camo Thumbhole	28"	43"	89299	Mossy Oak® New Break-Up®	Camo	Stainless	Satin	7 ½
NEW	Genesis ML SF Buckmasters®	28"	43"	89277	Realtree® Hardwoods® HD™	Camo	Stainless	Satin	7 3/4
	Genesis ML SF Laminate Thumbhole	28"	43"	89285	Grey Laminate	Grey Laminate	Stainless	Satin	8

BARREL SPECIFICATIONS

LENGTH & CHOKE	12-GA.	16-ga.	20-ga.*
Field Grade, Vent Rib, Wingmaster®			
30" Rem [™] Choke, Light Contour	26215	_	_
30" Rem [™] Choke	24576	_	_
28" Rem™ Choke, Light Contour	26217	_	_
28" Rem [™] Choke	24580	_	24606
26" Rem™ Choke, Light Contour	26219	_	_
26" Rem™ Choke	24582	_	24608
Deer Barrel, Super Slug Cantilever Scope Mount, New Contour			
23" Fully Rifled	24551	_	_
Deer Barrel, Cantilever Scope Mount, Wingmaster®			
20" Fully Rifled	24557	_	_
Deer Barrel, Rifle Sights			
20" Rem [™] Choke	24545 ²	24495 ⁴	_
20" Fully Rifled	24558	_	_
20" Imp. Cyl.	_	_	24578
SP ⁻ Deer Barrel, Cantilever Scope Mount			
20" Fully Rifled	26229	_	_
20" Fully Rifled Camo	26203 [†]	_	_
20" Rem [®] Choke	262271	_	_
SP™ Deer, Rifle Sights			
20" Rem [®] Choke	24549 ²	_	_
Express® Bead Sights	24620	_	_
Express® Vent Rib	24589	_	_
Express® Deer, Rifle Sights (20"), Imp. Cyl.	24622	_	_
Express® Deer, Fully Rifled, Rifle Sights (20")	24611 ³	_	24609 ³
SP*, Vent Rib			
30" Rem " Choke	24590	_	_
28" Rem Choke	26225	_	_
26" Rem~ Choke	24592	_	

Model 870" extra barrels with 3" chambers used on Super Magnum" and Magnum receivers will handle both 2 ½" and 3" shells only. Use only 2½" shells when these barrels are used on non-Magnum receivers. "20-gauge 870" Lightweight barrels will not fit 20-gauge standard 870" guns. I Cantilever Rem' Choke Deer barrels supplied with Involved Cylinder and Center Lord Cylinder and Company of the Standard Riffed Choke tubes. 2 Riffer spirited Rem' Choke Deer barrels supplied with Riffed and Improved Cylinder Choke tubes. 3 Express" 20-ga. Fully Riffed Deer barrel has 2 ½" chambet. Model 870" extra barrels with 2 ½" chambers will fit both Magnum and 2½" receivers. Use only 2½" shells in these barrels. 4 Riffe-sighted Rem' Choke Deer barrels supplied with Improved Cylinder Choke tube. 1 Cano Mossy Oak" Break-Lip" Pattern.

12-GA.	20-ga.*
29615	_
29606	29563³
29623	_
24645	_
29537	_
24647	_
29627	_
29609	_
24638	_
29611	_
24640	_
29600	_
29602	_
24644	_
29604	_
™ SUPER MAGNUM	
24629	_
80500	
	29615 29606 29623 24645 29537 24647 29627 29609 24638 29611 24640 29600 29602 24644 29604 *** SUPER MAGNUM 24629

Model 11-87" Deer barrels are not equipped with a pressure-compensating gas system, and will not function with target or light field loads.

*20-gauge 870" Lightweight barrels will not fit 20-gauge standard 870" gans. ***Model 11-87" beer barrels are comparible with Model 1100" G3 shotguns.

**Fitting Standard Barrels on Light Contour Shotguns — The fore-ends on our Light Contour Model 11-87" shotguns are shaped to follow the curve of the slimmer-profiled LC barrel, which means that a standard lent fib or Deer barrel cannot be fitted to your gun unless you do one of two things: have your LC fore-end wood opened up by a competent gunsmith or stockmaker, or purchase a standard profile fore-end from our Arms Service Division by writing to: Arms Service Division, Reminigton Arms Co., PO. Box 700, Madison, NC 27025-0700 or wist our website at: www.reminigton.com.

Cantilever Rem: *Choke Deer barrels supplied with Improved Cylinder and Estended Rifled Choke tubes. 2 Rifle-sighted Rem: *Choke Deer barrels supplied with Rifled and Improved Cylinder Choke Lubes. 3 2 2"c chamber. 4 3"2" chamber. † Carmo Mossy Oak" Break-Up" Pattern.

NEW

MODEL SP-10" MAGNUM EXTRA BARRELS / 3 1/2" CHAMBERS						
LENGTH & CHOKE	10-ga.					
SP" Magnum, Vent Rib						
30" Rem® Choke	27594					
26" Rem [™] Choke	27598					

ENGTH & CHOKE	12-ga.	20-ga, LT-201
Field Grade Deer, Cantilever Scope Mount	22 011	20 3.1 2.1 20
21" Fully Rifled	26595	_
Field Grade Deer, Rifle Sights		
21" Fully Rifled	29570	_
21" Rem [~] Choke ²	29565	_
21" Imp. Cyl.	_	24438
SP™ Deer, Rifle Sights		
21" Rem [™] Choke ²	29571	_
Steel Shot Barrel, Vent Rib ³ (See ammunition note below)		
30" Rem~ Choke	29505	_
26" Rem Choke	29509	_
Field Grade, Vent Rib		
30" Rem [™] Choke	24488	_
28" Rem Choke	24464	24484
26" Rem [™] Choke	24466	24486
Skeet, Vent Rib		
26" Rem [™] Choke	24490	_

1 NOTE: LT-20, 20-gauge Lightweight barrels (4000 Series) will not fit pre-1977 20-gauge Lightweight or standard 20-gauge Model 1100" shotguns. (Refer to parts list for pre-1977 barrels.) 2 Rille-sighted Rem" Choke Deer barrels supplied with Rilled and Imp. Cyl. Choke tubes. 3 Supplied with Intil Choke only.

Please note the following ammunition recommendations for use with the Model 1100" steel shot barrel.

When used with Model 1100" Magnum shotguns:

- Use 2 ³/4" magnum or 3" magnum steel shotshells

Use 2 ³/₄" magnum or 3" magnum lead shotshells.

When used with Model 1100 ™ non-Magnum shotguns:
- Use 2 ¾" magnum or 3" magnum steel shotshells.

- Use 2³/₄" magnum lead shotshells. Do not use 3" magnum lead shotshells in non-Magnum Model 1100" shotguns,

as this will cause extra wear and decrease the life of the gun.

300, ADL, Accelerator, BDL, Bandit, Bore, BriteBore, Bronze Point, BuckHammer, Bullet, CBEE 22, CDL, Classic, Conquest, Copper-Lokt, Copper Solid, Core-Lokt, Custom Carry, Cyclone, D-Series, Deer Hunter, Disintegrator, DriLube, Driving Band, Duplex, Echo, Elite Hunter, ETA, EtronX, Excursion, Express, Express-Steel, EZ, F.A.S.T. Fast Action Soft Touch, Fieldmaster, Figure 8, Fireball, G3, Gamemaster, Genesis, Green Color, Golden, Golden Saber, Grizzly, Gun Club, Hi-Speed, Ideal, Kleanbore, Lead-Lokt, LV SF, MAX Gobbler, M-Series, Managed-Recoil, Marine Magnum, Model Five, Model Seven, Model 105 CTi, Model 11-87, Model 32, Model 332, Model 365, Model 40-X, Model 40-XB, Model 40-XBBR, Model 40-XC, Model 40-XR, Model 40-XRBR, Model 412, Model 504, Model 504-T, Model 552, Model 572, Model 597, Model 673, Model 700, Model 710, Model 750, Model 770, Model 798, Model 799, Model 830, Model 870, Model 1100, Model 7400, Model 7600, Model 7615, Model SP-10, Nitro 27, Nitro CLP, Nitro Mag, Nitro Turkey, Nitro-Steel, Parker, Peters, Pheasant, Power-Lokt, Power Piston, Premier, ProBore, Quick Look, R, R-P, R3 and R3 logo, Rangemaster, Ready, Realwood, Rem, Rem Dri 35, Rem DriLube, RemCloth, RemGrip, Rem-Line, Rem-Lite, Rem-Tech, Remington, Remington Fieldmaster, Remington Law Enforcement, Remington Leadless, Remington Racing, Remington Shooting School and Remington Shooting School logo, Remington Targetmaster, Remington Ultra, Rustless, Sendero, ShurShot, Slugger, SP, SPR, SPR18, SPR100, SPR210, SPR22, SPR220, SPR310, SPR310S, SPR453, SPR94, SPS, SP-T, SPS-T, Speedmaster, Sportsman, STS, Subsonic, Super Magnum, SWIFT-LOKT, Tango, Targetmaster, Thunderbolt, TorchCam, TriNyte, Ultra Bonded, Ultra Mag, UMC, Unibody, Viper, VLS, Vortex and Vortex logo, VS, VSF, VS SF, Weathermaster, Wetproof, Wingmaster, Wingmaster HD, Woodsmaster, XCR Extreme, X-Mark Pro, XR-100, Yellow Jacket and Zulu are trademarks of RA Brands, L.L.C., Madison, NC 27025. Palusol is a trademark of BASF. Briley is a trademark of Briley Manufacturing, Bushnell and Sharpshooter are trademarks of Bushnell, Delrin, Keylar, Teflon and Tyvek are trademarks of DuPont. Sierra Match King is a trademark of Sierra Bullet Co. Swift, A-Frame and Scirocco are trademarks of Swift Bullet Co. Break-Up, Brush, Duck Blind, Mossy Oak, New Break-Up and Obsession are trademarks of Haas Outdoors, Inc. V-Max is a trademark of Hornady Manufacturing Company. Hogue is a trademark of Hogue, Inc. Advantage, Advantage Max-4, Advantage Timber, AP, APG, HD and Realtree are trademarks of Jordan Outdoor Enterprises, Ltd. SpecOps is a trademark of Knoxx Industries, LLC., HiViz is a trademark of North Pass, Ltd. Kraton is a trademark of Shell. Sako is a trademark of Sako, Ltd., Shilen is a trademark of Shilen, Inc., Speedfeed is a trademark of Speedfeed, Inc. LimbSaver is a trademark of Steven Sims, Inc. TRUGLO is a trademark of Truglo, Inc. Skyline, Excel and Fall Flight are trademarks of Skyline Cover, LLC. Weaver is a trademark of Weaver Outdoor Optics. Williams and Fire Sights are trademarks of Williams Gun Sight Co.

Weights, stock dimensions, checkering pattern and wood grain may vary according to the individual firearm. Remington reserves the right to change or modify its products without notice. Pricing may vary by model, specification, color, size and availability. Follow the safety rules printed in firearms instruction books and on ammunition boxes. If you do not have an instruction book for your Remington firearm, write to Remington Arms Company, Inc., 870 Remington Drive, PO Box 700, Madison, NC 27025, for a free copy or visit our website at www.remington.com/manuals. Please specify the model and serial number. The firearms herein have been photographed with their actions closed to properly showcase their features. In actual practice, any firearm not in use must be left with ammunition removed, action open and safety on. Consumer Information, Arms Service, Parts and Repairs and Custom Shop: (800) 243-9700. Visit us on the web at: www.remington.com.

FOR ADDITIONAL INFORMATION,

VISIT US AT WWW.REMINGTON.COM

Remington

